QUARTERLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN THE

DIVISIONS, COUNTIES, AND PUBLIC HEALTH DISTRICTS

OF

SCOTLAND.

QUARTER ENDING 31st MARCH 1920.

Published by Authority of the Registrar-General.

CCLXI.

EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 FORTH STREET, EDINBURGH.

1920.

Price 6d. Net.

REPORT.

REPORT ON THE BIRTHS, DEATHS AND MARRIAGES REGISTERED IN SCOTLAND DURING THE QUARTER ENDING 31st March 1920.

The more outstanding features of the vital statistics of Scotland in the First Quarter of the year 1920 are a high birth-rate, one in marked contrast to those of wartime, a high marriage-rate, and a low death-rate. The number of births registered during the quarter was 37,748, and is the largest number registered in Scotland in any quarter since the institution of national registration. It is 66·1 per cent. more than that of the first quarter of the previous year, 1919. The birth-rate was correspondingly high. It was 30·9 per thousand, which is higher than those of all first quarters since 1891, and higher than those of all quarters subsequent to the second quarter of the year 1905. Marriages registered during the quarter numbered 11,751, and the marriage-rate was 9·6. Both the number and the rate exceed those of all first quarters since the institution of national registration. The deaths of the quarter numbered 18,925, and the death-rate was 15·5 per thousand. In only one previous first quarter, 1918, was a lower death-rate recorded.

BIRTHS.

Births registered in Scotland during the First Quarter of the year 1920 numbered 37,748. This number is 3272 more than that of the previous quarter, 15,238 more than that of the first quarter of last year, 11,857 more than the mean of those of the first quarters of the preceding five years, and 9614 more than the mean of those of the first quarters of the preceding ten years. It is the largest number of births registered in any quarter since the institution of national registration. The previous largest number was 36,377, which occurred in the second quarter of 1903, and compared with it that of this quarter is 1371, or 3.8 per cent., more.

The quarterly Scottish birth-rate was 30.9. It is 3.0 more than that of the previous quarter, 12.3 more than that of the corresponding quarter of last year, 9.3 more than the mean of those of the first quarters of the preceding five years, and 7.1 more than the mean of those of the first quarters of the ten preceding years. It is higher than the birth-rates of all first quarters since 1891, and higher than those of all quarters since

the second quarter of 1905.

Of the 37,748 children whose births were registered, 19,261 were male and 18,487 were female, the ratio of male to female being 104.2 to 100.

In the previous quarter this ratio was 105.4 to 100.

In the Divisions of the Counties the quarterly birth-rate varied from 33·2 in the South-Western, and 32·5 in the North-Eastern, to 23·4 in the Northern, and 25·9 in the North-Western. In the East-Midland Division it was 29·3; in the Southern, 28·7; in the South-Eastern, 28·4; and in the West-Midland, 28·1.

TABLE I.—BIRTHS, ILLEGITIMATE BIRTHS, DEATHS, and MARRIAGES in SCOTLAND, and in the Divisions of the Counties during the Quarter ending 31st March 1920, with relative rates; also Infantile Mortality.

	POPUL	ATION.	TOT BIRT (Corre	HS.	ILLEO MA BIRT (Corre	TE HS. cted.)	DEA' (Corre	ected nsfer.)		IAGES.	CHIL UN ONE	HS OF DREN DER YEAR. ected.)
	Census 1911.	Esti- mated to middle of 1920.	Num- ber.	Rate per 1000 of Pop.	Num- ber.	Per cent. of Total Births.	Num- ber.	Rate per 1000 of Pop.	Num- ber-	Rate per 1000 of Pop.	Num- ber.	Rate per 1000 Births.
SCOTLAND,	4760904	4921100	37748	30.9	2690	7.1	18925	15.5	11751	9.6	3466	92
LARGER BURGHS	2245735	2426500	19294	32.0	1258	6.5	9621	15.9	6928	11.5	1988	103
SMALLER BURGHS	956687	966700	7406	30.8	485	6.5	3841	16.0	2295	9.5	609	82
COUNTY DISTRICTS	1558482	1527900	11048	29.1	947	8.6	5463	14.4	2528	6.7	869	79
Northern Division,	105997	95100	554	23.4	43	7.8	420	17.8	186	7.9	27	49
North-Western Do.	164636	150100	965	25.9	65	6.7	620	16.6	280	7.5	61	63
North-Eastern Do.	467333	450400	3645	32.5	440	12.1	1910	17.1	884	7.9	417	114
East-Midland Do.	712146	732600	5329	29.3	391	7.3	2796	15.4	1710	9.4	473	89
West-Midland Do.	386312	393800	2748	28.1	165	6.0	1390	14.2	732	7.5	211	77
South-Western Do.	2033521	2185600	18046	33.2	1065	5.9	8392	15.4	5861	10.8	1733	96
South-Eastern Do.	700577	736600	5197	28.4	362	7.0	2574	14.1	1709	9.3	435	84
Southern Do.	190382	176900	1264	28.7	159	12.6	823	18.7	389	8.8	109	86

In the counties the birth-rate varied from 34·1 in Banff, 33·7 in Linlithgow, 33·5 in Lanark, 32·9 in Renfrew, and 32·6 in Aberdeen, to 17·4 in Bute, 20·3 in Shetland, 22·0 in Selkirk, and 22·2 in Sutherland.

In the larger burghs taken collectively, this rate was 32.0; in the smaller burghs, 30.8; and in the county districts, 29.1. In the larger burghs this rate was 3.0, in the smaller burghs 3.1, and in the county

districts 2.8, higher than in the previous quarter.

In the larger burghs taken individually the birth-rate varied from 39.3 in Greenock, 36.7 in Hamilton, 36.2 in Motherwell, and 35.9 in Coatbridge, to 26.0 in Edinburgh, 27.0 in Perth, 27.6 in Ayr, and 28.5 in Kilmarnock. In Glasgow this rate was 32.8; in Dundee, 31.5; and in Aberdeen, 33.8.

In burghs with censal populations of over 10,000 but less than 30,000 the birth-rate varied from 47.8 in Irvine, 44.3 in Fraserburgh, 44.3 in Port-Glasgow, 39.8 in Dunfermline, and 37.1 in Peterhead, to 24.3 in Cowdenbeath, 24.3 in Forfar, 25.0 in Galashiels, 25.9 in Hawick, and 26.4

in Rutherglen.

In the county districts with populations of more than 10,000, this rate ranged from 40.0 in Annan District of Dumfries, 39.1 in Thornhill District of Dumfries, 37.7 in Middle Ward District of Lanark, 37.1 in Easter Ross District of Ross and Cromarty, and 36.6 in Deer District of Aberdeen, to 18.0 in Mid-Ross District of Ross and Cromarty, 18.9 in Cupar District of Fife, 19.2 in Central District of Perth, 20.1 in Skye District of Inverness and in Mainland District of Shetland, 20.7 in Western District of Perth, and 20.9 in St. Andrews District of Fife.

Of the 37,748 children whose births were registered, 35,058, or 92.9 per cent., were legitimate, while 2690, or 7.1 per cent., were illegitimate.

The legitimate children of the quarter are 2999 more than those of the previous quarter, and 14,616 more than those of the first quarter of last year. The illegitimate children of the quarter are 273 more than those of the previous quarter, and 621 more than those of the corresponding quarter of last year. The legitimate children of the quarter are 71.5 per cent. more than those registered in the first quarter of last year, while the illegitimate children are 30.0 per cent. more. The illegitimate rate of the quarter is 0.1 higher than that of the previous quarter, but is 2.1 less than that of the first quarter of last year.

In the Divisions of the Counties the quarterly illegitimate rate varied from 12.6 per cent. in the Southern, and 12.1 in the North-Eastern, to 5.9 in the South-Western, 6.0 in the West-Midland, and 6.7 in the North-Western. In the Northern this rate was 7.8, in the East-Midland 7.3, and

in the South-Eastern 7.0.

In the counties this rate ranged from 16.2 per cent. in Kirkcudbright, 15.7 in Elgin, 13.5 in Wigtown, 12.5 in Bute, and 12.2 in Banff, to 3.8 in

Shetland, 4.2 in Dumbarton, and 5.0 in Ross and Cromarty.

In the larger burghs taken collectively this rate was 6.5, in the smaller burghs 6.5, and in the county districts 8.6. In the larger burghs this rate was 3.0 less than in the first quarter of last year, in the smaller burghs it was 2.2 less, and in the county districts, 0.4 less.

In the larger burghs taken individually the illegitimate rate varied from 9.7 in Falkirk, 8.4 in Aberdeen, 8.1 in Perth and 8.0 in Dundee, to 3.3 in Clydebank, 3.9 in Hamilton, 5.2 in Paisley, and 5.3 in Motherwell.

In Glasgow this rate was 6.2, and in Edinburgh 7.5.

In burghs with censal populations of more than 10,000 but less than 30,000 the illegitimate rate varied from 14.3 per cent. in Peterhead, 13.3 in Galashiels, 10.4 in Inverness, and 10.1 in Montrose, to 0.5 in Rutherglen,

2.7 in Renfrew, and 2.9 in Port-Glasgow.

In county districts with populations of upwards of 10,000 it varied from 28.8 per cent. in Garioch District of Aberdeen, 23.6 in Turriff District of Aberdeen, 20.0 in Highland District of Perth, and 19.2 in Keith District of Banff, to 1.4 in Lews District of Ross and Cromarty, 1.8 in Skye District of Inverness, 1.9 in Central District of Stirling, 2.4 in Mainland District of Shetland, and 3.5 in Lower District of Renfrew.

Births registered in January numbered 12,678; in February, 11,822; and in March, 13,248. The monthly birth-rate in January was 30.4, in February 30.3, and in March 31.8. Compared with the numbers registered in the corresponding months of last year, that of January is 4602 more; of February, 5111 more; and of March, 5524 more. Compared with the rates of the corresponding months of last year the January birth-rate is 11.0 higher, the February birth-rate 12.5 higher, and the March birth-rate 13.3 higher.

MARRIAGES.

Marriages registered in Scotland during the quarter numbered 11,751. This number is 340 more than that of the previous quarter, 2948 more than that of the first quarter of last year, 3569 more than the mean of those of the first quarters of the five preceding years, and 3906 more than the mean of those of the first quarters of the preceding ten years. It is the largest number of marriages registered in any first quarter since the institution of national registration, and that is since 1855. The previous largest first quarterly number was that of last year, 1919; it was 8808.

TABLE II .-- Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1910 to 1920 inclusive.

	4	1				
1920	Per 1000of Pop.	30.9 15.5 9.6				
19	No.	37748 18925 11751		4		
Mean	for Ten Years	18:3	15.59	22.9	25.5	15.4
6	Per 1000 of Pop.	18.6 23.9 7.3	19.5 13.6 9.5	20.5	27.9	21.7 15.4 9.0
1919	No.	22510 28956 8808	23859 16608 11641	25418 13323 12266	34476 16254 11411	4,894,100 106263 21° 75141 15° 44126 9°
82	Per 10000f Pop.	19.3 14.9 6.8	21.4	20·1 12·3 7·6	20.0	201
1918	No.	23221 17885 8240	26054 16680 8048	24700 15188 9404	24579 28619 8908	4,886,274 98554 20° 78372 16° 34600 7
11	Per 1000of Pop.	21.2 18.2 6.1	21.6	11.2	18.6	20.1 114.3 6.3
1917	No.	25373 21787 7260	26199 18617 7334	23113 13729 7827	22797 15348 8065	4,854,738 97482 20° 69481 14° 30486 6°
91	Per 1000of Pop.	22.8 16.3 7.2	25.0 15.2 6.4	22.4 12.4 6.4	21.0	,308 22.8 14.6 6.5
1916	No.	27352 19508 8604	29931 18272 7636	27144 15026 7766	25515 17834 7477	4,824,308 109942 22: 70640 14: 31483 6:
20	Per 1000of Pop.	26.3 21.2 6.8	25.8	13.2	21.2	23.9 17.1 7.6
1915	No.	30999 24990 7996	30793 20413 9245	26804 15932 9645	25585 20296 9386	4,785,598 114181 23° 81631 17° 36272 7
4	Per 10000f Pop.	26.3	28.0	25.5 13.6 7.9	15.5	4,747,167 3934 26·1 3557 15·5 5049 7·4
1914	No.	30656 20654 8631	33009 18169 9088	30336 16219 9358	29933 18515 7972	4,747 123934 73557 35049
13	Per 1000of Pop.	25.6	27.3	13.6	24.3 14.6 7.0	4,728,132 0516 25·5 3069 15·5 3691 7·1
191	No.	29825 21270 7841	32198 18143 8503	29487 16194 9037	29006 17462 8310	4,728 120516 73069 33691
83	Per 1000of Pop.	25.6 17.5 5.9	27.3	25.3 12.8 7.4	25.2	4,741,077 2716 25·9 2337 15·3 2510 6·9
1912	No.	30272 20671 6994	32221 17728 8209	30166 15219 8778	30057 18719 8529	4,741 122716 72337 32510
111	Per 1000of Pop.	26·1 16·9 5·8	15.2	24.7 13.4 7.0	23.7 14.8 6.7	4,749,673 1811 25·6 1732 15·1 1811 6·7
1161	No.	30710 19794 6758	32935 18029 8567	29653 16149 8434	28513 17760 8052	4,749 121811 71732 31811
01	Per 1000of Pop.	26.1	28.6	25.2 12.8 6.7	24.9	4,737,268 4000 26-2 2245 15-3 0866 6 -5
1910	No.	30422 20605 7317	33812 18593 7928	30061 15331 7975	29705 17716 764 6	4,737 124000 72245 30866
	амача Оправ	Births, Deaths, Marriages,	Second Quarter. Births, Deaths, Marriages,	THIRD QUARTER. Births, Deaths, Marriages,	FOURTHQUARTER. Births, Deaths, Marriages,	YEAR. Population Births, Deaths,

and thus the number of marriages registered in this quarter exceeds the largest number previously registered in a first quarter by 33.4 per cent.

The quarterly marriage-rate was 9.6 per thousand. It is 0.4 more than that of the previous quarter, 2.3 more than that of the first quarter of last year, 2.8 more than the mean of those of the first quarters of the preceding five years, and 3.0 more than the mean of those of the first quarters of the preceding ten years. It is the highest marriage-rate of all first quarters since the institution of national registration.

In the Divisions of the Counties the quarterly marriage-rate varied from 10.8 in the South-Western, 9.4 in the East-Midland, and 9.3 in the South-Eastern, to 7.5 in the North-Western and in the West-Midland, and

7.9 in the Northern and in the North-Eastern.

In the counties, burghs included, the marriage-rate ranged from 11.4 in Lanark, 10.9 in Shetland, 10.8 in Forfar, 10.4 in Dumfries, and 10.3 in

Midlothian, to 4.1 in Bute, 4.7 in Kincardine, and 4.7 in Argyll.

In the larger burghs taken collectively this rate was 11.5; in the smaller burghs, 9.5; and in the county districts, 6.7. Compared with the rate of the previous quarter, that of the larger burghs is 0.3 more, and that of the county districts is 0.8 more, but that of the smaller burghs is of the same amount. Compared with the rate of the corresponding quarter of last year, that of the larger burghs is 2.5 more; of the smaller burghs, 2.3

more; and of the county districts, 2.1 more.

In the larger burghs taken individually the quarterly marriage-rate varied from 14.6 in Falkirk, 12.5 in Glasgow, and 12.0 in Aberdeen, to 5.1 in Clydebank, 8.0 in Leith, 8.2 in Motherwell, and 8.3 in Coatbridge. In Edinburgh this rate was 11.8, and in Dundee 11.5. In burghs with populations of between 10,000 and 30,000 this rate varied from 16.3 in Dunfermline, 15.1 in Inverness, 14.8 in Dumfries, 14.4 in Forfar, and 14.1 in Arbroath, to 5.3 in Grangemouth, 5.4 in Fraserburgh, 5.6 in Peterhead, and 6.1 in Galashiels. In the county districts with populations of more than 10,000 it varied from 14.0 in Lews District of Ross and Cromarty, 10.5 in Ayr District of Ayr, and 9.2 in County District of Clackmannan, to 2.3 in Keith District of Banff, 2.5 in Western District of Perth, 2.5 in Western District of Stirling, 3.1 in Banff District of Banff, and 3.3 in Ellon District of Aberdeen.

Marriages registered in Scotland in January numbered 5505; in February, 2775; and in March, 3471. The monthly marriage-rate in January was 13.2; in February, 7.1; and in March, 8.3. Compared with the rate of the corresponding months in last year, that of January is 4.3, or 48 per cent., more; that of February, 1.2, or 20 per cent., more; and that of March, 1.4, or 20 per cent., more.

DEATHS.

Deaths registered during the quarter numbered 18,925. This number is 2671 more than that of the previous quarter, but is 10,031 less than that registered during the first quarter of last year. This number is 3700 less than the mean of those of the first quarters of the preceding five years, and 2687 less than the mean of those of the first quarter of the preceding ten years. During the last sixty years there have been only four years in the first quarter of which fewer deaths have been registered, these four years, and the number of deaths registered in the first quarter of each being, 1918, 17,885; 1896, 18,510; 1882, 18,265; and 1868, 18,042.

The death-rate of the quarter was 15.5 per thousand. It is 2.4 more than that of the previous quarter, but is 8.4 less than that of the first quarter of last year, 3.4 less than the mean of those of the first quarters of the preceding five years, and 2.8 less than the mean of those of the first quarters of the preceding ten years. The only first quarter in which a lower death-rate occurred was that of 1918, when the rate was 14.9.

In the Divisions of the Counties the death-rate of the quarter varied from 18.7 in the Southern, and 17.8 in the Northern, to 14.1 in the South-Eastern, and 14.2 in the West-Midland. In the North-Eastern, it was 17.1; in the North-Western, 16.6; in the East-Midland, 15.4; and in the South-Western, 15.4.

In the counties, burghs included, this rate varied from 21.8 in Kinross and in Wigtown, 20.9 in Kirkcudbright, 19.6 in Orkney, and 19.1 in Argyll and in Bute, to 11.2 in Linlithgow, 11.4 in Nairn, 12.3 in Dumbarton, and 12.8 in Selkirk.

In the larger burghs taken collectively the death-rate was 15.9; in the smaller burghs, 16.0; and in the county districts, 14.4. In the previous quarter these rates were 13.5, 12.9 and 12.3 respectively, and in the first

quarter of the previous year, 25.4, 22.0 and 21.9.

In the larger burghs taken individually this rate varied from 20.8 in Greenock, 18.3 in Aberdeen, 16.9 in Dundee, 16.7 in Leith, and 16.4 in Glasgow, to 11.0 in Clydebank, 12.8 in Kilmarnock, 13.1 in Perth, and 13.3 in Paisley. In Coatbridge this rate was 15.3; in Ayr, 15.3; in Hamilton, 15.0; in Falkirk, 14.9; in Motherwell, 14.4; in Edinburgh, 14.2; and in Kirkcaldy, 13.8.

In burghs with populations of between 10,000 and 30,000 the deathrate varied from 24.3 in Dumfries, 23.5 in Montrose, 21.5 in Arbroath, and 19.2 in Peterhead, to 9.0 in Barrhead, 9.3 in Renfrew, and 9.5 in

Cowdenbeath.

In county districts with populations of over 30,000 the quarterly death-rate varied from 25.8 in Rhins District of Wigtown, 20.6 in Lorn District of Argyll, 19.4 in Mainland District of Shetland, and 19.2 in Mid-Ross District of Ross and Cromarty, to 9.0 in Upper District of Renfrew, 9.1 in Linlithgow District of Linlithgow, and 10.6 in Eastern District of Dumbarton, in Lower Ward District of Lanark, and in Central District of Stirling.

Deaths registered in January numbered 6526; in February 5519; and in March 6880. In January the monthly death-rate was 15.7, in February 14.2, and in March 16.5. In the previous year these three rates were 17.8, 29.7, and 24.8, respectively, the high rates of February

and March being associated with an epidemic of influenza.

AGES OF THOSE DYING.

Of the 18,925 persons whose deaths were registered during the quarter, 4761, or 25·1 per cent., were less than five years old, 7960, or 42·1 per cent., were more than five but less than sixty-five, and 6203, or 32·8 per cent., were sixty-five or over. In one instance the age at death was not recorded. Compared with the number in the previous quarter, that of deaths of children of less than five years old is 1211 more; of persons of five to sixty-five years old, 875 more; and of persons of sixty-five and over, 585 more. Compared with the number in the first

quarter of last year, that of children of less than five is 2286 less; of persons of five to sixty-five, 5463 less; and of persons of sixty-five

and over, 2274 less.

Deaths of children of less than one year old numbered 3466. This number is 917 more than that of the previous quarter, but is 536 less than that of the corresponding quarter of last year. The registered births of the quarter numbered 37,748, and these deaths of children of less than one year old equal an infantile mortality rate of 92 per thousand registered births. This rate is 18 more than that of the previous quarter, but is 86 less than that of the first quarter of last year.

In the Divisions of the Counties the infantile mortality rate of the quarter varied from 114 in the North-Eastern, and 96 in the South-Western, to 49 in the Northern, and 63 in the North-Western. In the East-Midland it was 89; in the Southern, 86; in the South-Eastern, 84;

and in the West-Midland, 77.

In the counties, burghs included, this rate ranged from 125 in Kincardine, 121 in Aberdeen, 110 in Forfar, and 103 in Wigtown, to 20

in Kinross, 30 in Selkirk, 30 in Shetland, and 38 in Orkney.

In the larger burghs taken collectively the quarterly infantile mortality rate was 103; in the smaller burghs, 82; and in the county districts, 79. In the previous quarter, these three rates were 80, 69, and 66 respectively, and in the first quarter of last year 196, 170, and 156 respectively.

In the larger burghs taken individually this rate varied from 140 in Aberdeen, 128 in Dundee, 124 in Motherwell, and 123 in Greenock, to 61 in Ayr, 69 in Kirkcaldy, 75 in Falkirk, and 80 in Hamilton. In Glasgow

this rate was 100, and in Edinburgh, 94.

In those of the smaller burghs which have estimated populations of more than 10,000, this rate varied from 241 in Peterhead, 144 in Musselburgh, 120 in Kirkintilloch, 113 in Fraserburgh, 101 in Buckhaven Methil and Innerleven, and 100 in Irvine, to 25 in Grangemouth, 38 in

Montrose, 43 in Dumbarton, 44 in Barrhead, and 44 in Galashiels.

In the county districts with populations of more than 10,000 this rate varied from 159 in Central District of Perth, 138 in Kilmarnock District of Ayr, 129 in Rhins District of Wigtown, 122 in Banff District of Banff, and 116 in County District of Clackmannan, to 0 in Mainland District of Shetland, 20 in Lorn District of Argyll, 29 in Highland District of Perth, 31 in Perth District of Perth, and 32 in Aberdeen District of Aberdeen and in Lews District of Ross and Cromarty.

CAUSES OF DEATH.

Of the 18,925 deaths registered, 1057 were attributed to the principal epidemic diseases, and included 24 from enteric fever, 337 from measles, 66 from scarlet fever, 177 from whooping-cough, 238 from diphtheria (deaths attributed to croup included), and 215 from the diarrheas of childhood. Collectively these deaths are 126 more than in the previous quarter, but 393 less than in the first quarter of last year. Compared with the number in the previous quarter, deaths from the diarrheas of childhood are 49 fewer, those from scarlet fever are 34 fewer, and those from enteric fever are 3 fewer, but those from diphtheria are 17 more, from whooping-cough 68 more, and from measles 127 more.

The death-rate from the principal epidemic diseases was 0.9 per thousand. It is 0.1 more than that of the previous quarter, but 0.3 less than that of

the first quarter of last year. The quarterly death-rate from enteric fever was 2 per 100,000; from measles, 28; from scarlet fever, 5; from whooping-cough, 14; from diphtheria, 19; and from the diarrheas of childhood, 18.

In the counties, burghs included, the principal epidemic diseases death-rate varied from 3.9 per thousand in Wigtown, and 1.4 in Aberdeen, in Elgin and in Kincardine, to 0 in Kinross, in Nairn, in Shetland and in Sutherland. In the larger burghs this rate varied from 2.3 in Coatbridge, 1.9 in Greenock and in Falkirk, and 1.8 in Aberdeen, to 0.2 in Perth and in Kilmarnock, 0.3 in Clydebank, and 0.4 in Leith. In Glasgow this rate was 0.8; in Edinburgh 0.7; and in Dundee, 1.2. In burghs with populations of between 10,000 and 30,000 this rate varied from 3.5 in Kirkintilloch, 3.3 in Johnstone, 2.2 in Peterhead, and 2.0 in Arbroath, to 0 in Barrhead, in Forfar, in Grangemouth, in Montrose and in Port-Glasgow. In county districts with populations of over 10,000 it varied from 6.6 in Rhins District of Wigtown, 2.1 in Annan District of Dumfries, 1.7 in Eastern District of Stirling, and 1.6 in Deer District of Aberdeen and in Garioch District of the same county, to 0 in nine of these districts.

No deaths from typhus fever were registered during the quarter, but there were 3 from small-pox, 11 from malaria, 63 from erysipelas, and 31 from cerebro-spinal meningitis. The 3 deaths from small-pox were all registered in Glasgow, 2 of them being of unvaccinated children, and 1 of

a person aged over 65 whose vaccination was reported as doubtful.

Deaths from all forms of tuberculous disease numbered 1607, and constituted 8.5 per cent. of the total deaths of the quarter. These deaths are 357 more than those of the previous quarter, but 355 fewer than those of the first quarter of last year. They equal an annual death-rate of 131 per 100,000, which rate is 30 more than that of the previous quarter, but 31 less than that of the first quarter of last year. These deaths include 1136 from phthisis, 152 from tuberculous meningitis, 124 from abdominal tuberculosis, and 195 from other forms of tuberculous disease. The quarterly death-rate from phthisis was 93 per 100,000; from tuberculous meningitis, 12; and from abdominal tuberculosis, 10. The phthisis death-rate is 21 more than that of the previous quarter, but 21 less than that of the first quarter of last year.

Deaths from malignant disease numbered 1414, being 13 fewer than in the previous quarter, and 16 fewer than in the first quarter of last year. They equal an annual death-rate of 116 per 100,000. Deaths from apoplexy numbered 1253, and from heart disease 1768, the former being

105, and the latter 95, more than in the previous quarter.

Deaths from pneumonia numbered 1918, constituted 10:1 per cent. of the total, and equalled an annual death-rate of 157 per 100,000. These deaths are 728 more than in the previous quarter, but 5694 less than in the first quarter of last year. Deaths from bronchitis numbered 1587, constituted 8:4 per cent. of the total, and equalled an annual death-rate of 130 per 100,000. These deaths are 485 more than those of the previous quarter, but 1647 less than in the first quarter of last year.

Deaths of which influenza was the sole named cause numbered 82, and those of which influenza was one of two or more named causes, 269. In the previous quarter these numbers were 38 and 97, while in the

first quarter of last year they were 970 and 5312.

Deaths from diseases and accidents of pregnancy and childbirth numbered 258. They are 39 more than in the previous quarter, and 66

more than in the first quarter of last year. They equal a death-rate of 6.8 per 1000 registered births, which rate is 0.4 more than that of the previous quarter, but is 1.7 less than that of the first quarter of last year.

Deaths attributed to violent causes numbered 784. They number 56 less than in the previous quarter, but 41 more than in the first quarter

of last year.

Deaths of which the causes were ill-defined numbered 324, while those the cause of which was unspecified or merely described as "Natural Causes" numbered 104. The former included 248 attributed to heart failure, 48 to syncope, 8 to "sudden death," 1 to dropsy, and 19 others.

TABLE III.—DEATHS FROM INFLUENZA DURING QUARTER ENDING 31st March 1920.

	Total.	Males.	Females.		A g	e Dist	ributio	n.	
	10021.	Maios.	romaios.	-5	5-	15-	35-	55-	75 and over.
Only named cause	82	29	53	11	7	14	14	19	17
Other Epidemic Diseases	4	2	2	1		1	1	1	_
Pulmonary Tuberculosis Other Forms of Tuberculosis	6	3	3	,			4	2	_
Meningitis (not Tuberc. or CerSp.)	9	5	4	1	. ranua-uup	5	3		
Heart Disease	14	7	7	1		$\frac{3}{2}$		5	6
Bronchitis	34	15	19	7	1 200 400 40	6	6	10	5
Pneumonia	155	92	63	18	5	53	40	37	2
Other Dis. of Respir. System	17	7	10	_	2	2	7	4	2
All Dis. and Acc. of Pregnancy and									
Childbirth	6	8	6	1	<u> </u>	4 5	2 8	7	$\frac{}{2}$
All other causes	24	8	16	1	1	Ð	8	1	Z
Total	351	168	183	40	15	92	85	85	34
January	83	40	43	9	4	17	20	19	14
February	72	32	40	12	3	20	16	14	7
March	196	96	100	19	8	55	49	52	13
					1				

Table IV.—Deaths from Influenza in Larger Burghs during Quarter ending 31st March 1920.

BURGHS. Total. Sole Cause. One of two or more Causes. -5 Glasgow	2	15-	35-	55-	75 and over.
Edinburgh . 18 5 13 3 Dundee . . 10 2 8 — Aberdeen . . 19 4 15 4 Paisley . . 2 1 1 — Leith . . . - — — — Greenock . . 4 1 3 2 Coatbridge . . 2 1 1 — Motherwell . . 5 — 5 — Kirkcaldy . 1 1 — — Hamilton . 7 3 4 1	2	20			
Clydebank . . 3 2 1 — Perth . . . 2 — 2 — Kilmarnock . . 8 1 7 — Falkirk . . 1 — 1 — Ayr . . . 2 — 2 — 155 31 124 19] - - 1 - - - - - - - - - - - - - - - -	2 2 2 2 2 - 2 - 1 - 1 - 1	24 5 - 4 - - 1 3 1 1 - 1 4 1 - 1 - 4 5	13 5 6 7 - 1 1 2 2 1 3 - 1	3 3 2 2 - - - 1 1 - - - 1

Table A.—Birth-, Death-, and Marriage-rates of the Counties of Scotland during the Quarter ending 31st March 1920.

			Ra	tes per 10 Pop	000 of Estulation.	imated		T
COUNTIES.		Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	Illegiti- mate Births per 100 Births.	Infantile Mor- tality Rate per 1000 Births.
SCOTLAND	0 0	4,921,100	30.9	9.6	15.5	0.9	7:1	92
Aberdeen		305,600 61,100 268,500	32·6 23·0 32·0	8·9 4·7 9·3	17·2 19·1 14·8	1·4 0·8 0·6	12·1 9·2 6·3	121 89 88
Banff	• •	57,800 26,900 16,600	34·1 24·2 17·4	5·5 6·4 4·1	17·8 15·7 19·1	0·8 0·1 0·2	12·2 11·7 12·5	88 49 42
Caithness	0 0 0 40	28,600 28,600 148,900	26.8 32.4 28.8	5·6 9·6 6·9	16·3 16·5 12·3	0.6 0.4 0.6	8·4 6·5 4·2	68 78 82
Dumfries	• •	68,900 539,100 39,800	31·7 28·2 30·3	10·4 10·3 7·2	18.6 14.5 16.8	0·9 0·7 1·4	11.6 6.9 15.7	92 93 97
Fife	• •	293,600 283,500 44,800	30·3 29·9 28·0	9·4 10·8 5·1	13.7 16.9 13.1	0.9 1.0 0.4	6·0 8·2 7·1	80 110 54
Inverness		79,800 38,400 7,600	23·3 31·8 26·0	6·3 4·7 5·8	16:2 16:1 21:8	0·7 1·4	8·7 8·9 8·2	80 125 20
Kirkcudbright Lanark		35,300 1,618,000 86,900	28·8 33·5 33·7	6·8 11·4 7·5	20·9 15·7 11·2	0.8 1.0 0.4	16·2 6·0 5·9	75 98 69
Nairn	• •	8,800 22,500 14,600	32·4 23·7 22·4	5·9 9·1 7·2	11·4 19·6 15·5	0·4 0·3	8·5 7·5 6·2	85 38 49
Perth	0 0	119,300 299,100 70,300	24·5 32·9 28·8	6·2 9·0 8·8	15·2 14·6 17·1	0·1 1·0 0·6	9·1 5·2 5·0	60 92 48
Roxburgh	• •	43,100 24,300 26,100	22·9 22·0 20·3	8·9 6·0 10·9	15·1 12·8 18·3	0.4	10·2 9·8 3·8	69 30 30
Stirling		167,200 17,900 29,600	30·3 22·2 30·3	9·3 5·4 7·5	13·6 16·8 21·8	3.9	6·3 12·1 13·5	71 51 103

Table B.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of over 30,000 during the Quarter ending 31st March 1920.

Glasgow	Estimated Population Middle of 1920. ,115,500 342,300 189,000	32.8 26.0 31.5	Marriages. 12.5 11.8 11.5	Deaths. 16.4 14.2	Deaths from Principal Epidemic Diseases. 0.8 0.7	Illegitimate Births per 100 Births.	Mortality Rate per 1000 Births.
Edinburgh	342,3 00 189,000	26·0 31·5	11.8	14.2	1		
Edinburgh	342,3 00 189,000	26·0 31·5	11.8	14.2	1		
Dundee	189,000	31.5		1	-		344
4.2				16.9	1.2	8.0	128
Aberdeen	167,700	33.8	12.0	18.3	1.8	8.4	140
Paisley	89,400	32.3	9.8	13.3	0.7	5.2	81
Leith	84,700	34.9	8.0	16.7	0.4	6.1	105
Greenock	79,700	39.3	9.7	20.8	1.9	5.9	123
Coatbridge	44,500	35.9	8.3	15.3	2.3	5.8	103
Motherwell	42,200	36.2	8.2	14.4	1.1	5· 3	124
Kirkcaldy	40,700	32.7	10.6	13.8	1.0	6.6	69
Hamilton	39,500	36.7	10.6	15.0	1.4	3.9	80
Clydebank	48,800	30.4	5.1	11.0	0.3	3.3	89
Perth	36,600	27.0	9.6	13.1	0.2	8.1	81
Kilmarnock	37, 800	28.5	10.1	12.8	0.2	6.0	93
Falkirk	34,500	31.1	14.6	14.9	1.9	9.7	75
Ayr	33, 600	27.6	9.2	15.3	0.6	6.1	61

Table C.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of between 10,000 and 30,000 during the Quarter ending 31st March 1920.

	Estimated	Rate	es per 100 Pop	mated	Illegiti-	Infantile Mor-	
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Airdrie	24,800	34.0	9.9	13.1	1.3	3 ⋅8	86
A 13	11,500	35.3	12.2	16.8	0.3	4.0	59
A 3 47	17,900	31.4	14.1	21.5	2.0	7.9	64
TD 1 1	12,100	30.3	7.0	9.0		5.5	44
Barrhead	11,600	33.3	10.1	10.1	0.3	4.2	63
Buckhaven, Methil, and Inner-	11,000	00 0	101	101	0 4)	- L	
leven	20,000	36.0	11.9	14.3	1.8	5.6	101
	18,200	24.3	8.2	9.5	0.7	7.3	82
TO 1	22,500	29.3	7.0	10.9	0.4	4.9	43
n e.	15,500	33.9	14.8	24.3	1.0	6.9	76
D 0 11	30,300	39.8	16.3	17.0	1.6	4.7	73
	9,800	24.3	14.4	17.3	• • •	5.1	85
77 1 1	11,300	44.3	5.4	15.0	1.1	8.1	113
Galashiels	14,500	25.0	6.1	13.6	0.6	13.3	44
Grangemouth	10,700	30.4	5.3	13.9		4.9	25
Hawick	15,500	25.9	11.1	15.0	0.5	6.0	50
Inverness .	20,200	36.4	15.1	18.7	0.6	10.4	87
Irvine.	10,100	47.8	12.8	18.7	0.8	6.7	100
Johnstone	12,100	34.5	11.3	18.9	3.3	6.7	96
Kirkintilloch	12,500	32.2	9.7	18.0	3.5	7.0	120
	9,100	35.0	9.3	23.5		10.1	38
Montrose	18,600	34.6	12.6	15.4	1.5	4.4	144
Peterhead	14,400	37.1	5.6	19.2	2.2	14.3	241
Port-Glasgow	18,500	44.3	11.7	15.8		2.9	93
Ronfrow	14,700	30.6	7.9	9.3	0.5	2.7	63
Rutherglen	27,900	26.4	11.2	10.7	0.3	0.5	55
Rutherglen Stirling	22,400	35.0	12.0	17.0	0.2	3.6	67
Wishaw	27,700	36.1	9.0	13.4	0.1	5.6	81
11 IDIIC 11	,,,,,,,,						

Table D.—Birth-, Death-, and Marriage-rates of all County Public Health Districts in Scotland having Censal Populations of over 10,000 during the Quarter ending 31st March 1920.

		Rat		00 of Esti lation.	mated	Illegiti-	Infantile
	Estimated Population Middle of 1920.	Births	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 1000 Births.
ABERDEEN COUNTY.							
Aberdeen	22,600 25,600 11,100 12,300 12,500 9,900	22·3 36·6 21·3 27·6 35·6 36·2	5·5 5·0 3·6 3·3 4·5 6·9	13.0 17.0 13.7 14.4 17.3 16.3	0.5 1.6 0.7 1.0 1.6	17.6 11.2 18.6 11.9 28.8 23.6	32 90 34 83 90 79
ARGYLL COUNTY.							
Lorn	9,400	21.0	3.4	20.6	0.4	8.3	20
AYR COUNTY.							
Ayr	42,400 12,600 22,300 44,800	33·8 30·3 31·5 33·7	10·5 4·8 8·3 8·9	13·4 12·1 18·8 13·8	1.5 1.0 0.9 0.5	7·3 10·5 9·8 4·0	84 53 138 80
Banff County.							
Banff	15,600 10,600	31·7 29·5	3·1 2·3	15·5 18·2	1.5 0.4	17·9 19·2	122 51
CAITHNESS COUNTY.							
Caithness	16,400	23.5	3.9	15.9	0.2	10.4	63
CLACKMANNAN COUNTY.							
Clackmannan	9,200	30.2	9.2	16.2	0.4	7.2	116
Dumbarton County.							
Eastern	23,900 27,500	26·9 28·7	5·4 8·9	10.6	0.3	5·0 5·1	63 77
DUMFRIES COUNTY.							
Annan	9,700	39·1	6·3 8·4	17.1	2·1	15·6 7·2	104 108
Edinburgh (Midlothian) County.							
Calder	17,500 26,200 26,500	35·2 26·1 24·9	7·6 4·8 4·2	13·1 11·8 13·0	1·4 0·5 0·9	9·8 4·7 6·1	52 76 79
ELGIN (MORAY) COUNTY.							
Elgin (Moray)	19,400	29.1	3.7	13.7	0.8	18.6	86
FIFE COUNTY.							
Cupar	15,100 34,200 49,600 15,000	18·9 33·7 29 9 20·9	6·4 7·8 7·9 5·9	15·2 12·6 11·2 12·6	0·5 1·1 1·0	9·9 4·5 6·8 5·1	56 87 79 38

TABLE D.—continued.

	TA.4.2	Rate	es per 100 Popu	00 of Esti	mated	Illegiti-	Infantile
	Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 100 Births
FORFAR COUNTY. Brechin	11,600	28.0	7:3	12.1	0.3	7.4	74
Forfar	9,900	27.1	4.9	13.0	***	7.5	45
Haddington County. Western	17,700	29.8	4.8	13.2	0.5	9.2	69
Inverness County. Skye	11,400	20.1	3.2	16.5	0.4	1.8	70
LANARK COUNTY.							
Lower	33,500 212,100 43,000	24·4 37·7 32·9	5·5 8·9 7·1	10·6 14·8 12·8	1.0 1.5 0.5	6·4 5·6 9·7	10 3 99 71
LINLITHGOW COUNTY.					0.0	4 17	70
Bathgate	35,600 16,400	36·3 29·3	5.8	9.1	0.3	4·7 10·9	72 50
PERTH COUNTY.	2	10.2	0.0	10.9		13.6	159
Central	9,200 11,700 19,800 9,500	19·2 24·0 25·8 20·7	3·9 4·5 5·7 2·5	18·3 16·8 15·0 14·0	0.2	20·0 4·7 6·1	29 31 41
RENFREW COUNTY.							
Upper	40,700 22,900	23·1 24·7	7·8 5·1	9.0	0·1 0·7	7·3 3·5	77 50
Ross and Cromarty County.					0.4	14:3	60
Easter-Ross	9,100 25,000 10,300	37·1 35·1 18·0	5·3 14·0 3·9	17·7 15·6 19·2	0·4 1·1 0·4	1.4 8.7	32 43
SHETLAND COUNTY.				70.4	0.0	9.4	
Mainland	17,000	20.1	5.4	19.4	0.2	2.4	• • •
STIRLING COUNTY.	60.000	27.6	7.1	10.6	1.0	1.9	71
Central	30,800 41,300 11,500	21.8 21.8	8.9	13·8 11·9	1.7	8·3 8·1	80 48
Sutherland County Sutherland	17,100	22.3	3.5	16.7	• • •	12.6	53
Wigtown County. Rhins	10,900	34.3	8.9	25.8	6.6	15.1	129

Table E.—Causes of Death in Scotland at Different Periods of Life during the Quarter ending 31st March 1920.

	All	Age	s.						A	ge.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
I. GENERAL DISEASES. 1 Enteric Fever	64	10	44					4	C	7	2	5	,	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	24 11 2 1	13 11 2 1		0 0 0 0 0 0 0 0 0	1	1	2	1	5	2	2		 1 1	• • •
Doubtful 6 Measles 7 Scarlet Fever 8 Whooping-cough 9 (a) Diphtheria (c) Croup, Membr. Laryngitis (b)	337 66 177 228 10	190 30 81 99 4	147 36 96 129 6	95 3 87 13	216 35 83 115 7	22 17 7 81 2	33 :9 :0	5	2 3			1		
10 Influenza* 13 Cholera Nostras 14 Dysentery 18 Erysipelas 19 Oth. Epid. Dis. (3, 11, 12, 15, 16, 17, 25, 26, 27)	82 5 63 9	29 3 41 5	53 2 22 4	5 13 5	6	1	3	6 2	8 1 2 1	7 1 8 1	7 12 	10 6	10	17 9
20 (a) Pyæmia, Septicæmia (not Puerperal) (b) (c) Vaccinia 21 Glanders 22 Anthrax 23 Rabies, Hydrophobia	51	27		14	4	2	2	4		3	7		3	1
24 Tetanus 28 Pulmonary Tuberculosis, Phthisis 29 (a) Acute Phthisis (b) Acute Miliary Tuberculosis 30 Tuberculous Meningitis 31 Abdominal Tuberculosis 32 Tuberculosis of Spine	1095 41 19 152 124 36	554 24 11 83 54 26	541 17 8 69 70 10	3 30 11	16 4 66 35	21 2 3 31 16 9	3 14 16 4	9	257 10 1 4 9	228 5 3	152 5 1 5	100 2 1 3	31 2 2	5
33 Tuberculosis of Joints 35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) 36 Rickets, Osteomalacia 37 Syphilis.	9 131 5 61	7 67 1 30	2 64 4 31	11 3 51	1 21 2 2	9	2 7 	1 25 1 1	2 18 2	13	1 16 	9	1 2 	• • •
38 Other Venereal Diseases 45 (a) Carcinoma (b) Sarcoma (c) Malignant Disease, other or not defined 46 Other Tumours (Situation un-	5 875 76 463	3 355 37 202	2 520 39 261	3 1	2	2	2	0	25 4 3	1 60 12 34	180 18 93	254 17 129	250 12 122	103 5 80
defined) 47 Rheumatic Fever 48 (a) Chronic Rheumatism , (b) Osteo-arthritis	60 29 24 2	24 14 7 2	36 15 17		6 9 9 9 9 9	3		15	12 2	8	6 2 3	3 5 5 5	4 15 7 1	2 7 6 1
49 Scurvy 50 Diabetes 51 Exophthalmic Goitre 52 Addison's Disease 53 (a) Leucocythæmia (b) Lymphadenoma	1 113 7 3 12 9	1 58 1 3 6	55 6 9	2 2	1	0 0 0	4 1 1	7 1 2	7 1 2 1	12 3 1	1 12 1 1 2 1	29 1 2 	27 1	13
54 Anæmia, Chlorosis 55 (b) Purpura (c) Hæmophilia (d) Other General Diseases (α) 56 Alcoholism 57 Chronic Lead Poisoning	129 3 4 1 49 1	52 2 4 1 31 1	77	1	1	1	• • • •	1	6 7	16 1 13 1	27 1 	42 1 10	27	8 1 5
58 Other Chronic Occupational Poisonings 59 Other Chronic Poisonings		* * *	D 0 0		•••	***	• • •	• • •	•••	•••	•••	• • •		•••

Table E.—continued.

	1	Age							Ag	e.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	43 31 173	19 16 104	24 15 69	1 2 51	3 5 47	3 6 18	4 8 10	9 4 15	4 1 9	7 3 9	7 1 10	2 1 1	2 3	1
 62 Locomotor Ataxy 63 Other Diseases of Spinal Cord 64 Cerebral Hæmorrhage, Apoplexy 65 Softening of Brain 66 (α) Hemiplegia (c) Paralysis, Cause or Nature unspecified (b) 	22 126 1253 73 150 7	20 62 597 31 60 4	2 64 656 42 90 3	6	 1 	1 1	i : :1	1 2 1	 4 7 1 1	2 16 35 2 3	7 22 119 2 13 1	12 33 294 9 28 4	1 31 416 29 58	15 372 30 43 1
specified (b) 67 General Paralysis of Insane 68 Other Insanity 69 Epilepsy 71 Convulsions (not Puerperal) (70) 72 Chorea 73 Neuralgia, Neuritis	53 23 62 211 4 14 33	43 10 32 117 6 16	10 13 30 94 4 8 17	2 173	34	3 2	1 2	1 17 1 	5 3 11 	21 3 6 2 3	19 2 6 1 4	6 4 4 2 4 5	5 7 2	 6 6 1 1 2 3
74 (c) Cerebral Tumour (d) Other Diseases of Nervous System (α, b) 75 Diseases of Eye and Annexa (a) Mastoid Diseases (b) Diseases of Ear	15 4 9 26	8 4 2 17	7	··· 2 ··· 2 ·· 3	 1 1 2	2	1 5	1 4 5	2	1 1 2		3 2	3	1 1
III. DISEASES OF CIRCUL- ATORY SYSTEM.														
77 Pericarditis	7 58 879 70 673 81 42 162 2 157	3 24 387 29 339 51 26 85 2 69 6	4 34 492 41 334 30 16 77 88 11	4	1 1 2 	7 5 1	1 1 11 2 	1 6 20 7 1 	10 44 1 14 3 2 3	1 6 64 2 19 1 5 	1 10 112 6 63 9 12 2 1 8 4	10 199 19 136 24 15 21 1 35 2	1 7 226 30 217 29 5 58 47 5	1 198 12 208 17 2 81 61 2
83 Diseases of Veins	3 9	3 5	1	 2 1	1			1	1	2	1		3	2
IV. DISEASES OF RESPIRATORY SYSTEM. 86 Diseases of Nose	4 20 9 7 1587 906 1007 82 6 123 7 17 8	2 13 8 1 798 467 589 52 2 50 5 12 4 8	2 7 1 6 789 439 418 30 4 73 2 5 4	1 3 4 349 368 101 2 	10 4 66 246 68 4 10	1 2 7 25 28 4 1	2 6 18 1	10 19 83 2	1 1 25 32 116 3 1 3	1 48 30 107 6 1	1 107 32 140 18 1 8 3 4 5 3	1 3 209 50 140 12 3 5 2 4	353 51 111 17 1 17 1 15 1	 1 1 1 411 47 95 13 50

TABLE E.—continued.

	All	Ages							Age	Э.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
V. DIS. OF DIGESTIVE SYSTEM. 99 Dis. of Mouth, Teeth. Oral Sepsis 101 Diseases of Pharynx, Esophagus, Tonsillitis (100) 102 Gastric Ulcer 103 Other Dis. of Stomach. Gastritis 104 Diarrhœa, Enteritis (under 2 years) 105 Diarrhœa, Enteritis (over 2 years) 107 Intestinal Parasites (106) 108 Appendicitis, Typhlitis 109 (a) Hernia (b) Intestinal Obstruction 110 Other Diseases of Intestine 111 Acute Yellow Atrophy of Liver 112 Hydatids of Liver 113 Cirrhosis of Liver 114 Gallstones 115 Other Diseases of Liver 116 Diseases of Spleen 117 Peritonitis, cause not specified 118 Other Diseases of Digestive System	7 24 91 139 215 138 106 40 92 16 1 38 21 35 2 22 7	4 11 56 71 121 78 51 14 51 10 26 2 12 1 9 4	3 13 35 68 94 60 55 26 41 6 1 1 2 1 9 2 3 1 1 3 3	4 2 45 197 1 3 23 2 1 1 3	7 15 18 18 18 4 5	3 1 1 1 6	6 11 6	2 7 1 2 22 3 1 1 1 1 2	1 7 3 10 4 1 1 1 1	15 5 13 12 5 6 1 1 1	22 14 15 14 8 4 2 7 2 8 1 1 2	4 18 21 22 7 5 12 1 14 7 5 3 4	15 26 23 6 13 12 6 1 10 6 7 1 1	1 2 6 12 23 2 6 14 2 3 4 9 4
VI. DISEASES OF GENITO- URINARY SYSTEM. 119 Acute Nephritis	13 57 18 71 2 3	47 214 13 17 11 38 18 71 2 	33 157 7 8 2 19 3 14 14 10 9 1	1 1	11	5 3 3	1 3	14 17 1 1 1 2	9 19 4 1 1 1 1 	8 45 4 3 5 2 1 1 1 3 3 8 3 4 ···	7 59 2 3 3 2 4 1 6 1	11 93 4 5 1 11 7 11 	7 75 2 7 1 14 4 33 1 	6 56 4 4 1 24 1 25
VII. DISEASES OF PREGNANCY AND CHILDBIRTH. 134 (a) Abortion, Miscarriage (c) Uncontrollable Vomiting . (d) Ectopic Gestation (e) Other Diseases and Accidents of Pregnancy (b) 135 Puerperal Hæmorrhage 136 Other Accidents of Childbirth . 137 Puerperal Sepsis 138 Puerp. Albuminuria, Convulsions 139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism 140 (a) Puerperal Insanity (b) Other Puerperal Diseases . 141 Puerperal Diseases of Breast .	17 4 3 2 31 25 73 39 18 2 42 2		17 4 3 2 31 25 73 39 18 2 42 2				•••	2 1 4 15 15 2 10 1	8 1 1 13 13 36 17 8 17 17	7 3 2 2 17 7 22 7 7 7 1 14 	1			
VIII. DISEASES OF SKIN AND CELLULAR TISSUE. 142 (a) Senile Gangrene (b) Noma, Cancrum Oris . (d) Other Gangrene (c)	67 2 2 2 15 41 24	41 13 18 8	26 2 1 2 23 16	 1 1 14 12	 1 2 3	1	• • •	2	1 1	 3 4 3	 2 3	6 1 2 4 2	19 4 4 1	42 1 7 3

Table E.—continued.

	All	Ages	.		-		Age.							
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded) 147 Diseases of Joints 149 Other Dis. of Locomotor Syst. (148)	25 8 1	15 6 1	10 2	2	b • •	9	4 1 1	4	2	1	2	1	3	2
X. MALFORMATIONS.														
150 Congenital Malformations	170	82	88	160	8	1	1	• • •	•••	***	•••	•••	* * *	
XI. DISEASES OF EARLY INFANCY.					-									
151 (a) Premature Birth (b) Congenital Debility, Icterus,	761 572	428 336	333 236	761 572		•••	0 0 0	•••			* * *			•••
Sclerema (c, d, e) 152 Other Diseases peculiar to Early Infancy	107	58	49	107-			•••	s 0 +				•••		64-
153 Lack of Care		•••						000	• • •	4 * *	•••	•••	•••	
XII. OLD AGE.	14	0	C										6	8
154 (a) Senile Dementia	1,032	369	6 663	•••			* * * .	4 0 0	* * *		•••		165	
XIII. VIOLENT CAUSES.														
163 Suicide (155-162)	60, 4	47 3 4	13 1 3			• • •	000	5 1 1	13	19	13	6 1	2	2 2 1
167 Burns and Scalds (166)	111	37	74		45	13	3	5	$\begin{vmatrix} 2\\1 \end{vmatrix}$	1	6	9 3	12	12
169 Drowning	*128	110	18	***	3	3	-	18 2 	21	26 2 	23 1 	18	10	3
Weapons 172 Accidental Falls 173 (α) Accidents in Coal Mines	76 29	57 29	19		2	2	2 2	8 9	5 5	16 9	15 1	11 1	8 2	7
(b) Accidents in Other Mines . (c) Accidents in Quarries		12		•••	•••		1	3	2	 1			 2	
174 Accidents with Machinery	42 7	37 5	1 5 2	***	2	000		9	5	7	11 2	5 2 3	4 5	1 2
(c) Accidents with Motor Vehicles (d) Accidents with Tramways (e) Other crushing Accidents	28 19 5	26 14 5	5		3]	٠	1	3 1 3	2 2	4 4 2	3	1	3
177 Hunger	15	12		1 12	- 1			1	2	"i	5	2	2	•••
186 (a) Overlaying (b) Suffocation (otherwise) . (c) Other Accidents (176, 181, 185	12 20 181	7 8 126	12	$\frac{9}{2}$	5		l		14	10	17 17	3 35	3 23	1 45
184 Homicide (182, 183) 190 Execution 191 War Casualties (not Sickness)	7	3 8	4	1	1	0.0		1 0	1 4	2 ₂	1	• • •		***
XIV. ILL-DEFINED CAUSES.														-
187 Dropsy	1 48	32	1 16	4	6 1 8	1		2		5	9 3	111	 13	3 2
(b) Sudden Death (not otherwise defined) 189 (a) Heart Failure.	8 248	5 146	102	1 15	1	4		3	3	16	19	58	71	58
(c) Teething (e) Other Ill-defined Diseases (b, d)	19	9	10	 1	9				1 5	00	1 10	4 9	1 15	1 19
(f) Dis. not Specified, Nat. Causes	104	61	43	37	4			1	1 63	ال	10	0	TO	10

^{*} Including 1 of unstated age.

TABLE F.—ANALYSIS OF MORTALITY IN EACH COUNTY AND PUBLIC HEALTH DISTRICT IN SCOTLAND DURING THE QUARTER ENDING 31ST MARCH 1920.

	Vi	olence.	784	38			:	:	4-	:	: : 01	: :		m 01 01
	Diseas	espiratory ses (except athisis).	3801	261		* 1		•	60 64 C	۱ د	2.54	: 10		10
	er.	Other.	471	27		•	:			:	: :-	:		: :01
	Tuber-	Pulmonary.	1126	68		4	-	:	4:	:	• ,	:		800
l m		arrhœa r 2 Years).	215	21		6	-	:	- :	:	::9			: : ന
Deaths from	Dip and	htheria Croup.	238	18		13	•	•	:-	•		• •		: :01
Deal	Whoop	oing-cough.	177	27		20	:	•	63 :	:		0 0		භ – ශ
	Scarl	let Fever.	99	က		63	*		: :	•		• •		::-
	M	easles.	337	32		28	:	:	: :	:	: :07	: :		::-
	Sm	nállpox.	ಣ	:		:	:	:	:::	•	: : :	: :		:::
	Typh	us Fever.	•	*			0 0	:	: :	:	: : :	: :		:::
	Ente	ric Fever.	24	63		H	:	:	:-	•	: : :	: :		::-
hs of	Person Years an	ns Aged 65 and Upwards.	6203	460		228	:-	-	10 6		5 10 c	ಜ 4		37 18 52
Deaths		Years and Upwards. Children under One Year of Age.		301		198	গ	•	400	4	35	: ന		9 21
	Net	Number.	18,925 3466	1309		762	40	4	19		69	14		73 39 108
Deaths.	Trans	sferred in.	1673	100		47	~	•	ന — -	4	:-01			00-00
Dea	Trans	ferred out.		114		54	•	:	70 6J	•	::-	• • • • • • • • • • • • • • • • • • •		46
	Reg	gistered.	37,745 2690 11752 18,925 1673	1323		694	ත ග	1	200		n m &	ده 1 ₄ 1		111 32 104
	Marri	ages.	11752	929		501	- L	•	15	н	20	07 -		31
	Illegitima (correc	te Births	2690	300		118		-	10) r	- :0	: 4		12 12 26 26
	Births (co	orrected).	37,745	2480		1411	4 1		4 60 6		133 7	13		125 55 23 3
	County and Public Health District.		SCOTLAND	Aberdeen County .	Burghal Districts.	*Aberdeen	Ballater	потт	Fraserburgh Huntly		Old Meldrum Peterhead	Rosehearty Turriff	County Districts.	Aberdeen

:	: :	6		က	* * *	:-	:		: 01	:		p=4	•	20		ಬ ಸು -	1 -	- 67	_	40	:	
4011	96	51		G =	⊣ ೧1	: 4	_		H 60	4		20	*	183		24	+ -	- ल	ଠା	∞ [1 00	
01 — —	: 67	ന്ദ			- :	::					: -	:	:	36		: 9	: -		-		r :	
67 — 69	: ea	18		— (× :	7 -	:		07	63	- 4	; G	N	09		: ∞		:	6 7	01 α) H	
:	- :	67		•	: :	: 67	:				0 0	*	•	15		• •	0	* * * * * * * * * * * * * * * * * * *		: 0	4 :	
67 ::		9			- :	:01	:		- :		•	-	•	11		:07	•	::		•	• • •	
:01 -	0 0	63			: :	: :	7		: :		H :	:	•	00		•	•		0 0	67	: :	
• • • • • • • • • • • • • • • • • • •	• •	-		•	: :	: :			: :	: :		-	:	63		0 pand 0	•	: :				
:::0	0 0											•	:	ಬ		:-	•	: :	•		• • •	
	• •	:		•	• • •	•			•		:		•	:		: :	•	: :	:	:	: :	
• • • • • • • • • • • • • • • • • • •	• •	:		:	: :	0 0			•	• • •	•	:		:		: :	•	• •		:	: :	
:::	: :		Mirror	:	: :	0 0							:	-		: :	•	: :	0 0	•		
120	12	140		12	100	100			ا ا ا	133	12	17	9	331		00 4 c	9 (9 -1	ဖ	50 C	3	
100	73	31		10	က :	: 4	1 pml		ec) ~	01	4 -	-	189		& 1 1	4 -	4 4	4	12	3 01	
38 44 54	19	290		42	26	ස ස	4		cc	[5]	127	හ - ක ද	91	066		128		14	19	190	00	
& & 4	: 60	53		• 1	<u>-</u> :	•	4 :		ତା ମ	→	100	4,	_	131		11	• (01 01	41	= = =	0 01	
:	::	56			: :	: ~	:		: 67	:		14		109		29	1	: :		30	70 :	
30 27	19	287		43	19	က လို့	4		12	20.	19	45	12	896		24	1 1	12	15	37	- L-	
10 10 14	17	72		15	= :	: 0) 		L 4	9	100 00	1-0	3/	620		017	ji (20		32	14	
111 10 32	8 E2	. 32		∞		: G'	7		<u></u>	4 🤯	∞ 4	67	•	135		w 4	: '		4	œ <u>α</u>	4	
59 84 1111	46	349		09	40	4	3 4		10	27	39	24	ਲ	2139		56 231	# 6 7 0	20	63	120	007	
		•		•			•		•					•		• • • •	ממת			٠		
	• •	Argyll County	Burghal Districts.	vn.		ad.		County Districts.	chan .				٠	Ayr County	Burghal Districts.	Ayr Ayr	and monune					
Deeside . Ellon . Garioch .	Huntly . Turriff .	Argyll	Burghal	Campbeltown	Dunoon . Inveraray	Lochgilphead	Tobermory	County	Ardnamurchan	Islay .	Kintyre.	Mid-Argyll	Mull .	Ayr	Burgha	Ardrossan	Cuminock	Darvel . Galston .	Girvan .	Irvine .	Kilwinning	

* Including the portion within the County of Kincardine.

TABLE F.—continued.

	Violence. All Respiratory																
	Vi	olence.		H		1	: 67	67		ပ္	14	9	18		6	:-	
	All R Diseas	espiratory ses (except athisis).		67	10 At	ତୀ ଓ	9 -	Н		- K	19	<u>က</u>	43	-	(F 4	: :	*
		Other.		: (es :	-	3	77	(21	9	<u>ت</u>	က			: :	:
	Tuber- culosis.	Pulmonary.		• (01	• •	41	0.1	(ಶಾ ೮	10	10	H		ကလ	:-	•
m		arrhœa r 2 Years).		•	: :	0 0	: :		1	٦ -	4	63	9			- :	:
Deaths from	Dip	ohtheria Croup.			• •	purel			-	7	: -	ಣ	က			• •	:
Deal	Whoop	oing-cough.		•	: :	:	0 0		(න -	1:	_	•				•
	Scar	let Fever.		•	* * *	•	:		1		• •	•	Н				•
	M	easles.							(න <u>~</u>	:		:			::	•
	Sn	nallpox.		•			:			•	• •		•			: :	
	Typh	nus Fever.		•		•	• •			0 0		:	:			: :	•
	Ente	ric Fever.		•	: :	: '	-			:		:					:
Deaths of	Person Years an	ns Aged 65 nd Upwards.		17	14	00 0	2 67	6	9	24.7	36	51	114	-	တြတ	: 63	2
Deat		ren under ear of Age.		က္	= =	- 1		0.1	Ç	ا ان در	24	30	43		10	: 67	:
	Net	Number.		22.4	123	20	37	26	ŗ	141	104	154	256	C.	17	H 00	<u>ာ</u>
Deaths.	Trans	sferred in.		7.0	: 67	9 1	೧ ೧೩	4	à	C 7	1	0.1	22			:-	67
Dea	Trans	ferred out.			4 :	10 1	:	:	e c	23	4	ာ ု	14		9 :	• • •	:
	Reg	gistered.		61	37	61	9 9 0	22	G	ى سى دى سى دى	91	144	248	64	23	15	1-
	Marri	ages.		ပ	ာ ထ	133	0 I	17	7	111	46	56 1	79	67	91	44	67
	Illegitima (correc	te Births		٠ <u>٠</u>	— —	67 6	20 CJ	67	5	10	17	15	09	೯೦	07 10	p(p()	m
	Births (co	rrected).		18	22.4	47	10 CI	36	2	355 95	174	375	491	00	26	212	<u>o</u>
	County and Public Health District.		Ayr County—continued.	Burghal Districts—contd.	Maybole. Newmilns and Greenholm	Prestwick	Stewarton	Troon	Gounty Districts.	Ayr	Kilmarnock	Northern	Banff County .	Burghal Districts.	Banff	Charlestown of Aberlour	Dufftown

:	• •	40	-	0 0 0 0 0 0 0 0	-	က	, ,	~ :::	ಣ	c3	:
200	ତା ନୀ	ಣ	13	81.83	67 m m	12	0,0	ಣ ∺ :	20	1-4	0
: 67 :		:-	:	• • • • • • • • • • • • • • • • • • •	, , ,	63	~ :	: :	ري د		ಣ
	• •	n -	6	H :03 ::	O1 00 F1	7	: 01	*	-	• •	
:-:	0 0	es −		0 0 0 0	• • •	•	: :			• •	•
b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	: 67	- :		0 0 0 0	H ::	*	::	0 0 0	67	:-	princip
	* *	• •	:	• • • • • • • • • • • • • • • • • • •	* * * * * * * * * * * * * * * * * * *	:	0 ° 0	0 0 0 0 0 0 0 0 0	*	• •	:
: : :	::	- :	:	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* * * * * * * * *	*	::	* * * * * * * * * * * * * * * * * * *		• • • •	:
• • •	• •	• •	:		0 0 0 0 0 0 0 0 0		:-	0 0 0 0 0 0 0 0	-	:-	
	::	• •	•	0 0 0	0 0 0	•	: :	a 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	* * * * * * * * * * * * * * * * * * *	•
	• •	• •	*	0 0 0	• • •	a 0	• •	0 0 0 0 0 0	•	* * *	:
		- :	:		* * *	:	* *		 1	:-	:
119	က တ	25	48	01 O m :	10	40	21	52 % :	64	91	36
: m 10	ന –	15	∞	:- ::	4 : 10	က	-03	• • •	13	4 00	9
2223	7 4	60	105	8 8 ::	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	79	111	13	116	19	65
	7 :	4 9	19	:- "	מממ	14	Ηю	44:	7	:-	
:01 :	:07	4 :	,eo	::-:	F-1	ಣ	: ന	å • • • • • • • • • • • • • • • • • • •	က	:	0.1
2 28 20	97	60	89	8 0 1 9 :	252	68	10	15	117	19	99
ಜ ಸ್ ಜ	: ന	12	43	ପରେ :	13.8	17	: 67	— е	40	19	16
-2-	:-	15	19	: ⇔ - :	က္ကေတ	6	: ဗ	-03:	16	40	10
18 31 34	20	123	162	2 2 2 4	4 8 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	72	70	10 ::	190	18	96
		• •	•		g 0 P	•		0 • •		• •	
		County Districts.	Berwick County	Burghal Districts. Istream Istmouth	County Districts.	Bute County	Burghal Districts. Iport	County Districts.	Caithness County	Burghal Districts. Irso	County District.
Findochty Keith . Macduff .	Portknockie Portsoy .	County Banff Keith .	Berwick	Burghal Coldstream Duns . Eyemouth Lauder .	County East Middle West	Bute	Burghal Millport. Rothesay	Arran . Bute . Cumbrae	Caithne	Burghal Thurso . Wick .	Caithness

Table F.—continued.

	Vi	olence.	5	Ø. 	-	: ; ;	26	☐ :▼ ·─ ─ :
	Diseas	espiratory ses (except nthisis).	23	10	67	, ∞	71	21 :8 8 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	er-	Other.		: :	::		00	- :0 :
	Tuber-	Pulmonary.	4	- 01	• •) 	36	13 2 2 2
m		arrhœa r 2 Years).	63	, , ;	: :	-	က	7:::::
Deaths from		ohtheria Croup.	H		~ :		∞	::- % ::
Dea	Whoop	oing-cough.	0 0	* *	* * *	•	က	: :
	Scarl	et Fever.		. 0 b	* *		·H	:::::::::::::::::::::::::::::::::::::::
	M	easles.		0- 0 0- 0 0, 0		· · · · ·	∞	. u
	Sm	allpox.		p 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		. •	:	
	Typh	us Fever.	:	. 0 6		6. 6	•	
	Enter	ric Fever.				0. 0		
Deaths of	Person Years ar	as Aged 65 and Upwards.	42		ଜାରୀ	. 10	128	13 13 13 13 13 13 13 13 13 13 13 13 13 1
Deat		ren under ear of Age.	18	တ္ က	p=(:	∞	80	83 - 1 - 2 2 2
	Net 1	Number.	117	48	9	co	454	133 4 61 41 56 13
ths.	Trans	ferred in.	I	es :	ରା ତା	4:	97	40 1 1 15 1
Deaths.	Transf	erred out.	- 4	es :	0 0 0 0 0 0		99	132 132 13
	Reg	istered.	110	48	40	4°S	423	95 70 70 50 13
	Marria	ages.	89	35		23	257	62 39 30 12
]	Illegitimat (correc	e Births ted.)	15	40	: ന	22	45	. d: ∞: L:
	Births (co	rrected).	230	101	8	69	1067	369 6 164 53 100 19
	County and Public Health District.	Clackmannan County	Burghal Districts. Alloa Alva	Dollar Tillicoultry	County District. Clackmannan	Dumbarton County .	Burghal Districts. Clydebank Cove and Kilcreggan Dumbarton Helensburgh Kirkintilloch Milngavie	

ကဗ	10	: 10	· · · · · · · · · · · · · · · · · · ·	0 0 0 0 0 0	L 63	7.1	1 2 40	12:	0 0 0 0	m 4 6 m
150	61	20	: : ന :	10 12 ::	701	372	$1 \\ 10 \\ 221$	81	20	7 6 7 1 1
- 21	44	:	0 1 0 0 0 0 0	:-:	- :	52	: - 5	-6:	7 7	छ : लल
2 24	10		: : : :	: 63	0 0	118	100	: 23:	2 -1	4 H CJ.4
:01	-			:-:		17	:::0	; ന :	ಣ :	r ::::
• • •	2		· · · · · · · · · · · · · · · · · · ·	ଷର :	- :	33	1 20	:n:	⊢ :	က :လ က
* * * * * * * * * * * * * * * * * * *	4	: 63 :	* * * *	H :H	C 0	က	: :01	0 0 0		::-:
* *		:- :		* · · · · · · · · · · · · · · · · · · ·	* *	7	: : 4	:-:	: :	-::-
7 ;	ည			6N ::	- :	30	: 7 5	:01 :	ಣ :	- : :2
* *	:			0 0 0			0 0 0 0 0 0 0 0 0			
• •	:			0 0 0	: :	9 6 d	0 0 0 0 0 0	0 0 0 0 0 0 f 0 0	0 0	
• •	•				• •	•	• • •		• •	
24	129	7 08 4	4000	21 1 2 6	92	652	2 11 427	010	20	11 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
10	20	10		01 07 4	43	352	208	7:	23	ထ က က က
89 89 80 89	318	94	4110	14 44 L	26	1947	9 35 1210	350 0	71	57 77 86
14	23	191	:01 ::	: 7:	40	248	2.7	59	07.00	1, c 1 10 1 10 1
36	49	.: 16	0 0 0 0 0 0 0 0 0	6 26	ಣ್ಣ	352	232	: 7:	ಣ –	115
85	344	16 104 10	4 vo 1~ vo	63	25	2051	8 30 1333	300	62	41 19 78 157
61	179	15	01 to 4 to	10	28 24	1386	2 16 1000	2 169 14	58	33 10 28 28
10.	63	-o:	н :не	50 7 4	10	260	166	:: 45	7	15
160	543	131	∠ 60 4	96	52	3781	19 60 221 6	6 736 27	160	153 54 170 164
P4 0	•					an)				
County Districts. ern	Dumfries County	Burghal Districts. nan nfries gholm		Districts.		(Midlothi unty	Burghal Districts. nyrigg keith aburgh		d.	County Districts. er -Water wade
County Eastern . Western .	Dumfrie	Burghal Annan Dumfries Langholm	Lochmaben Lockerbie Moffat .	County Annan Dumfries Langholm	Lockerbie Thornhill	Edinburgh (Midlothian) County	Burghal Bonnyrigg Dalkeith Edinburgh	Lasswade Leith Loanhead	Musselburgh Penicuik	Calder Gala-Water Lasswade Suburban

~
3
nn
~
~
. 0
.69
4
nti
~
con
~
•
- 7
- 1
- 1
- 1
Œ.
王
H
ABLE
ABLE
ABLE

			,								
	Vi	olence.	4			7	46	* • • • • • • • • • • • • • • • • • • •	4	7.0	• • •
	Diseas	Diarrhœa (under 2 Years). Diphtheria and Croup. Whooping-cough. Scarlet Fever. Measles. Smallpox. Typhus Fever. Enteric Fever. Persons Aged 65	21	H 22 H	0160-	00	182		13	10	64 : W
	er-	Other.	4	• • •	:-:	ಣ	18		•	: 67	• • •
	Tub	Pulmonary.	7	: ന	: : ;	ಣ	52	0 0 0 0 0 0	က	: ന	:-07
m			-	::-		•	11		က	• •	: : :
Deaths from			2	0 0 0 0 0 0	: :	_	23	0 0 0 0 0 0	_	• •	0 0 0 0 0 0 0 0 0
Deal	Whoop	ing-cough.	4	:01	·	_	16	0 0 0		: ന	• • •
	Scarl	et Fever.		* * * *	• • • •	*	2	• • •	67		
	M	easles.	7	: ന പ	: :-	63	11	* * * * * * * * * * * * * * * * * * *	67	* :	: : :
	Sm	allpox.	:		• • •	0 0 0	*	0 0 0	:	::	
	Typh	us Fever.	•	: : :		•	:	0 0 0 0 0 0	•	: :	* * *
	- Enter	ric Fever.	:			•	-	* *, *	 	* *	
Deaths of	Person Years an	Persons Aged 65 ears and Upwards. Children under	75	1 20 9	401	53	374	ო — ო	15	00	13: 29
Deat		Years and Upwards. Children under		- ∞ m	: ୧୯ ଓ	12	178	:::	18	- 6	⊔ :4
	Net 1	ears and Upwards. Children under One Year of Age. Net Number.	166	2 4 2 2 0 2 0	200	99	866	4010	71	15	10 to 02
ths.	Trans	ferred in.	13	:01 ;	— m :	7	105	::::	6	10	:- 10
Deaths.	Transf	erred out.	11	: 9 :	: : :	70	29	: : :	9	0 0 0 0	::-
	Reg	istered.	164	20 20	2110	64	096	4010	89	111	18 18
	Marria	ages.	71	34	80 cm	18	989	64 : W	59	37	::0
	Illegitimat (correc	e Births ted).	47	L ∞ 4	H 4 to	26	132	: : :	10	n ∞	H :03
	Births (con	crected).	300	13	63 15	140	2212	: 01 m	179	36	277
	County and Public Health District		Elgin (Moray) County	Burghal Districts. Burghead Elgin	Grantown-on-Spey Lossiemouth	County District. Elgin (Moray)	•	Burghal Districts. Anstruther-Easter Anstruther-Wester	Buckhaven, Methil, and	Burntisland	Culross

4	~								
9 1	•	: -	⊢ :∞	penul	03 : :	0 0 0 0	11 25 52	43	HH: 67
22	,	: 01	3 m 0	: : : : : : : : : : : : : : : : : : : :	10	10 m 4 m	25 cm	223	01 :41
بت : :	•		_ : e	: : -		:: = :	:00	20	0 : : : : :
10 10 ::	•	: 63	::9		::-	**	61 70 0 4	87	11 22 4 4
67	•		: : :		prod • • • • • • • • • • • • • • • • • • •	• • • •	н :4 :	25	8 : :8 :
60 m	:	• •	: : 4		* * *	4	-44:	11	⋈ : : ∅ :
9 : :		:	: : :	0 0 0 0 0 0	~ :::	0 0 0 b	:0100	ರ	-: :4:
	6 6	: :	* * *	* * * *	0 0 0	* * * * * * * * * * * * * * * * * * *	: ea :	C3	::::67:
-::	:	: :	::9	: : ; ; ; ;			:∹ : :	22	4 : ::: :
• • •	•	::					0 0 0 0	0 0	: : : : :
		• •	0 0 0	0 0 0 0 0 0		0 0 0 0 0 0 0 0	• • • • • • • • • • • • • • • • • • •		:::::
	0 0 0	: :	: : :	: : :			0 0 0 0 0 0 0 0 0 0	က	::::
50	: 69	ا ت	c 01 td	ကကတ	440	01000	330	422	35 25 10 237 17
22 4 :	0	6N r	- 67 65	-46-	12 :::	:⊣ w 4	4 7 5 6 8	232	0 4 4 4 189 5
128 17 2	: 7		140	30	20 0 0 0	12 32 18 18	101 107 138 47	1190	96 41 17 792 42
ಸು ಟ	*	4	::9	ಟ : ಬ	٦٥ : ١	: - 40	10 17	09	ധ — നയ് ധ
53	0 0		9	· · · ped	* * * * * * * * * * * * * * * * * * *	• • pund •	E – 2 2	06	26
146 14 2	: 4	10	140	26	24	17. 29. 29. 16. 16.	64 133 45	1220	97 41 13 795 42
123		1 2	7 2 107	4 7 19	3 3 3 3 3	. 4 · 0 · 0	22 22 22	760	63 25 6 542 35
4 6 :	:	, ,-	- 61 63	: : 4	4-8	:∞	25 4 4	1.74	11 6 11 8 8 8
300.	ಣ ಣ	31	331	14 17 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	115	13 38 25 25 25 25 25 25 25 25 25 25 25 25 25	71 286 369 78	2110	140 39 36 1481 59
	and			ton .				•	
				Monks:			County Districts. Ir fermline	Forfar County Burghal Districts.	
line	Liberty, amsburgh.	hing	- A	k and	v 'd	em ws	iline y	far C	l.
Dunfermline Dysart . Earlsferry	Elie, Liberty, Williamsburgh. Falkland	Inverkeithing	Kinghorn Kirkcaldy	Ladybank and Monkston Leslie	Lochgelly Markinch Newburgh	Newport Pittenweem St Andrews Tayport.	Cupar . Dunfermline Kirkcaldy St Andrews	For: Burg.	Arbroath Brechin . Carnoustie Dundee . Forfar .
	-	- I					*)

in
7700
-
(
200
-
- 1
-
日田
H
LE
ILE]
3LE]
BLE]
BLE]
BL
ABLE]
ABL
BL

	Vi	olence.			: :	C1		. 4	- 03 	5		*	0 0			2	•
	Diseas	espiratory ses (except athisis).			~ :			9 20	က က	25		-	: 00	4	1 :		
	er-	Other.			: :	:		:-	: :	63		:	:-				0 0
	Tuber-	Pulmonary.		1	- :	ಬ		. 01	:-	2		:			-	-	22
om		arrhœa r 2 Years).			::	:			- :	:		:				:	:
Deaths from	Dip and	ohtheria Croup.			: :	:		: :	: .:	4		:	: :		: :	• (2
Deal	Whoop	oing-cough.			: :	*		. : :		*		*					6° 0°
	Scarl	et Fever.			: :	:		:::		•		:	: :	4	:	:	* * *
	M	easles.			: :	:		H-;	: :	•		:	: :	-	:		0' 0'
	Sm	allpox.			: :	*		::		*		*	: :			:	*
	Typh	us Fever.			: :	:		::	::	•		:	: :				:
	Enter	ric Fever.				:		: :	: :	e •						:	:
Deaths of	Person Year's ar	ns Aged 65 and Upwards.		(0 6	24		8 8 9	20	65		63.1	~ m	,	5	C 7 (9
Deat		ren under ear of Age.			ତୀ ତୀ (ಣ		990	27 00	17			: :	-	0 0	_ '	4
	Net	Number.			10	က			22 22	146		ಬಾ	တ ထ	17	11	1	77
ths.	Trans	sferred in.		3	ю –	•		1-46	2 10	16		-	: :	_		01 0	, T
Deaths.	Trans	ferred out.		,	, ,	<u>م</u>		:57	Z :	14		,—,	⊣ :	11	;	:	* * *
	Reg	ristered.). F	101	28		58	27	144		ಸರಂ	n	27	10	ا ا	61
	Marri	ages.		1	- 4	24		14	12	22		9,	<u>ء</u> :	6.1	9	, \ \	CT
	Illegitimat (correc	te Births		(n → 0			000	ص ص	22		: *	٦:		*	ಣ	- F
	Births (co	rrected).		Ç	n 0 1	<u>n</u>		81	67	312		18	7.5	23	6	14	40
	County and Public Health District.		Forfar County—contd.	Burghal Districts—contd.	Monifieth	Montrose	County Districts.	Arbroath	Forfar	Haddington County .	Burghal Districts.	Cockenzie and Port Seton	East Linton	Haddington	North Berwick	Prestonpans	Tranent,

_									
	H 63	0	H 4 :	H :-	4 prod prod	0 0	10		었느 : 4ㄴ
	42	37	16 :	m 04 04	1 01 10	07	27	m	on ~ ↑ ~ :
	-	9	0 0 0			: -	~	0 0 0 0 0 0 0 0	: : : : :
	, ,	8	: ro :	. 64	8181	Ην	9	:: -:	:01 : :-1
	• •	H		• •	• • •	:	62		::-::
-	: -		-	* * * * * * * * * * * * * * * * * * *			ಣ	* * * prod	: : : 67 :
	* * *	4	0 0 0 0 0 0 0 0 0	•	• • 	67	rc	0 0 0 0 0 0 0 0 0 0	
	::			0 0 0 0	• • •	* * *	e e e		
	• •	5	; P3	*	0 0 0	েল	621	· · · · · · · · · · · · · · · · · · ·	
		:	0 0 0 0 0 0	* * * * * * * * * * * * * * * * * * *			0 0	0 0 0 0 0 0 0 0	
		•	0 0 0	0 0 0 0 0 0			•		: : : : :
	: :	ಬ		:-	: :: 67		*	•	
	93	161	0 m 01	15	32.00	111	63	0.0044	018 24
	6	37	16	4 ⇔ ⊢	4 11 40	:0	တိ	H 4 :H	464 10
E.JEJGE	13	322	9 46 8	26 36 94	18 18 20 20 20 20 20 20 20 20 20 20 20 20 20	<u> </u>	154	10 00 10 td	117 113 113
	4 70	16	. 63	ಬ ಸಾ	; m :-		19	:-014	: W 4 W W
	⊣ :	24	: oo 61	2 23	0 0 0	* * *	က	::::	:-:::
	10	330	100	89 82 8	15 47	12	138	∞ 1- co 0	16 13 11 11
	1 21	126	29:	ಠಣ∀	m 00 c	4.0	2	010144	91 x x x 4 4
	12	40	10	961-	- eo :	4,00	27	:- :0	ರ್ರಚ 40
	48	462	183	37	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20	303	9 01 01	41 222 41 41 33
		•	6 0 0	• • .			· >	b • • ¢	
icts.		Inverness County		ricts.	• •		* Kincardine County Burghal Districts.		ricts.
County Districts.		nverness Count	e	County Districts.			ne C		County Districts. encekirk. er Deeside yrus ehaven er Deeside
uty		rnes	illian sss sie	unty ess	er .	Uist Uist	ardi rqhal	ory ervie teeku aven	unty nceki Deex us aven Deex
Con	Eastern . Western .	Inve	Fort-William Inverness Kingussie	Couni Inverness Aird .	Lochaber Skye Harris	North Uist South Uist	Kinc Bu	Banchory Inverbervie Laurencekirk Stonehaven	County Dis Laurencekirk. Lower Deeside St Cyrus Stonehaven. Upper Deeside
	Ea		F II	In	J.W.E.	Zű	*	St. L. L.	THE SEP

* Including the portion of the County within the Burgh of Aberdeen,

Table F.—continued.

	Vi	olence.	•		•	7	63 : :	01 OI :	:::-
	Diseas	espiratory ses (except athisis).	7		9	42	ର ଜ ୮	4 8 :	r :0 w:
	er-	Other.	Н	-	:	9	:- :	H ::	e :- :
	Tuber-	Pulmonary.	9	⊢	70	14	:-:	: 10	4 :4 :
H		arrhœa r 2 Years).	•	•	:	_			::-:
Deaths from	Dır	ohtheria Croup.	•	0 0		62		::	::-:
Dear	Whoop	oing-cough.		*	:	62	0 0 0 0 0 0	⊢ : :	::-:
	Scar	let Fever.	0 0 0	•	:	•			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	M	easles.	:	:	:	73	:-:	· · · · · · · · · · · · · · · · · · ·	¬:::
	Sm	nallpox.		:	:	:	: : :		* * * * * * * * * * * * * * * * * * * *
	Typh	nus Fever.		:	:	0 0	:::		
	Ente	ric Fever.	:	•		:	:::	: : :	
Deaths of	Person Years an	ns Aged 65 ad Upwards.	24	9	18	06	1-00-1	120	22 1 20 12 12
Deat		ren under ear of Age.	H	*	-	19	ო⊣ :	⊣ল:	₽ ; ₽ H
	Net	Number.	41	6	32	183	15	10 35 2	41 6 39 20
ths.	Trans	sferred in.	5		4	56	H 63 :	10 ::	9:44
Deaths.	Trans	ferred out.	6		6	∞	⊣ : :		H : 4 H
	Reg	gistered.	45	∞	37	165	12 12 13 13	66	36 6 41 17
	Marri	ages.	Ħ	70	9	09	10	ro 0 :	01 4 61 5
	Illegitima (corre	te Births eted).	. 4	63	63	41	01 H 10	ಟ್ರಾಣ :	01:4%
	Births (co	orrected).	49	21	83	253	15 20 9	20 47 1	46 15 62 18
	County and Public	Health District.	Kinross County .	Burghal District. Kinross	County District. Kinross	Kirkcudbright County	Burghal Districts. Castle-Douglas Dalbeattie Gatehouse	Kirkcudbright Maxwelltown	Eastern

-												
267	rO	:9	190	ಬ ಬ ೦೩	# 40 m	21	: m ल	•	12 8	•	* *	•
1568	14	42	1173 39 8	15 26	165 22 22	49	H 4 12	07 - 07	24 8	2	67	ಣ
179	ಣ	: 9	121	4	9 47 3	ග	<u>ы</u> : ы	• • •	72	•	•	•
390 179	67	=======================================	295 12 1	∞ 4 ∞	್ ಜ =	6	H 03 03	- ::	es :			,
84	•	: 00	54	4 :H	° 24 L	က	0 0 0 0 0 0 0 0 0		07 FF	*	0 8 0	
11	73	: က	49 • • • •	<u>-</u>	H ∞ m		: :		0 G 6 G 6 G	•	0 0	
48	:	: :	30	4-	: ea :	•	* * * * * * * * * * * * * * * * * * *	: : :	0 0 0 0 0 0	*	0 8 0	d 0 0
26	H	:-	<u>15</u>	- : :	: ∞ :	73	; c3 ;	• 0 •	0 0 0 0 0 0	•	•	•
120	52	: \$\infty\$	92 ::	63 ::	37	93	:	• • •	⊣ :	•	*	0 0
3	*	* :	ea : :	• • •	0 0 0	:		• • • •	0 0 0 0 0 0	•	:	:
:	· 0	0 0	• • •		0 0 0	:	: : :		0 0 0 0 0 0	:	:	•
9	0 6 6	0 •	9::		, 0 0 0 6 0 0	:		• • • • •	* *	•	:	
1503	19	က ကို	1089 35 13	29 27 15	23 178 47	55	1002	∞ 67 –	21	Ħ	^	*4
1320	18	41	910 29 2	47 10 20	21 197 25	20	999	:: : : : : : : : : : : : : : : : : : : :	23	9	7	70
6317	81	169	4562 147 30	151 74 92	88 781 137	243	13 32 20	10	107	25	13	13
388	6	10	197 16 2	21 19 10	41 82 8	40	03 44	ಣ ಣ ₀1	8.4		*	0 4 0
406	prood	9	298 4	03 03 03	51 30 6	15		• 0 0 • 0 0	: 10	C 7		-
6335	<u>60</u>	165	4663 135 31	132 58 84	125 729 135	218	11 28 25	© 17-4	89	27	13	14
4570	61	93	3470 104 24	86 78 62	46 471 76	161	0 00 64 00 00	0 m 27	51	13	œ	ಸ
802	œ	23	560 14	20	113	43	7044	• proof prof	55 55	9	6.1	4
13464	210	397	9104 361 36	380 183 248	203 1986 352	728	50 65 96	39 19	321 119	71	32	39
•		۰ .	o 10 0	**************************************			• • •		• •	٠	•	•
aty	icts.				icts.	Linlithgow County	ricts.		icts.	aty	rect.	rict.
* Lanark County	Burghal Districts.				County Districts. er ile	W CC	Burghal Districts. nadale hgate rowstounness		County Districts.	Nairn County	Burghal District.	County District.
ark	thal .	g.	. d .	rell len	thu .	hgo	ghal le e toun	gow erry rn	e e cow	irn	ghal	unty.
Lans	Burg	Biggar Coatbridge	Glasgow. Hamilton Lanark.	Motherwell Rutherglen Wishaw	Cour Lower Middle Upper	inlit	Armadale Bathgate	Linlithgow Queensferry Whitburn	County Bathgate Linlithgow	Na	<i>bw</i> irn	Con
*	Bur Airdrie	Biggar Coatbri	Glas Har Lan	Mot Rut Wis	Co Lower Middle Upper	H	Arr Bat Bor	Lin Que Wh	Bat		Nairn	Nairn
-	1		The transfer of the property	V-10	The second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the second section in the second section is a second section of the section of th	du 17 aprelle um b	Authority of the last and the safe of the	The state of the second of the	The second secon	2 2 2 2 2 2 2		

* Including the portion of the County within the Burgh of Renfrew.

A .
1
07
õ
===
in
~
4
~
200
0
-57
\sim
- 1
- 1
王
国
<u>m</u>
- 144
_~4
-
E 1

	Vi	olence.	က	• •	ಣ : : :	က	: 67	-
	Diseas	espiratory ses (except thisis).	8	proof 0	± € € €	7	n –	ಣ
		Other.	Н	:	0 0 0 0 0 0 0	•	0 0 0 0 0 0	• •
	Tuber- culosis.	Pulmonary.	5	63 :	:07 m	က	H 23	• •
m		arrhœa r 2 Years).	•	• • • • • •		•	• •	•
Deaths from		ohtheria l Croup.		ø 6 6 0		H	0 0 0 0 0 0	-
Dea	Whoop	ping-cough.	•	* *	* * * * * * * * * * * * * * * * * * *	:	/ * *	•
	Scarl	let Fever.	H	~ :	::::			* • • •
	M	easles.	н		- :::	:	9 0 0. 0 0 9	•
	Sm	nallpox.	*	::	0 0 0 0 0 0 0 0	:	* B * O * O * O	•
	Typh	nus Fever.	:	0 0 6 0	0 0 0 0 0 0 0 0	:	* *	:
	Ente	ric Fever.	:	* *	* * * * * * * * * * * * * * * * * * * *	:	* *	:
Deaths of	Person Years an	ns Aged 65 nd Upwards.	73	22	25 20 4	29	9 1 4	6
Deat	_	ren under ear of Age.	5	- :	H 03 H : .	41	~~ ;~~	64
	Net	Number.	110	15	35 33 6 6	56	13 20	23
ths.	Trans	sferred in.	က	,	* * * * * * * * * * * * * * * * * * *	9	01 01	C3
Deaths.	Trans	ferred out.		:-	* * * * *	. 23	6 0 0 0 0 0	67
	Reg	gistered.	108	14	33 66 66	52	111	23
	Marri	ages.	51	12	119 44 1	26	-101	14
	Illegitima (correc	te Births eted).	10		Ø 70 L	ī.	01	কা
	Births (co	orrected).	133	820	. 85 T 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	81	16	30
	County and Public	Health District.	Orkney County	Burghal Districts. Kirkwall	Mainland North Isles South Ronaldshay. Walls	Peebles County .	Burghal Districts. Innerleithen	County District. Peebles

-															,															
18	-	7	•	•	•		•	:		•	. 1	0			_	CI	ಣ	4	-	20		ಣ	. 6	-	- I	1 60	•		9 6	3
63	G	7]	:-	⊣		9	:	H	ಣ		67 (- 20 - 20	# 0 0		7	9	ro	00	67	217		9	00 00 00 00 00 00 00 00 00 00 00 00 00) F	7 7	22	2		14	
0.		:	:	*	•	:	•	:			* (হয়			6	:	0.1	4	:	80			: 00)	:0	2 4	<u> </u>		ကဂ	3
28	,	:	:-	-	0 0	*		0 0	_	:	0 1	Ξ			ಣ	-	4	1	c 5 8	72	ŧ	r-d	0.0	1	4	2 4	9		90	71
*		:	:	•	:	:	*		:		:	:	:				•	:	:	11		:	, rc)	, rc	5	-			:
-		:		•	:	*	0 0	•	6 0	•	•	:	6 6	P	:	•		<u></u>		13			: 7	4 20	3 6	1		1.2	: 6	Ŋ
:		•	:	*	:	•	0 0 0	0	•		•	0	:			0 0	0 0		0	16) G	16	- :			: -	-
		0 0	*		0 0	:	0 0	•	:	•		•	•		0	0 0		•	:	7			: 7	٠,	-	•	-		r(:
23		* 4 *	:	* * *	:	:	•	0 0	0 0	•	•	C/1					9 0		:	23		8 0 0		G	4 G	1			: -	-
:		0	:		:			•		0 0	:	0 0	:		6				0 0	0 0 0		•	. :	0 0					:	:
:		:	•	*	•	•	•		•	•	:	*			4 9 4			:	•	•		•	:	0 0	:	• •			:	:
:					•		•	:	:	0	:		:					:	:	-		:	:-	1	:	: :			:	:
977		1, c	N 0	0	9	<u>o</u>	ଠୀ	7	11	:	9	49	ಣ		15	22	25	39	20	273		6.	න & ව	\	# X	10	G		320	04
44	-	_	:	*	C 27	67	0 0 0	•	•	•	7	20	*		67	1-	C)	4	67	224		4	00 00		7 X	0.7	1		18	-
450		ာင	ာ င	77	11	00	ಸರ	6	23	•	0	119	ဗ			43	49	74		1085		27	419	1 1	906	200	34		91	2
54		<i>א</i>	: =	-	,—	61	প	67	C3	•	-	<u>्</u>			61	10	0	8	4	68		ಣ	ಣ ಪ್		7	9 0	20		91	1.1
39		:	:	:	:	-	0	0	67		-	56			pro-		1	0	-	108		•	7 9	-	0.3	24	prof		44	01
435	1	- (70 7	11	10	17	ಣ	7	23	•	6	143	20		27	37	47	56	30	1104		24	23.	90	217	67	30		116	-
185	,	9	: 0	3	4	4	:	4	9	67	4	87	:		6	, O	T C	00 00	೮೦	671		21	193		010	542	29		900	22
99	1	-	0 0	g 0 0	*	:	-		4		9	20	OJ.		ଟ	9	14	9	ಣ	128		ಬ	83 6	1 0	27	9	යෙ		<u></u>	G
728	ı			07	13	14	91	II	30	20	8	246	22		45	44	70	127	49	2443		16	61	707	717	204	112		234	141
		•	•	•	•	•	۰				•	•	٠					. •		a ²		٠	0	٠	•	•			•	
Perth County	Burghal Districts.	Aberfeldy	Abernethy	Alyth	Auchterarder.	Blairgowrie	Callander	Coupar-Angus	Crieff	Doune	Dunblane	Perth	Rattray	County Districts.	Rlaircowrie	Central	Highland	Perth .	Western.	Renfrew County	Burghal Districts.	Barrhead	Gourock .	TI TI	Johnstone	Port-Glasoow	*Renfrew.	County Districts.	Upper	LOWer

* Including the portion within the County of Lanark.

-
\sim
7.0
~
Chr. b
~
-
~
~
-
±
-
202
-
()
_
5
~
- 6
- 40
E.
5
2
(married)
=
\sim
BI
A
_
2
(promoted)

	Vi	olence.	12	: : :	es es :	: - 3	: ಣ ⊣	4	П		٠.
	Diseas	espiratory ses (except thisis).	43	⊢ : :	:ന ⊣	÷ :: 1	∞ © 81	24	6	ତ୍ୟ ଫ	000
	er-	Other.	4	::-	:-:	:	:::	ಣ	67	:-	+ :
	Tuber-	Pulmonary.	26	64 : :	:	2001	4 :00	5	ಣ	:	: :
m		arrhœa r 2 years).	67			:-:	- ::	63	H	:	
Deaths from	Dip and	ohtheria Croup.	22	• • •		: :61		63		: :	
Dear	Whoop	oing-cough.	5	• • •	: : :	: : 10		:	:		
	Scarl	et Fever.	П	* * *	::-	* * *	: : :	:	:	: :	
	M	easles.	0 0	9 0 0 0 0 0	:::	:::	:::	*	*		
	Sm	allpox.		* * * *	: : :	* * * *	: : :	:	:	: :	
	Typh	us Fever.	•	• • • • • •		: : :	:::	:	•	: :	
	Enter	ric Fever.	•	0 0 0	:::		:::	:	:	: :	
Deaths of	Person Years an	s Aged 65 ad Upwards.	155	10	H44	12 21 46	32 14 6	74	25	ದ ಅ	7
Deat		ren under ear of Age.	24	: 60	: - :	-1 cz cs		17	5	: ന	-
	Net	Number.	298	14 6	17	24 40 97	49 20 18	162	58	12	6
ths.	Trans	ferred in.	16	: p===	H : H	75 67	:: ت ت	21	1	ಣ	-
Deaths.	Transf	ierred out.	17	: 2		:0-	⊣ ::	20	-	: 4	14
	Reg	istered.	599	18 11 11	173	19 43 97	45 20 18	161	22	15	22
	Marri	ages.	154	12 ::	16	6 12 87	0000	95	43	-	C1
	Illegitimat (correc	te Births ted).	25	• -	- :-	ಣ್ಣ	4 : :	25	9 ,		:
	Births (co	rrected).	503	111 9	10 31 8	45 84 218	46 10 21	245	100	28 28	7
	County and Public Health District.			Burghal Districts. Cromarty Dingwall Fortrose.	Invergordon Stornoway	County Districts. Black Isle Easter Ross Lews	Mid Ross South-Western Western	Roxburgh County .	Burghal Districts.	Kelso	Melrose

H ::	:-	-		•	9	-	ت :	32	: : : : : : : : : : : : : : : : : : : :	ତ ଧ ଧ	ec I e
ന — ന ·	-	17	17	6/1	6	ಣ	9;	92	1200	12 22 22	23.7
: : :	: :	63	:-		4	-	2 11	18	0 0 0	w : ro	01 to to
	• •	9	9 ;	0 0 0		:	L 4	36	: : : : : : : : : : : : : : : : : : : :	::10	0 x 4
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	° posel	•		8	•	•	• •	62		: -:	· r
::-	0 0	H	~ :	0 6 9	•	•	• •	10	: - 10	* * *	~ eo :
• • •	* *	H		Ф Ф Ф	•	•	0 0 0 0 0 0	∞	0 0 0 0 0 0 0 0 0	• • • •	44:
* * *	: :	•	• •	* * •	*	:	0 0 0 0 0 0	9	:-0		⊢ Ø :
• • •	• •	•	• •	• •	9 9 5	•	a • • • • • • • • • • • • • • • • • • •	F-1	::00	• • • • • • • • • • • • • • • • • • •	. 40
	: :	d a 4	* *	•	:	•	9 0 9 0 9 0	*) * *	• • •	* * * * * * * * * * * * * * * * * * *	
0 0 0	0 0	*	0 0 0 0 0 0	0 0	•	*	0 0 0 4 0 0	•	0 0 0 0 0 0	* 0 0 * 0 0 * 0 0	* • • • • • • • • • • • • • • • • • • •
5 6 6 0 0 6 0 7 0	* *		0 • 0 0 • 0	:	:	:		63	• • • • • • • • • • • • • • • • • • •	: :==	
4 8 [47	53	2 =	ಣ	73	1	53 13	1771	400	07 O R	24 37 16
— : ল	ର ଧ	4	4:	0 0	4	જા	:03	89	1 20 20	13 7 5	15 26 3
15 22 22	14	77	49	0	119	14	8 63 63 63 63 63 63 63 63 63 63 63 63 63 63 63 6	267	9 14 128	60 60 60 60 60 60 60 60 60 60 60 60 60 6	81 142 34
: - 10	-01	2	9:		9		9:	99	-1: ന	L 4 w	111 226 111
	0 0 0 0	4	es ⊢		က	ಣ	* *	92	: : :	100	30
37-1-	12	74	46 20	∞	116	17	76	577	6 14 136	39 25 1111	71 146 29
L 55 70	61 TO	36	10.20	4	7	44	£ 4	386	6 7 125	15 67	727
441		13	7 :		വ	Ø	C3 —	79	1 26	400	460
15 17 84 84	25	133	200	16	132	. 55	20 20	1260	9 47 267	81 62 195	211 326 62
		•	• •	•				•			• •
County Districts. ick urgh		County	Durghut Districts. Ashiels	County District.	Shetland County	Burghat District. wick	County Districts.	Stirling County	Durghay Instructs. Ige of Allan ny and Dunipace xirk	th	County Districts. ral
County Hawick . Jedburgh Kelso .	Liddesdale Melrose .	Selkirk	Galashiels Selkirk .	County Selkirk .	Shetland	Burgnat Lerwick.	County Mainland North Isles	Stirling	Bridge of Allan Denny and Dunipace Falkirk	Grangemouth Kilsyth . Stirling .	Central . Eastern . Western .

TABLE F.—continued.

	Vi	olenc e .		*	H	00	- ea : :	H 4
	Diseas	espiratory ses (except athisis).	7	* * * * * * * * * * * * * * * * * * * *	i~	18	ы: a	4 0
	er- sis.	Other.	63	:	, w	က	- : :-	:-
	Tuber-	Pulmonary.	5	:	Ď	2	:c1 : :	67
DID.	1	arrhœa r 2 Years).	•	:		67		; e ₃
Deaths from		ohtheria l Croup.	•	:		5	4	
Dea	Whoop	ping-cough	•	:	6 6	16	: i	. 10
	Scarl	let Fever.		:	6 0 0			: :
	M	easles.	:	:	:	6	; ea : :	. 70
	Sm	allpox.		*	•	8 6 0	::::	• •
	Typh	us Fever.	0.00	* *	:	:	: : : :	• •
	Enter	ric Fever.	:	•	:			: :
Deaths of	Person Years an	as Aged 65 and Upwards.	43	•	43	09	L 2 - 4	25.00
Deat		ren under ear of Age.	ಎ	•	ಭ	23	: ~ : 01	12.2
	Net	Number.	75	. 4	71	160	11 42 3	24 70
Deaths.	Trans	ferred in.	9	prof.	70	15	∞ ∞ − :	~1 69
Dea	Trans	ferred out.	0 0		6 0 F	11		c3
	Reg	gistered.	69	ಣ	99	156	9 2 11	23 64
	Marri	ages.	24	6	15	55	& & : ca	15 24
	Illegitimat (correc	te Births eted).	12	* *	12	30	:041	14
	Births (co	rrected).	66	4	95	223	8 51 10 10	93
	County and Public	neaton District.	Sutherland County	Burghal District. Dornoch.	County District. Sutherland	Wigtown County	Burghal Districts. Newton-Stewart Stranraer Whithorn Wigtown	County Districts. Machars

QUARTERLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN THE

DIVISIONS, COUNTIES, AND PUBLIC HEALTH DISTRICTS

OF

SCOTLAND.

QUARTER ENDING 30th JUNE 1920.

Published by Authority of the Registrar-General.

CCLXII.

EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

1 9 2 0.

Price 6d. Net.

REPORT.

REPORT ON THE BIRTHS, DEATHS AND MARRIAGES REGISTERED IN SCOTLAND DURING THE QUARTER ENDING 30TH JUNE 1920.

THE more outstanding features of the vital statistics of Scotland in the Second Quarter of the year 1920 are a birth-rate which, though somewhat less than that of the previous quarter, is more than average; a death-rate which, though somewhat higher than that of the second quarter of the previous year, is less than average; and a high marriage-rate. The quarterly birth-rate is 29.6; it is 1.3 less than that of the first quarter, but 10.1 more than that of the second quarter of 1919. The death-rate of the quarter is 14.9 per thousand; it is 1.3 more than that of the second quarter of 1919, but is 0.3 less than the mean of those of the second quarters of the preceding ten years. The marriage-rate is 9.7 per thousand; it is 0.2 more than that of the second quarter of 1919, and 2.5 more than the mean of those of the preceding ten years. An examination of the death returns of the quarter brings out evidence of two epidemics, the one of influenza and the other of small-pox. The influenza epidemic commenced in the month of March, attained a maximum in April, and by June had subsided; in this quarter—April to June—752 deaths were ascribed to this cause. Deaths from small-pox during the quarter numbered 50, 45 of them occurring in Glasgow. In the year 1904 there was an epidemic of small-pox, accounting for 185 deaths, but since then until the present outbreak the country has been very free from this disease, the total deaths in the fifteen intervening years only amounting to 38. The number of illegitimate children whose births were registered during the quarter-2756—is exceptionally large; it is larger than in any quarter since that ending 30th June 1880.

BIRTHS.

Births registered in Scotland during the Second Quarter of the year 1920 numbered 36,215. This number is 1533 less than that of the previous quarter, but is 12,356 more than that of the second quarter of the previous year, 8848 more than the mean of those of the second quarters of the preceding five years, and 6114 less than that of the second quarters of the preceding ten years. There are only two previous quarters in which a larger number of births were registered in Scotland, the one being the previous quarter, the first quarter of this year, and the other being the second quarter of the year 1903.

The Scottish birth-rate of the quarter was 29.6 per thousand. This rate is 1.3 less than that of the previous quarter, but is 10.1 more than that of the second quarter of last year, 6.9 more than the mean of the rates of the second quarters of the preceding five years, and 4.4 more than that of the second quarters of the preceding ten years. It is higher than the

second quarter birth-rates of all years since 1909.

It is not without interest to trace the rise of the national birth-rate consequent on the demobilization of the troops. This commenced early in 1919. The birth-rates of the months of January to August of that year

TABLE I.—BIRTHS, ILLEGITIMATE BIRTHS, DEATHS, and MARRIAGES in SCOTLAND, and in the Divisions of the Counties during the Quarter ending 30th June 1920, with relative rates; also Infantile Mortality.

'	POPUL	ATION.	TOT BIRT (Corre	PH	ILLE MA BIRT (Corre	TE	DEA' (Corre for Tra	ected nsfer.)		CIAGES.	CHIL	HS OF DREN DER ZEAR.
	Census 1911.	Esti- mated to middle of 1920.	Num- ber.	Rate per 1000 of Pop.	Num- ber.	Per cent. of Total Births.	Num- ber.	Rate per 1000 of Pop.	Num- ber-		Num- ber.	Rate per 1000 Births.
SCOTLAND,	4760904	4921100	36215	29.6	2756	7.6	18248	14.9	11881	9.7	348 2	96
LARGER BURGHS	2245735	2426500	18026	29.9	1268	7.0	9438	15.6	7007	11.6	1958	109
SMALLER BURGHS	9 56687	966700	7151	29.8	530	7.4	3481	14.5	2269	9.4	642	90
COUNTY DISTRICTS	1558482	1527900	11038	29.1	958	8.7	5329	14.0	2605	6.9	882	80
Northern Division,	105997	95100	525	22.2	43	8.2	424	17.9	122	5.2	55	105
North-Western Do.	164636	150100	889	23.8	66	7.4	586	15.7	240	6.4	54	61
North-Eastern Do.	467333	450400	3467	31.0	442	12.7	1630	14.6	1112	9.9	342	99
East-Midland Do.	712146	732600	5066	27.8	386	7.6	2705	14.9	1522	8.4	544	107
West-Midland Do.	386312	393800	2751	28.1	186	6.8	1293	13.2	720	7.4	203	74
South-Western Do.	2033521	2185600	17314	31.9	1115	6.4	8515	15.7	5819	10.7	1715	99
South-Eastern Do.	700577	736600	4896	26.7	360	7.4	2418	13.2	1897	10.4	469	96
Southern Do.	190382	176900	1307	29.7	158	12.1	677	15.4	449	10.2	100	77

were all low, varying from 17.8 per thousand in February to 20.3 in June. In September this rate rose to 22.1, and in October to 27.0; in November it fell slightly, being 26.6, but in December rose to 30.0. In January of this year it was 30.4, and in February 30.3. In March it attained a maximum of 31.8, and in April was nearly as high, 31.5, but in May a decline was manifest, the birth-rate being 29.3, and a further fall to 28.1 occurred in June. From these figures it may be deduced that while the birth-rate of the quarter, and that of the last month of the quarter, remain high, it is again a declining quantity, and that the maximum consequent on demobilization has been reached and been passed.

Of the 36,215 living children whose births were registered during the quarter, 18,546 were male and 17,669 were female, the ratio of male to female children being 105.0 to 100. In the previous quarter this ratio was 104.2 to 100, and in the corresponding quarter of last year 107.7 to 100.

In the Divisions of the Counties the quarterly birth-rate varied from 31.9 in the South-Western, 31.0 in the North-Eastern, and 29.7 in the Southern, to 22.2 in the Northern, 23.8 in the North-Western, and 26.7 in the South-Eastern. In the West-Midland it was 28.1 and in the East-Midland 27.8.

In the counties the birth-rate varied from 33.9 in Clackmannan, 33.1 in Banff, 32.5 in Linlithgow, and 32.2 in Kincardine and in Ayr, to 18.4 in Orkney, 18.8 in Sutherland, 19.7 in Selkirk, 21.0 in Bute and in Shetland, 21.3 in Peebles, 21.5 in Inverness, and 21.6 in Argyll.

In the larger burghs taken collectively this rate was 29.9; in the smaller burghs, 29.8; and in the county districts, 29.1. Compared with the birth-rate of the previous quarter, that of the county districts is of the same amount, but that of the smaller burghs is 1.0 less, and that of the larger burghs is 2.1 less.

In the larger burghs taken individually the quarterly birth-rate varied from 35.9 in Greenock, 35.2 in Coatbridge, 34.1 in Hamilton, and 32.8 in Motherwell, to 22.6 in Perth, 24.4 in Edinburgh, and 26.0 in Kirkcaldy. In Glasgow this rate was 30.9; in Dundee, 29.1; and in Aberdeen, 30.4.

In burghs with censal populations of between 10,000 and 30,000 the birth-rate varied from 44.5 in Port-Glasgow, 39.2 in Dunfermline, 38.8 in Wishaw, 37.5 in Johnstone, and 36.0 in Airdrie, to 19.7 in Galashiels, 24.1 in Inverness, 24.3 in Forfar, 25.2 in Rutherglen, 25.7 in Kirkintilloch, and 26.2 in Renfrew.

In county districts with populations of more than 10,000, this rate varied from 38.8 in Annan District of Dumfries, 37.0 in Middle Ward District of Lanark, 36.6 in Bathgate District of Linlithgow, 36.0 in Ayr District of Ayr, 35.8 in Easter Ross District of Ross and Cromarty, and 35.0 in Turriff District of Aberdeen, to 17.3 in Cupar District of Fife, 19.5 in County District of Sutherland, 19.9 in Highland District of Perth, 20.0 in Upper District of Renfrew, 20.1 in St. Andrews District of Fife, and 20.4 in Mainland District of Shetland.

Of the 36,215 children registered, 33,459, or 92.4 per cent., were legitimate, while 2756, or 7.6 per cent., were illegitimate. The legitimate children of the quarter are 1599 fewer than those of the previous quarter, but are 11,477 more than those of the second quarter of last year. The illegitimate children of the quarter are 66 more than those of the previous quarter, and 880 more than those of the second quarter of last year. The number of illegitimate children registered in this quarter is larger than in all quarters since the quarter ending June 30th, 1880. In 1918 the maximum quarterly number of illegitimate children was 2087, and in the first three quarters of 1919 this number was not exceeded; but in the fourth quarter of that year it rose to 2417, in the first quarter of this year to 2690, and in this quarter to 2756.

In the Divisions of the Counties the illegitimate rate of the quarter ranged from 12.7 per cent. in the North-Eastern, and 12.1 in the Southern, to 6.4 in the South-Western, and 6.8 in the West-Midland. In the Northern Division it was 8.2, in the East-Midland 7.6, in the North-Western 7.4, and

in the South-Eastern 7.4.

In the counties, burghs included, this rate varied from 15.6 per cent. in Kirkeudbright, 14.6 in Argyll, 14.4 in Wigtown, 14.3 in Selkirk, and 14.0 in Nairn, to 1.9 in Orkney, 4.9 in Dumbarton, 5.2 in Peebles, 5.5 in Renfrew, and 5.9 in Berwick and in Fife.

In the larger burghs taken collectively this rate was 7.0, in the smaller burghs 7.4, and in the county districts 8.7. In the previous quarter these

three rates were 6.5, 6.5, and 8.6 respectively.

In the larger burghs taken individually this rate varied from 9·1 per cent. in Dundee, 8·6 in Aberdeen, 8·2 in Edinburgh, 7·8 in Perth, and 7·7 in Ayr, to 3·1 in Clydebank, 4·2 in Greenock, 4·2 in Kirkcaldy, and 4·5 in Falkirk.

In burghs with populations of between 10,000 and 30,000 the illegitimate rate varied from 14·1 per cent. in Galashiels, 10·9 in Barrhead, and 9·0 in Hawick, to 2·7 in Dunfermline, 2·9 in Rutherglen, 3·2 in Airdrie, 3·6 in Buckhaven, Methil and Innerleven, and 3·9 in Port-Glasgow.

In county districts with populations of more than 10,000 it varied from 22·1 per cent. in Turriff District of Aberdeen, 20 0 in Deeside District of Aberdeen, 18·7 in Garioch District of Aberdeen, 18·2 in Banff District of Banff, 18·0 in Deer District of Aberdeen, 16·5 in Aberdeen District of Aberdeen, and 15·5 in County District of Caithness and in Rhins

TABLE II .-- Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1910 to 1920 inclusive.

1920	Per 1000of Pop.	30.9 15.5 9.6	29.6 14.9 9.7			
19	No.	37748 18925 11751	36215 18248 11881			
Mean	tor Ten Years	23.8 18.3 6.6	63 12 5 63 63 65	12.6	23.9	15.7
6]	Per 10000f Pop.	18.6	19.5	20°5 10°8 9°9	27.9	,100 21.7 15.4 9.0
1919	No.	22510 28956 8808	23859 16608 11641	25418 13323 12266	34476 16254 11411	4,894,100 106263 21** 75141 15** 44126 9**
1918	Per 1000of Pop.	19.3 14.9 6.8	21.4	20·1 12·3 7·6	20.0	20-2 16-0 7-1
19	No.	23221 17885 8240	26054 16680 8048	24700 15188 9404	24579 28619 8908	4,886,274 98554 20°7 78372 16°3
1917	Per 1000of Pop.	21.2	21.6	11.2	18.6	20.1
19	No.	25373 21787 7260	26199 18617 7334	23113 13729 7827	22797 15348 8065	4,854,738 97482 20° 69481 14° 30486 6°
1916	Per 1000of Pop.	22.8 16.3 7.2	25.0 15.2 6.4	22.4 12.4 6.4	21.0	4,824,308 9942 22.8 0640 14.6 1483 6.5
19	No.	27352 19508 8604	29931 18272 7636	27144 15026 7766	25515 17834 7477	4,824 109942 70640 31483
1915	Per 1000of Pop.	26.3	25.52	22.2 13.2 8.0	21.2	4,785,598 4181 23.9 1631 17.1 8272 7.6
19	No.	30999 24990 7996	30793 20413 9245	26804 15932 9645	25585 20296 9386	4,788 114181 81631 36272
1914	Per 1000of Pop.	26°3 17°7 7°4	15.4	13.6	25·1 15·5 6·7	4,747,167 3934 26·1 8557 15·5 5049 7·4
19	No.	30656 20654 8631	33009 18169 9088	30336 16219 9358	29933 18515 7972	4,747 123934 78557 35049
913	Per 1000of Pop.	25.6 18.2 6.7	27.3	24.7 13.6 7.6	24.3 14.6 7.0	8,132 25.5 15.5 7.1
191	No.	29825 21270 7841	32198 18143 8503	29487 16194 9037	29006 17462 8310	4,728, 120516 73069 33691
1912	Per 1000of Pop.	25.6 17.5 5.9	27.3	25°3 12°8 7.4	25.2	4,741,077 2716 25.9 2337 15.3 2510 6.9
13	No.	30272 20671 6994	32221 17728 8209	30166 15219 8778	30057 18719 8529	69 7 59
1911	Per 1000of Pop.	26·1 4 16·9 8 5·8	27.7	3 24·7 9 13·4 7·0	3 23.7 0 14.8 6.7	4,749,673 1811 25·6 1732 15·1 1811 6·7
1	No.	30710 19794 6758	32935 18029 8567	29653 16149 8434	28513 17760 8052	12 1- 8
1910	Per 1000of Pop.	5 17.7 6.3	28.6	1 25·2 1 12·8 5 6·7	5 24·9 6 14·8 6 6·4	4,737,268 4000 26.2 2245 15.3 0866 6.5
Ä	No.	30422 20605 7317	33812 18593 7928	30061	29705	67 7 60
	Hrram Qiiarmer	Births, Deaths, Marriages,	Second Quarter Births, Deaths,	Third Quarter. Births, Deaths, Marriages,	FOURTHQUARTER Births, Deaths, Marriages,	YEAR. Population Births, Deaths,

District of Wigtown, to 2.0 in Lorn District of Argyll, and 3.1 in Calder

District of Midlothian and in Linlithgow District of Linlithgow.

Births registered in April numbered 12,694; in May, 12,195; and in June, 11,326. The monthly birth-rate in April was 31.5, in May 29.3, and in June 28.1. Compared with the number in the corresponding month of the previous year, that of children registered in April is 5160 more; in May, 4050 more; and in June, 3147 more. The birth-rate of April is 12.8 more, that of May 10.8 more, and that of June 7.8 more than in the previous year.

The birth-rate of the quarter in England and Wales was 26.6, which is

3.0 less than the Scottish rate.

MARRIAGES.

Marriages registered during the quarter numbered 11,881. This number is 130 more than that of the previous quarter, 240 more than that of the second quarter of last year, 3100 more than the mean of those of the second quarters of the preceding five years, and 3261 more than the mean of those of the second quarters of the preceding ten years. It is the largest number registered in a second quarter since the institution of national registration in 1855, and has been exceeded only once in any quarter, that of the third quarter of last year being 12,266, or 385 more.

The marriage-rate of the quarter is 9.7 per thousand. It is 0.1 more than that of the previous quarter, 0.2 more than that of the second quarter of last year, 2.4 more than the mean of those of the second quarters of the preceding five years, and 2.5 more than the mean of those of the second quarters of the preceding ten years. It is the highest Scottish quarterly marriage-rate yet recorded, that of the third quarter of last year excepted, it being 9.9.

In the Divisions of the Counties the quarterly marriage-rate varied from 10.7 in the South-Western, 10.4 in the South-Eastern, and 10.2 in the Southern, to 5.2 in the Northern, and 6.4 in the North-Western. In the West-Midland it was 7.4; in the East-Midland, 8.4; and in the North-

Eastern, 9.9.

In the counties this rate varied from 11.8 in Dumfries, 11.2 in Midlothian, 11.2 in Lanark, and 11.0 in Aberdeen, to 2.7 in Sutherland, 3.1 in Shetland, 4.2 in Kinross, 5.0 in Orkney, 5.5 in Argyll, and 5.8 in Ross and Cromarty.

In the larger burghs taken collectively this rate was 11.6; in the smaller burghs, 9.4; and in the county districts, 6.9. In the previous quarter these three rates were 11.5, 9.5 and 6.7 respectively: while in the

second quarter of last year they were 11.8, 9.1 and 6.1 respectively.

In the larger burghs the quarterly marriage-rate varied from 13·1 in Edinburgh, 12·8 in Ayr, 12·6 in Aberdeen, and 12·5 in Glasgow, to 6·8 in Clydebank, 7·1 in Coatbridge, 7·2 in Kirkcaldy, 8·1 in Motherwell, and 8·6 in Leith. In burghs with populations of between 10,000 and 30,000 this rate varied from 16·9 in Port-Glasgow, 16·1 in Inverness, and 15·8 in Dumfries, to 5·0 in Peterhead, 5·6 in Grangemouth, 6·0 in Cowdenbeath, 6·2 in Forfar, 6·8 in Kirkintilloch, and 6·9 in Borrowstounness. In county districts with populations of over 10,000 it varied from 10·8 in Annan District of Dumfries, 10·5 in Western District of Dumbarton, 9·6 in Ayr District of Ayr, 9·2 in Rhins District of Wigtown, 9·1 in Dunfermline District of Fife, and 9·0 in Calder District of Midlothian, to 1·4 in Skye District of Inverness, 1·4 in Mainland District of Shetland, 2·8 in County

District of Sutherland, 3.4 in Keith District of Banff, and 3.9 in Western

District of Stirling.

Marriages registered in Scotland during April numbered 4020; in May, 2337; and in June, 5524, the equivalent annual marriage-rate of April being 10.0; of May, 5.6; and of June, 13.7. Compared with the corresponding rate of last year, that of April is of the same amount, while that of May is 0.5 more, and that of June is 0.1 more.

DEATHS.

Deaths registered in Scotland during the quarter numbered 18,248. This number is 677 less than that of the previous quarter, but is 1640 more than that of the second quarter of last year, 130 more than the mean of those of the second quarters of the preceding five years, and 123 more

than the mean of those of the preceding ten years.

The death-rate of the quarter was 14.9. It is 0.6 less than that of the previous quarter, but 1.3 more than that of the second quarter of last year. It is 0.1 less than the mean of those of the second quarters of the preceding five years, and 0.3 less than the mean of those of the second quarters of the preceding ten years. This is the third consecutive year in which the death-rate of the second quarter has been less than 15; in all other years it was more than that amount.

In the Divisions of the Counties the quarterly death-rate varied from 17.9 in the Northern, and 15.7 in the North-Western and in the South-Western, to 13.2 in the West-Midland and in the South-Eastern. In the Southern Division it was 15.4; in the East-Midland, 14.9; and in the

North-Eastern, 14.6.

In the counties, burghs included, the death-rate varied from 20.7 in Caithness, 18.9 in Orkney, 18.3 in Nairn, 17.2 in Forfar, and 17.1 in Wigtown, to 11.8 in Berwick, 12.0 in Clackmannan, 12.1 in Stirling, and 12.2 in Haddington, in Kinross and in Linlithgow.

In the larger burghs taken collectively the quarterly death-rate was 15.6; in the smaller burghs, 14.5; and in the county districts, 14.0. In the previous quarter these three rates were 15.9, 16.0 and 14.4. In the

second quarter of last year they were 13.5, 13.4 and 13.1.

In the larger burghs taken individually the death-rate ranged from 18·2 in Dundee, 17·8 in Greenock, and 17·0 in Hamilton, to 11·6 in Ayr, 11·8 in Kilmarnock, and 12·4 in Clydebank. In Glasgow this rate was 16·7; in Kirkcaldy, 16·4; in Coatbridge, 15·4; in Motherwell, 14·8: in Leith, 14·6; in Aberdeen, 14·1; in Perth, 14·0; in Paisley, 13·8; in Falkirk, 13·6; and in Edinburgh, 13·5.

In burghs with populations of between 10,000 and 30,000 the quarterly death-rate varied from 19.7 in Galashiels, 19.3 in Arbroath, 18.2 in Port-Glasgow, 17.8 in Airdrie, 17.7 in Forfar, and 17.3 in Montrose, to 9.0 in Grangemouth, 9.3 in Musselburgh, 9.3 in Renfrew, 10.0 in Fraserburgh,

10.3 in Barrhead, and 10.6 in Kirkintilloch.

In county districts with populations of more than 10,000 this rate varied from 21.4 in Central District of Perth, 19.9 in Easter Ross District of Ross and Cromarty, 19.4 in County District of Caithness, 19.4 in Skye District of Inverness, and 18.8 in Mid-Ross District of Ross and Cromarty, to 8.8 in County District of Clackmannan, 9.1 in St. Andrews District of Fife, 9.9 in Lower Ward District of Lanark, 10.8 in Upper District of Renfrew, and 10.9 in Suburban District of Midlothian, and in Kirkcaldy District of Fife.

Deaths registered in April numbered 6751; in May 6364; and in June 5133. The Scottish monthly death-rate in April was 16.7; in May 15.3; and in June 12.7. Compared with the death-rate of the corresponding month of last year, that of April is 0.8 more; that of May 2.1 more; and that of June 1.1 more.

The death-rate of the quarter in England and Wales was 13.0 per

thousand. It is 1.9 less than the Scottish rate.

AGES OF THOSE DYING.

Of the 18,248 persons whose deaths were registered during the quarter, 4830, or 26.5 per cent., were aged less than five years, 7895, or 43.3 per cent., were aged more than five but less than sixty-five, and 5521, or 30.2 per cent., were aged sixty-five or over. In two instances the age at death was not recorded. Compared with the number in the previous quarter, that of children of less than five years old is 69 more, but that of persons aged five to sixty-five is 65 less, and that of persons aged sixty-five and over is 682 less. Compared with the number in the second quarter of last year, that of children of less than five is 1038 more, and that of persons aged five to sixty-five is 758 more, but that of persons aged sixty-five and over is 155 less.

Deaths of children of less than one year old numbered 3482. This number is 16 more than in the previous quarter, and 1232 more than in the second quarter of last year. The increased number of these deaths as compared with the second quarter of last year fully accounts for the increased number of deaths at ages under five, and no doubt is largely attributable to the high recent birth-rate, with the consequent greater number of children exposed to the risk of death. The equivalent infantile mortality rate is 96 per thousand registered births. This rate is 4 more than that of the previous quarter, and 2 more than that of the second quarter of last year. This is the fifth consecutive quarter in which this

rate has been less than 100.

In the Divisions of the Counties the infantile mortality rate of the quarter varied from 107 in the East-Midland, and 105 in the Northern, to 61 in the North-Western, 74 in the West-Midland, and 77 in the Southern. In North-Eastern it was 99; in the South-Western, 99; and in the South-Eastern, 96.

In the counties, burghs included, this rate ranged from 178 in Caithness, 151 in Selkirk, 144 in Forfar, 116 in Kirkeudbright, and 108 in Linlithgow, to 30 in Berwick, 34 in Bute, 39 in Peebles, 49 in Orkney,

and 50 in Clackmannan.

In the larger burghs taken collectively the quarterly infantile mortality rate was 109; in the smaller burghs, 90; and in the county districts, 80. In the previous quarter these three rates were respectively 103, 82, and 79, and in the second quarter of last year were 106, 86, and 81.

In the larger burghs taken individually this rate varied from 168 in Dundee, 125 in Kirkcaldy, and 122 in Hamilton, to 74 in Kilmarnock, 78 in Clydebank, 81 in Ayr, and 82 in Paisley and in Falkirk. In Glasgow it

was 109, in Edinburgh 102, and in Aberdeen 109.

In smaller burghs with populations of between 10,000 and 30,000 the infantile mortality rate ranged from 197 in Galashiels, 181 in Buckhaven, Methil and Innerleven, 169 in Forfar, and 149 in Peterhead, to 20 in Barrhead, 38 in Kirkintilloch, 42 in Renfrew, 44 in Johnstone, and 45 in Dumfries and in Hawick.

In county districts with populations of more than 10,000 this rate varied from 143 in Ellon District of Aberdeen, 131 in Carrick District of Ayr, 124 in County District of Caithness, 113 in Ayr District of Ayr, and 111 in Bathgate District of Linlithgow, to 19 in Western District of Perth, 27 in St. Andrews District of Fife, 30 in Forfar District of Forfar, 34 in Perth District of Perth, and 35 in Upper District of Renfrew.

CAUSES OF DEATH.

Of the 18,248 deaths registered during the quarter, 1098, or 6.0 per cent., were attributed to the principal epidemic diseases, and included 19 from enteric fever, 382 from measles, 41 from scarlet fever, 201 from whooping-cough, 165 from diphtheria (those attributed to croup included), and 290 from the diarrheas of childhood, i.e. deaths from diarrheas or enteritis among children of less than two years old. Compared with the number in the previous quarter, deaths from the diarrheas of childhood are 75 more, from measles 45 more, and from whooping-cough 24 more, but those from diphtheria are 73 fewer, from scarlet fever 25 fewer, and from enteric fever 5 fewer.

The principal epidemic diseases rate of the quarter was 0.9 per thousand. It is the same as that of the previous quarter, but is 0.1 less than that of the second quarter of last year. The quarterly death-rate from measles was 31 per 100,000; from the diarrheas of childhood, 24; from whooping-cough, 16; from diphtheria, 13; from scarlet fever, 3; and from enteric

fever, 2.

In the counties, burghs included, the principal epidemic diseases deathrate varied from 1.3 in Lanark, 1.2 in Kincardine and in Renfrew, and 1.0
in Wigtown, to 0 in Bute, in Kinross, in Nairn, in Peebles, and in Sutherland. In the larger burghs it was relatively high in Hamilton (1.7), in
Glasgow (1.4), in Paisley (1.4), in Clydebank (1.2), and in Perth (1.1).
In burghs with populations of 10,000 to 30,000 it was relatively high
in Port-Glasgow (3.5), in Johnstone (2.0), in Cowdenbeath (1.5), in Kirkintilloch (1.3), in Dunfermline (1.2), in Forfar (1.2), and in Irvine (1.2). In
Garioch District of Aberdeen it was 1.6; in Middle Ward District of
Lanark, 1.5; in Ellon District of Aberdeen, 1.3; and in Lorn District of
Argyll, 1.3. In 9 county districts with populations of more than 10,000,
and in 4 of the smaller burghs with similar populations, no deaths from
the principal epidemic diseases were registered; these 4 burghs were
Barrhead, Montrose, Musselburgh and Renfrew.

Deaths from epidemic or infectious diseases other than those classed as the principal epidemic diseases included 1 from typhus fever, 11 from malaria, 50 from small-pox, 35 from erysipelas, and 35 from cerebro-spinal

meningitis.

Of the 50 persons dying from small-pox, 29 are reported to have been successfully vaccinated and 19 not to have been vaccinated, while in two instances vaccination was doubtful. Of them, 45 occurred in Glasgow, 2 in the Middle Ward District of Lanark, and 1 each in Dundee, in Airdrie, and in Coatbridge. Of the 29 vaccinated persons dying from this cause, 24 were 35 years old or over, the remaining 5 being between 15 and 34. Of the 19 unvaccinated persons, 18 were less than 35, 14 of them being less than 10 years old, and 4 were between 10 and 35. Of the 50 persons dying from small-pox during the quarter, 22 were male and 28 female.

Deaths from all forms of tuberculous disease numbered 1645, and

constituted 9.0 per cent. of the total deaths of the quarter. These deaths are 38 more than in the previous quarter, but 143 fewer than in the corresponding quarter of last year. They equal a death-rate of 134 per 100,000, which rate is 3 more than that of the previous quarter, but 12 less than that of the corresponding quarter of last year. These deaths include 1120 from phthisis, 166 from tuberculous meningitis, 153 from abdominal tuberculosis, and 206 others. Compared with the number in the previous quarter, that from phthisis is 16 less, but that from tuberculous meningitis is 14 more, and that from abdominal tuberculosis is 29 more. The quarterly death-rate from phthisis was 92 per 100,000; it is 1 less than that of the previous quarter, and 4 less than that of the second quarter of last year.

Deaths from malignant disease numbered 1444, and equalled a death-rate of 118 per 100,000; they number 30 more than in the previous quarter, and 88 more than in the second quarter of last year. Deaths from apoplexy numbered 1117, and from heart disease 1720, the former

being 136, and the latter 48, fewer than in the previous quarter.

Deaths from pneumonia numbered 2255, and constituted 124 per cent. of the total deaths of the quarter; they equal a death-rate of 184 per 100,000. They are 342 more than in the previous quarter, and 697 more than in the second quarter of last year. Deaths from bronchitis numbered 1298, constituted 7·1 per cent. of the total, and equal a death-rate of 106 per 100,000. They are 289 fewer than in the previous quarter, but

293 more than in the second quarter of last year.

Deaths from influenza in all numbered 753, of which 124 were attributed solely to influenza, and 629 to influenza complicated by some other disease. The total number is higher than in all quarters since the first quarter of last year, when influenza deaths numbered 6282. In the second quarter of last year these deaths numbered 646, and in the third quarter of that year the number fell to 82; but since then it has been increasing, being 135 in the fourth quarter of that year, 351 in the first quarter of this year, and is now found to be 753 in the second quarter. In January of this year influenza deaths numbered 83; in February 72; in March 196; in April 394; in May 293; and in June 66; these figures showing that there was an epidemic of this disease lasting from March to May, and reaching its maximum in April. A table showing the age distribution of those dying from influenza, and also the nature of the complicating diseases is appended, and from it there may be gathered that, while this epidemic was very much smaller than the great epidemic of 1918 to 1919, it was of the same type, as the age distribution of those dying is similar, as is also the frequency in which pneumonia was a complicating cause.

Deaths attributed to violent causes numbered 702. They are 82 fewer than in the previous quarter, and 17 fewer than in the second quarter

of last year.

Deaths from diseases and accidents of pregnancy and childbirth numbered 232. They are 26 fewer than in the previous quarter, but 121 more than in the second quarter of last year. They equal a death-rate

of 6.4 per 1000 registered births.

Deaths of which the causes were ill-defined numbered 256, and those of which the cause was unspecified or merely described as "Natural Causes" numbered 94. The former included 181 attributed to heart failure, 42 to syncope, 10 to dropsy, and 7 to sudden death not otherwise defined.

Table III.—Deaths from Influenza during Quarter ending 30th June 1920.

	Total.	Males.	Females.		A g	ge Dist	ributi	on.	
		Trailos.	2 01110103	-5	5-	15-	35-	55-	75 and over.
Only named cause	124	57	67	22	2	24	19	31	26
Other Epidemic Diseases	5	4	1	1	1	2	1		
Pulmonary Tuberculosis	8	2	6		1	5	1	1	
Other Forms of Tuberculosis	3	3			***************************************	3	********		
Meningitis (not Tuberc. or CerSp.)	8	5	3	2	1	3	2		
Heart Disease	20	10	10		-		8	10	2
Bronchitis	61	31	30	6		8	15	24	8
Pneumonia	457	257	200	65	17	163	108	94	10
Other Dis. of Respir. System	28	13	15	3		4	8	11	2
All Dis. and Acc. of Pregnancy and									
Childbirth	12	epolynam.	12	- 1		7	5		
All other causes	27	15	12	1	2	3	8	11	2
Total	753	397	356	100	24	222	175	182	50
April	394	201	193	57	12	121	83	93	28
May	293	161	132	42	10	89	70	68	14
June	66	35	31	1	2	12	22	21	8

TABLE IV.—DEATHS FROM INFLUENZA IN LARGER BURGHS DURING QUARTER ENDING 30th June 1920.

	In	fluenza Dea	ths.			Age Dis	tribution	•	
BURGHS.	Total.	Sole Cause.	One of two or more Causes.	-5	5-	15-	35-	55-	75 and over.
Glasgow Edinburgh Dundee Aberdeen Paisley Leith Greenock Coatbridge Motherwell Kirkcaldy Hamilton Clydebank Perth Kilmarnock Falkirk Ayr	212 29 88 29 8 2 14 11 24 4 11 17 2 12 - 3	26 4 8 9 6 -6 3 1 1 1 2 -1 	186 25 80 20 2 2 8 8 23 3 10 15 2 11 - 3	25 2 17 3 - 1 5 1 6 - 1 1 - 3 - - 6	5 4 9	75 6 26 6 1 - 3 5 4 1 3 9 2 3 - 2	57 6 17 3 3 1 4 1 6 3 4 5 — 1	44 13 19 9 4 - 1 3 8 - 3 2 - 4 - - 110	6 2 5 8 - 1 1 1

Table A.—Birth-, Death-, and Marriage-rates of the Counties of Scotland during the Quarter ending 30th June 1920.

						Ra	tes per 10 Pop	000 of Est	imated		Infantile
	COUNTI	ES.			Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	Illegitimate Births per 100 Births.	Mortality Rate per 1000 Births.
SCOTLANI) ,	•	•		4,921,100	29.6	9.7	14.9	0.9	7:6	96
Aberdeen Argyll Ayr	• •	e e		•	305,600 61,100 268,500	30·7 21·6 32·2	11.0 5.5 9.5	14.6 15.7 13.8	0.8 0.3 0.8	12:4 14:6 6:7	103 67 89
Banff . Berwick . Bute .		o 0 2	• *	•	57,800 26,900 16,600	33·1 25·2 21·0	7·0 10·5 6·3	13·4 11·8 14·0	0·4 0·4	13·4 5·9 10·3	82 30 34
Caithness . Clackmanna Dumbarton .				•	28,600 28,600 148,900	28·4 33·9 29·5	8·7 9·3 7·9	20·7 12·0 13·3	0.9 0.3 0.9	12·4 7·9 4·9	178 50 71
Dumfries . Edinburgh (Elgin (Moray	Midloth y) .	ian)	* *	•	68,900 539,100 39,800	31·7 26·2 30·0	11.8 11.2 9.6	15.8 13.3 15.6	0·2 0·5 0·4	11·6 7·3 13·5	63 97 94
Fife . Forfar . Haddington		•	•	•	293,600 283,500 44,800	29·3 28·0 28·3	7·1 9·6 8·6	13·2 17·2 12·2	0.8 0.9 0.6	5·9 9·0 8·9	94 144 79
Inverness . Kincardine . Kinross .	•	•		•	79,800 38,400 7,600	21·5 32·2 26·5	7·0 6·3 4·2	15·5 14·2 12·2	0.5	7·5 13·4 12·0	56 104 60
Kirkeudbrigh Lanark . Linlithgow .	nt .	*	*		35,300 1,618,000 86,900	25·5 31·9 32·5	9.5 11.2 6.8	15·5 16·2 12·2	0.5 1.3 0.6	15·6 6·6 6·3	116 104 108
Nairn Orkney . Peebles .		•	*	*	8,800 22,500 14,600	26·0 18·4 21·3	10·0 5·0 9·7	18·3 18·9 14·1	0.4	14·0 1·9 5·2	70 49 39
Perth Renfrew . Ross and Cro	marty	•			119,300 299,100 70,300	22·4 31·1 26·5	8·3 9·4 5·8	14·2 14·6 15·9	0.6 1.2 0.4	8·9 5·5 7·3	66 81 65
Roxburgh . Selkirk . Shetland .		•	•	6	43,100 24,300 26,100	29·0 19·7 21·0	9·6 8·4 3·1	13·4 16·9 14·8	0.5 0.5 0.9	8·7 14·3· 7·4	64 151 66
Stirling . Sutherland . Wigtown .	•	•	•	•	167,200 17,900 29,600	29·9 18·8 31·1	7·7 2·7 8·3	12·1 16·8 17·1	0.7	6:0 7:1 14:4	80 60 87

Table B.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of over 30,000 during the Quarter ending 30th June 1920.

(Estimated	Rate		00 of Esti ulation.	mated	Illegiti-	Infantile Mor-
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Glasgow	 1,115,500	30.9	12.5	16.7	1.4	7.0	109
Edinburgh	342,300	24.4	13.1	13.5	0.6	8.2	102
Dundee	 189,000	29.1	.10.9	18.2	1.0	9.1	168
Aberdeen	 167,700	30.4	12.6	14.1	0.7	8.6	109
Paisley	 89,400	30.9	9.0	13.8	1.4	6.1	82
Leith	 84,700	30.2	8.6	14.6	0.7	7.1	102
Greenock	79,700	35.9	10.3	17.8	0.9	4.2	106
Coatbridge	 44,500	35.2	7.1	15.4	0.6	5.6	85
Motherwell	 42,200	32.8	8.1	14.8	0.9	5.5	96
Kirkcaldy	40,700	26.0	7.2	16.4	0.3	$4\cdot 2$	125
Hamilton	39,500	34.1	10.1	17.0	1.7	5.7	122
Clydebank	 48,800	31.9	6.8	12.4	1.2	3.1	78
Perth	 36,600	22.6	11.8	14.0	1.1	7.8	97
Kilmarnock	 37,800	28.7	10.6	11.8	0.2	6.7	74
Falkirk	 34,500	31.2	9.4	13.6	0.8	4.5	. 82
Ayr	33,600	29.7	12.8	11.6	0.6	7.7	81

Table C.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of Between 10,000 and 30,000 during the Quarter ending 30th June 1920.

	Estimated	Rate	es per 100 Pop	00 of Esti ulation.	mated	Illegiti-	Infantile Mor-
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Airdrie	24,800	36.0	8.6	17.8	0.5	3.2	95
Alloa	11,500	32.8	9.8	11.2	0.7	7.4	53
A - 1 41	17,900	29.8	9.6	19.3	1.1	6.0	135
Barrhead	12,100	33.6	8.3	10.3		. 10.9	20
Borrowstounness.	11,600	29.1	6.9	13.9	0.7	8.3.	95
Buckhaven, Methil, and Inner-	11,000	200 31.		100		0.0	
leven	20,000	27.8	8.5	14.7	0.8	3.6	181
Cowdenbeath	18,200	29.6	6.0	11.9	1.5	7.5	134
Dumbarton	22,500	31.7	7.7	14.5	0.5	4.0	73
Dumfries	15,500	34.2	15.8	15.8	0.5	8.3	45
Dunfermline	30,300	39.2	12.6	14.1	1.2	2.7	- 58
Forfar	9,800	24.3	6.2	17.7	1.2	8.5	169
Fraserburgh	11,300	34.3	9.3	10.0	0.7	8.3	73
Galashiels	14,500	19.7	9.7	19.7	0.6	14.1	197
Grangemouth	10,700	29.3	5.6	9.0	0.4	5.1	64
Hawick	15,500	34.7	12.7	15.3	0.5	9.0	45
Inverness	20,200	24.1	16.1	14.5	0.8	6.6	74
Irvine	10,100	33.9	9.2	15.5	1.2	4.7	118
Johnstone	12,100	37.5	12.9	16.2	2.0	8.0	44
Kirkintilloch	12,500	25.7	6.8	10.6	1.3	6.3	38
Montrose	9,100	27.5	9.3	17.3		4.8	65
Musselburgh	18,600	33.3	11.0	9.3		4.5	78
Peterhead	14,400	33.7	5.0	16.5	1.1	5.0	149
Port-Glasgow	18,500	44.5	16.9	18 ·2	3.2	3.9	107
Renfrew	14,700	26.2	7.1	9.3		5.2	42
Rutherglen	27,900	25.2	8.4	16.0	1.0	2.9	137
Stirling	22,400	29.0	11.3	11.8	0.4	6.8	105
Wishaw	27,700	38.8	7.9	14.0	1.0	6.4	79

Table D.—Birth-, Death-, and Marriage-rates of all County Public Health Districts in Scotland having Censal Populations of over 10,000 during the Quarter ending 30th June 1920.

					Rat	es per 100 Popu	00 of Esti	mated	Illegiti-	Infantile
				Estimated Population Middle of 1920.	Births	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 1000 Births.
ABERDEEN COU	NTY.									
Aberdeen Deer Deeside Ellon Garioch Turriff		•	•	22,600 25,600 11,100 12,300 12,500 9,900	22.6 30.5 30.8 32.2 29.2 35.0	7·5 7·2 6·2 6·9 8·0 8·9	14·4 17·1 13·0 16·4 17·3 12·6	0·7 0·8 1·3 1·6 0·4	16·5 18·0 20·0 14·3 18·7 22·1	87 103 94 143 77 81
ARGYLL COUNTY	,	·	·	0,000						
Lorn .		0		9,400	21.4	6.0	17.2	1.3	2.0	80
AYR COUNTY.										
Ayr		•	•	42,400 12,600 22,300 44,800	36·0 31·5 32·0 33·8	9·6 4·1 8·0 7·1	14·9 13·7 14·3 14·0	0.9 0.6 0.9 0.8	8·2 13·1 7·9 4·8	113 131 62 53
BANFF COUNTY.										
Banff Keith	•	0		15,600 10,600	34·0 29·9	4·1 3·4	12·6 13·3	0.8	18·2 13·9	83 51
Caithness Coun	NTY.									
Caithness .	*	٠	•	16,400	23.8	6.1	19.4	0.2	15.5	124
CLACKMANNAN C	COUNT	Υ.								
Clackmannan	•	•	•	9,200	32.0	8.3	8.8	•••	5.2	41
Dumbarton Cou	NTY.									
Eastern Western .	4	•	•	23,900 27,500	28·2 29·1	7·4 10·5	11·3 15·8	0·7 0·4	5·4 9·0	54 80
DUMFRIES COUN	TY.									
Annan Thornhill .				9,700 11,400	38·8 33·4	10·8 8·8	13·8 13·7	• • •	12·9 13·7	43 53
EDINBURGH (MI COUNTY.	DLOTH	IIAN)								
Calder Lasswade . Suburban .	• •	•		17,500 26,200 26,500	30·1 28·1 23·0	9·0 5·1 5·9	13·3 12·3 10·9	0·5 0·3 0·2	3·1 5·5 8·6	61 93 92
ELGIN (MORAY)	Count	Υ.								
Elgin (Moray)	b	0		19,400	28.2	6.4	14.1	0.2	10.3	74
FIFE COUNTY.										
Cupar Dunfermline Kirkcaldy . St Andrews .	•			15,100 34,200 49,600 15,000	17·3 33·8 33·7 20·1	7·5 9·1 5·0 4·3	12·8 11·4 10·9 9·1	0·3 1·2 1·1 0·3	12·3 5·6 7·2 6·7	77 94 99 27

TABLE D.—continued.

,	Entino to 3	Rate	es per 100 Popu	00 of Esti	mated	Illegiti-	Infantile
	Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 100 Births
FORFAR COUNTY.							
Brechin	11,600 9,900	27·0 27·1	5·9 5·7	11·1 16·2	0·3 1·2	11·5 10·4	90 30
HADDINGTON COUNTY.							
Western	17,700	29.4	7:3	11.6	0.7	7.8	70
Inverness County.							
Skye	* 11,400	21.8	1.4	19.4	0.4	4.8	65
LANARK COUNTY.							
Lower	33,500 212,100 43,000	24·1 37·0 31·8	6·2 8·5 7·9	9·9 15·5 14·8	0.8 1.5 0.7	4·5 5·9 6·8	75 103 47
LINLITHGOW COUNTY.							
Bathgate	35,600 16,400	36.6	7·3 6·6	13·3 12·0	0·8 0·5	3·1 8·0	111 109
Perth County.		The second secon					
Central	9,200	27.9	7.0	21.4	0.9	10.9	94
Highland	11,700 19,800	19·9 24·2	5·8 6·7	15.8 13.0	0.2	$\begin{array}{c} 12.1 \\ 7.6 \end{array}$	69 3 4
Western	9,500	22:0	5.1	14.4		5.8	19
RENFREW COUNTY.							
Upper	40,700 22,900	20·0 24·2	7·3 7·2	10·8 14·7	0·8 1·2	4·5 7·2	35 80
Ross and Cromarty County.	,						
Easter-Ross	9,100	35.8	4.0	19.9		8.6	99
Lews	25,000 10, 3 00	30·3 25·0	4·7 7·4	14·7 18·8	0·3 1·2	4·3 12·5	69 47
	10,300	0 0	, 1	200			
SHETLAND COUNTY.	17,000	20.4	1.4	15.1	0.2	5.8	47
Mainland	17,000	40 4	1 4	101	0 24		
STIRLING COUNTY.	60.000	00.5	6.1	11.2	0.4	6.2	71
Central	30,800 41,300	29·5 33·2	6.3	11.7	0.2	6.5	76
Western	11,500	21.1	3.9	13.7		6.7	67
SUTHERLAND COUNTY							
Sutherland	17,100	19.5	2.8	17.1	• • •	7.2	60
Wigtown County.							A. 1909/1-7 : 2000
Rhins	10,900	31.0	9.2	16.6	1.1	15.5	71

Table E.—Causes of Death in Scotland at Different Periods of Life during the Quarter ending 30th June 1920.

	A11	Age	s.						Ag	ge.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15–	25-	35-	45-	55-	65-	75 and over.
I. GENERAL DISEASES. 1 Enteric Fever	19 1 11	10 1 11	9	0 0 0	1	0 0 0		න : න	2 5	$\begin{array}{c} 6 \\ 1 \\ 2 \end{array}$	2			
	29 19 2 382	15 5 2	14 14 	3	5 217	6	1	3	1 1 	11 	9	3		
7 Scarlet Fever. 8 Whooping-cough 9 (α) Diphtheria (c) Croup, Membr. Laryngitis (b) 10 Influenza*	41 201 156 9 124	22 95 80 5 57	19 106 76 4 67	116 19 2 16	17 74 79 6	14 10 41 1	5 1 7	5 ::3 ::9	5			16	1	1 26
13 Cholera Nostras 14 Dysentery 18 Erysipelas 19 Oth. Epid. Dis. (3, 11, 12, 15, 16,	1 4 35 8	1 3 18 7	1 17 17	10	1 1 1			2	13	5	1 1 1 1	1 8 1	3	20
17, 25, 26, 27) 20 (α) Pyæmia, Septicæmia (not Puerperal) (b) (c) Vaccinia 21 Glanders	30 	13	17	5		1	• • •	6	3	1	3	5	1	4
22 Anthrax 23 Rabies, Hydrophobia 24 Tetanus 28 Pulmonary Tuberculosis, Phthisis 29 (α) Acute Phthisis	1 5 1078 42	1 5 549 25	529 17	 2 5 1	30	 1 22 1	392	258 17	249	210	159	73 1	29	4
(b) Acute Miliary Tuberculosis 30 Tuberculous Meningitis 31 Abdominal Tuberculosis 32 Tuberculosis of Spine 33 Tuberculosis of Joints 35 Tuberculosis of other Organs, Dis-	27 166 153 25 5 149	17 93 69 15 2 81	10 73 84 10 3 68	6 42 19 1	5 62 51 1 	3 33 15 1 	3 17 17 3	5 5 19 7 1 29	1 1 7 4 2 13	2 4 10 4	2 6 1	6 2 6	 2 1 	1 5
seminated Tuberculosis (34) 36 Rickets, Osteomalacia 37 Syphilis 38 Other Venereal Diseases 45 (a) Carcinoma	11 67 5 902	9 38 3 395	2 29 2 507	5 58 5	5	000		1 4	3	1 68	1	2 268	263	 140
(b) Sarcoma	57 485 7	34 216 3	23 269 • 4	 1		1 1	1	11 4	7 12 1	3 3 5	11 85	10 148 1	7 130 2	71
47 Rheumatic Fever	44 18 22 1	20 6 5 1	24 12 17	•••	* * * * * * * * * * * * * * * * * * *	7	8	8	8	5 2	4 2 1	3 5 4	6 6 1	5 9
49 Scurvy 50 Diabetes 51 Exophthalmic Goitre 52 Addison's Disease 53 (a) Leucocythæmia	1 .102 20 7 18 6	42 4 2 11	1 60 16 5 7	1	 2 1	1	7	5 2	10 2 1 3	7 7	14 5 2 3	28 3 1 3	15 1 2 2	13
(b) Lymphadenoma 54 Anæmia, Chlorosis 55 (b) Purpura (c) Hæmophilia (d) Other General Diseases (a) 56 Alcoholism	146 12 5	4 52 9 3	94 3	1 5	3	• • •	5	5	1 17	19	32 2	37	22	10
56 Alcoholism 57 Chronic Lead Poisoning 58 Other Chronic Occupational Poisonings 59 Other Chronic Poisonings	26	18 1	8				000	0 0 0	•••	***	11	6	1 	

Table E.—continued.

	1 41	1 A	-11	1										
	A1	l Age	1 .		1	1	1	1	Ag	ge.		1		1
	Both Sexes.	Males.	Females	-1	1-	5-	10-	15–	25-	35-	45-	55-	65-	75 and over.
II. DISEASES OF NERVOUS SYSTEM.														
 60 Encephalitis 61 (α) Cerebro-spinal Meningitis . (c) Meningitis, Basal, Nature unspecified (b) 	65 35 205	32 16 106	19	1 7 74	2 10 57	5 4 27	4 6 12	4	5 1 9	13 3 4	8 6	3 4	6	2
 62 Locomotor Ataxy 63 Other Diseases of Spinal Cord 64 Cerebral Hæmorrhage, Apoplexy 65 Softening of Brain 66 (α) Hemiplegia (c) Paralysis, Cause or Nature unspecified (b) 	14 92 1117 42 164 6	10 44 509 19 78 2	4 48 608 23 86 4	7	1	1	1	4 4	 6 8 1 1	2 8 29 1 3	3 19 107 16 1	5 22 263 10 34 1	3 18 366 15 66	15 325 15 44 1
67 General Paralysis of Insane 68 Other Insanity 69 Epilepsy 71 Convulsions (not Puerperal) (70) 72 Chorea 73 Neuralgia, Neuritis 74 (c) Cerebral Tumour	47 26 74 174 6 8 29	35 9 50 100 2 3 17	12 17 24 74 4 5 12	1 150	19 11	 6 4 1 1 2	3 1 2	2 9 3	9 2 14 2	18 2 9 1 	14 4 16 	5 10 4 1 3	1 3 8 	 2 1
(d) Other Diseases of Nervous System (a, b) 75 Diseases of Eye and Annexa76 (a) Mastoid Diseases (b) Diseases of Ear	24 4 27	9 2 17	15 2 10	3 5	2 3	1 1	1	1 4	1	4	2 3	4		3 1
III. DISEASES OF CIRCUL- ATORY SYSTEM														
77 Pericarditis 78 Acute Endocarditis 79 (a) Valvular Disease (b) Fatty Degeneration of Heart (c) Other Organic Diseases of Heart 80 Angina Pectoris 81 (a) Aneurysm (b) Arterio-sclerosis (c) Other Diseases of Arteries 82 (a) Cerebral Embolism, Thrombosis (b) Embolism and Thrombosis, not Cerebral	13 78 826 66 667 70 37 113 1 120 23	40 397 20 332 47 31 67 1 47	7 38 429 46 335 23 6 46 73 9	3 1 	1 1 1 	1 2 2 		1 10 33 13 	1 14 32 12 1 1 1 	1 13 63 3 22 1 5 	2 19 89 10 49 6 14 2 7	1 16 185 22 134 16 11 16 1 19 5	1 1 230 23 214 31 3 36 	3 182 8 214 14 3 59 51
83 Diseases of Veins	7 4 3 13	3	3 1 3 7	2 1	1	1		1	200	1	1 1	2 3	2	2 3
IV. DISEASES OF RESPIR-			Control of the second s											
ATORY SYSTEM. 86 Diseases of Nose	2 11 11 7 1298 1080 1175 76 102 6 19 11 12 11	1 3 11 2 667 571 688 48 45 5 8 6 7 6	1 8 5 631 509 487 28 57 1 11 5 5	1 4 8 284 423 106 5 	6 1 64 285 102 2 8 	3	2 8 17 1 2	1 10 43 05 1 1	16 54 58 2 4 1 2	 42 42 42 145 15 2 1 3 1	37	57	2 2287 61 142 13 19 1 4 3 5 2	319 38 72 7 27 4 2

Table E.—continued.

	All	Ages							Age	·.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25–	35-	45-	55-	65-	75 and over.
V. DIS. OF DIGESTIVE SYSTEM. 99 Dis. of Mouth, Teeth. Oral Sepsis 101 Diseases of Pharynx, Esophagus, Tonsillitis (100) 102 Gastric Ulcer 103 Other Dis. of Stomach. Gastritis 104 Diarrhea, Enteritis (under 2 years) 105 Diarrhea, Enteritis (over 2 years) 107 Intestinal Parasites (106) 108 Appendicitis, Typhlitis 109 (a) Hernia (b) Intestinal Obstruction 110 Other Diseases of Intestine 111 Acute Yellow Atrophy of Liver 112 Hydatids of Liver 113 Cirrhosis of Liver 114 Gallstones 115 Other Diseases of Liver 116 Diseases of Spleen 117 Peritonitis, cause not specified 118 Other Diseases of Digestive System	1 10 88 116 290 172 1 108 62 81 20 4 42 26 39 35 9	9 61 63 150 96 1 64 27 44 12 29 5 15 1 15 2	1 1 1 27 53 140 76 44 35 37 8 4 13 21 14 2 20 7	1 2 1 49 265 1 3 22 3 1 3 3 3	2 13 25 4	3 3 4 2 1	1 1 1 1 24 2 2 	2 6 11 24 1 9 1	1 17 1 9 1 9 4 7 1 2 4 4	21 4 19 10 5 3 2 2 6 3	1 15 11 17 6 2 4 2 11 6 4 1 1 5	 12 11 27 11 17 8 1 14 8 7 2 1	11 11 11 28 5 18 11 3 10 4 9 	 4 12 23 10 10 6 2 6 4
VI. DISEASES OF GENITO- URINARY SYSTEM. 119 Acute Nephritis	69 398 23 17 10 47 12 66 2 4 10 10 7 9 2	34 195 13 10 7 34 10 66 2 	35 203 10 7 3 13 2 4 10 10 7 9 1	6 1	7 3 	3 1 1 1	533	3 20 1 3 3	8 22 1 2 2 1 1	15 35 3 2 1 1 1 3 2 2 3 	5 78 8 3 1 7 4 1 1 4 1 2 1	9 91 3 3 3 9 2 14 1 1	5 101 4 4 2 13 4 21 	3 44 3 2 2 3 15 1 31
VII. DISEASES OF PREGNANCY AND CHILDBIRTH. 134 (a) Abortion, Miscarriage (c) Uncontrollable Vomiting (d) Ectopic Gestation (e) Other Diseases and Accidents of Pregnancy (b) 135 Puerperal Hæmorrhage	10 2 4 1 31 22 57 39 15 2 49		10 2 4 1 31 22 57 39 15					1 1 3 2 14 10 2	3 1 4 20 9 27 23 7 1 28	6 8 11 15 6 6 6	 			
VIII. DISEASES OF SKIN AND CELLULAR TISSUE. 142 (a) Senile Gangrene (b) Noma, Cancrum Oris (d) Other Gangrene (c)	57 4 5 4 35 23	28 3 4 23 14	29 4 2 12 9	1 12 12	"2 … …	000		2	1 1	1 1	4	1 5 3 9 4	23	33

Table E.—continued.

,	A 11	Λ							A ~~					
		Ages		Age.										
	Both Sexes.	Males.	Females	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded) 147 Diseases of Joints 149 Other Dis. of Locomotor Syst. (148)	17 6 1	12 4 1	5 2	1 2 1	 	5	1	5 1	2	1	-i	 1	. 1	•••
X. MALFORMATIONS.														
150 Congenital Malformations	153	89	64	141	6	3		2	1	* * *				***
XI. DISEASES OF EARLY INFANCY.										•				
151 (a) Premature Birth (b) Congenital Debility, Icterus, Sclerema (c, d, e)	633 521	355 342	278 179	633 521	• • •			•••						
152 Other Diseases peculiar to Early Infancy	99	61	38	99			• • •		• • •		• • •			•••
153 Lack of Care	3	1	2	3	•••		•••	• • •		•••				
XII. OLD AGE.														
154 (a) Senile Dementia	21 882	8 334	13 548	000				• • •		p b v	a o o	5	9 125	7 757
XIII. VIOLENT CAUSES.													i i	
163 Suicide (155–162) 164 Poisoning by Food 165 Other Accidental Poisonings 167 Burns and Scalds (166) 168 Exposure to Poisonous Vapours 169 Drowning 170 Accidents with Fire Arms 171 Accidents with Instruments and Weapons	63 4 11 84 11 *115 8 1	46 3 8 40 7 93 8 1	17 1 3 44 4 22 	7	34	6	1 4	3 7 19 2	7 2 4 4 15 2	11 2 1 15 3	16 6 1 25 1	17 2 6 3 8	7 1 5 	2 3 2 1
172 Accidental Falls 173 (a) Accidents in Coal Mines (b) Accidents in Other Mines (c) Accidents in Quarries 174 Accidents with Machinery 175 (a) Accidents on Railways (b) Acc. with Horses and Vehicles (c) Accidents with Motor Vehicles (d) Accidents with Tramways	69 40 5 5 27 6 31	53 40 5 26 6 21 3	16		1 3 4 1	5	3 1 1 2 6	5 11 3 6 1 5	5 7 1 1	9 12 2 5	16 7 1 4 1	11 2 1 7 1 6	1 2 3	
(e) Other crushing Accidents 177 Hunger 180 Weather Agencies (178, 179) 186 (a) Overlaying (b) Suffocation (otherwise) (c) Other Accidents (176, 181, 185) 184 Homicide (182, 183) 190 Execution 191 War Casualties (not Sickness)	7 3 11 16 162 6 2 12	$ \begin{array}{ c c c } \hline 7\\\\ 3\\ 6\\7\\120\\ 5\\2\\12 \end{array} $	5 9 42 1	11 16 2 1	7	8	111	2 24 2 3	15	1 16 1	2 2 22 3 	3 2 24 	1 12 	21
XIV. ILL-DEFINED CAUSES.														
187 Dropsy	10 42 7	4 23 6	6 19 1	1 4 2	6 1 5			i	2	3	5	8	1 8 3	6 11 1
defined) 189 (a) Heart Failure	181	104	77	14	1	1	1	1	5	16	17	28	52	45
(e) Other Ill-defined Diseases (b, d) (f) Dis. not Specified, Nat. Causes	16 94	8 56	8 38	2 34	9 2	1		2	2	10	6	8	18	12
All Causes	*18248	9385	8863	3482	1348	392	300	963	1076	1254	1576	2384	2700	2821

^{*} Including 2 of unstated age.

TABLE F.—ANALYSIS OF MORTALITY IN EACH COUNTY AND PUBLIC HEALTH DISTRICT IN SCOTLAND DURING THE QUARTER ENDING 30TH JUNE 1920.

1	1	,							
	Violence.	702	88	18 :: 1	:		* *		: 67
	All Respiratory Diseases (except Phthisis).	3821	198	107	ත භ භ	□ : Ξ	: :	13	17
	Other. Pulmonary.	525	26	:: 2	63 : :	:-:	* *	61	:03
	Pulmonary.	1120	99	42 ::	ØH:	40	: :	೯೦	: L-
mc	Diarrhœa (under 2 Years).	590	15	∞⊣:	:::	: : :	6 0 0 0	67 -	
Deaths from	Diphtheria and Croup.	165	6	9 ::	: : :	:::	0 0		: :
Dea	Whooping-cough.	201	16	£ ::	3 ::	• • •	: :	e e e	: 4
	Scarlet Fever.	41		- ::	: : :	* * * *	5 0 6 0 8 0	0 0	
	Measles.	382	16	= ::	• • • •	::4	: :	passed.	: :
	Smallpox.	20	•	* * *		: : :	: :	e •	: :
	Typhus Fever.	,	:			* * * *	::	:	::
	Enteric Fever.	19	•		:::	• • •	::	•	: :
Deaths of	Persons Aged 65 Years and Upwards.	5516	393	169	767	191	67 10	36	53 2
Deat	Children under One Year of Age.	3482	239	138	1-014	: : : : : : : : : : : : : : : : : : : :	ल :	Ξ.	20
	Net Number.	18,248	1109	590 5	28 15 14	ପ୍ଟେମ	702	81	109
Deaths.	Transferred in.	1879	120	55 : 63	4 - 63	: 63	:-	17	: 23
Dea	Transferred out.	1879	144	82:::	ಬಂಟ :	::	:-	48	: ന
	Registered.	11881 18,248	1133	613 5	29 16 12	26 23 23	701	112	66
	Marriages.	11881	834	525 1 16	26 19 14	61 00 00	10	42	46
	Illegitimate Births (corrected)		589	601	∞ ∞ 4	1 :: 9	কৃ ব	27	35
	Births (corrected).	36,215 2756	2330	1268 8 12	96 30 80	5 10 121	13 20	127	194
	¢)	•	· ·		• 1 0		• •	٠	
	County and Public Health District.		Aberdeen County Burghal Districts.					ricts.	
	ounty and Publ Health District.	D .	en C			. m		County Districts.	
	nty ealth	AN	erde	een r.	burgl rie	e . eldru	arty	unty	
	Cou	SCOTLAND	A b	*Aberdeen Ballater. Ellon	Fraserburgh Huntly . Inverurie	Kintore . Old Meldrum Peterhead	Rosehearty Turriff .	County Aberdeen	Deer
-				*					

Secretary Secr								•					
Secondary Seco		- -	10	401 :	:	•	• • • • • • • • • • • • • • • • • • •	::-	44	44	ಬ ಸು –		44:
Secondary Seco	11 10	ත ₁ ව	42	► 01 −	:-:	ಣ	01 10	∞ ∞ ಣ	63		4 70 0	- 01 co	42:
Secondary Seco	: c3 :	• •	က	:	0 0 0 0 0 0 0 0 0	•	:-	o o o	• •	31	- 20 -	0 0 0	H 4 H
Second	8 - 8	: -	20	4 H :	. isoni i-mi	<u>—</u>	2 2	- m	(55	9 -	67	m 0:
Secondary Seco	::-	H :		0 0 0		:	:-	0 0 0		22		:-:	с
Secondary Seco	:-:	: -	41	0 0 0 0 0 0	* * *	:	* *	m		Ħ	.07	. ₩	p==1 : :
Secondary Seco	:00	0 0 0 0 0 0	:	* * * *		:	• •	0 0 0	• • • • •	7	0 0 paral	: : : : : : : : : : : : : : : : : : : :	: :
SS 17 17 17 18 19 19 19 19 19 19 19	• • •	• •	:	å 0 0 0 0 0	: : :	*	• •	0 0 0		67			
Tyle 86 17 17 35 2 3 36 8 12 13 15 17 25 50 1 25 50 14 21 22 23 23 24 21 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 <td>•</td> <td>: :</td> <td>0 0</td> <td></td> <td></td> <td>•</td> <td>: :</td> <td></td> <td>:</td> <td>01</td> <td>:ೞ⊢</td> <td>0 0 0 0 0 0 0 0 0</td> <td>-::</td>	•	: :	0 0			•	: :		:	01	:ೞ⊢	0 0 0 0 0 0 0 0 0	- ::
Syll 17 17 35 2 3 36 18 12 36 14 21 42 1 9 14 21 42 1 9 50 14 21 42 5 50 14 21 42 5 50 14 21 42 5 14 21 24 5 31 7 15 10	0 6 0 6 0 0' 0 0 0	: :	:			0 0 0	: :			:		0 0 0 0 % 0 0 0 0	
Secondary Seco	• • •	* *	*			0 0	: :	0 0 0 0 0 0		•	0 b b 0 0 0 0		* * *
Secondary Seco	• • •	: :	:	0 0 0 0 0 0		•	: :	: : :	:	:			0 6 0 0 0 0 0 0 0
Second Color Seco	211 221	15	66	13	:9:				14	310	35	: 1-0	12 30 3
Secondary Seco	841- 1	70	. 22	r4:	:-:	က	• •	140	•	191	2000	: 40	10 20 6
syl 17 25 26 2 98 14 21 42 1 98 14 21 42 1 1 29 10 12 24 1 1 86 19 22 26 3chal Districts. 63 13 21 30 1 sy 4 1 1 sy 4 31 1 sy 6 31 1 sy 6 31 1 sy 1 1 1 ory 26 5 12 gyll 1 1 1 gyll 2 2 1 gyll 1 1 1 <tr< td=""><td>36 50 54 50</td><td>31</td><td>239</td><td>31.22</td><td>- G -</td><td>4.0</td><td>23 K</td><td>21 40 19</td><td>17</td><td>924</td><td>31 97 20</td><td>8 17 61</td><td>39 111 16</td></tr<>	36 50 54 50	31	239	31.22	- G -	4.0	23 K	21 40 19	17	924	31 97 20	8 17 61	39 111 16
Second	က္တေတ ့	- 10	27	61 7D L	-0:	• •		ന ∞ വ	-	00	450	_ :n	111
Secondary Seco	01-01	-	30	7 : : : :	⊢ ₹ :	, C	٥ :	:: 20	-	106	24 ::	:: ന	30:
85 17 98 14 17 98 17 17 98 17 17 19 17 19 19 19 19	35	24	242	37	22 7	15	222	18 33 53 53	17	912	28 116 13	17	31 130 13
85 98 91 91 95 91 92 92 93 94 94 94 94 94 94 94	17 221	222	∞ •••	21 2	60 F	:	ာ က	9 7 2	C)	631	107	272	23 100 15
syll County ghal Districts. Itown. ay ory ory wty Districts. urchan yr County yr County in i	1.45	0.00	48	13 : 6	: 0	ಣ	:0	ಣ – ಣ	ಹ	145	 0 0	ت. ت	18
Deeside Garioch Huntly Turriff Argyll County Burghal Districts. Campbeltown Inveraray Lochgilphead Oban Tobermory County Districts. Ardnamurchan Cowal Islay Kintyre Lorn Mid-Argyll Mull Ayr County Burghal Districts. Ardrossan Ayr Cumnock and Holmhead Darvel Galston Girvan Irvine Kilmarnock Kilmarnock Kilmarnock Kilmarnock Kilmarnock Kilmarnock	85 98 91	98 80	329	63 50 4	26		29	23	17	2149	40 248 42	13 31 40	85 270 44
Deeside Garioch Huntly Turriff Argyll County Burghal Districts. Campbeltown Inveraray Lochgilphead Oban Tobermory County Districts. Ardnamurchan Cowal Islay Kintyre Lorn Mid-Argyll Mull Ayr County Burghal Districts. Ardrossan Ayr Cumnock and Holmh Darvel Galston Girvan Irvine Kilmarnock Kilmarnock Kilmarnock Kilwinning	a 0 0		•		• •	9				•	ead.		
Deeside			icts.			cts.				icts.	olmbe		
Deeside . Garioch . Huntly . Turriff . Argyll Burghal . Compbeltow Dunoon . Inveraray . County . County . County . Cowal . Islay . Kintyre . Lorn . Mid-Argyll Mull . Ayr C Burghal Ardrossan Ayr C Burghal Ardrossan Ayr C Cumnock an Darvel . Galston . Girvan . Irvine . Kilmarnock Kilmarnock Kilwinning	4 0 5		Cou		· · ·	Distra				oun Distr	d He	0 ^ 9	
Deeside Ellon Garioch Huntly Turriff Arg Burg Campbel Dunoon Inverara Lochgilp Oban Tobermo Cowal Islay Kintyre Lorn Mid-Arg Mull Ardrosss Ayr Cumnoc Darvel Galston Girvan Irvine Kilmarn Kilmarn Kilmarn		0 •	yll hal	tow	head	nty J		y	•	Tr C	an k an		nock
Dees Ello Gari Hun Turi Hun Dun Inve Com Cow Islay Kin Lord Mid Mul Mul Mul Gals Gals Gals Kill Kill Kill Kill Kill Kill Kill Ki		iff	Arg Burg	pbel oon rara	ngilp n srmo	Cou	a.l.	tyre		A.) Burg	rosse	vel ston	ne marr winn
	Dees Ellor Gari	Turi		Cam Dun Inve	Locl Oban Tobe	Ard	Isla	Kin Lori Mid	Mul		Ard Ayr Cun	Dar Gal Gir	Irvi Kiil Kiil

* Including the portion within the County of Kincardine.

TABLE F.—continued.

	1										
	Vi	olence.		: : :	<u></u> ⇔	-	9 1	4 00	6	: : -	: : :
	Diseas	espiratory ses (except thisis).		- m ca	0 -1	4	58	<u>s</u> ∞	42	<u>⊣</u> ന∞	: :01
	Sis.	Other.		:4:	::-	:	4-	0100		* * *	
	Tuber-	Pulmonary.		:-0	:03	-	∞ 	4 2	7	* * * * * * * * * * * * * * * * * * *	H :01
m		arrhœa r 2 Years).		: :01	Ø = :	:	27 -	4 4	67	::-	
Deaths from		ohtheria Croup.		* * *	in panel	:	:	es	 i	• • •	0 0 10 0 0 0 8 0 0
Dea	Whoop	oing-cough.		r	10 10 0 0 0 0 0 0 0	:	63 :	:-	က		Ø ::
	Scarl	let Fever.				:	23 :	: :	:	* * * * * * * * * * * * * * * * * * *	
	Me	easles.			0 0 0 0 0 0	H	ea :	:-	•		
	Sm	nallpox.		: : :	0 · 0 · 0 · 0 · 0 · 0 · 0 · 0 · 0 · 0 ·	*	: :	6 .0	:		
	Typh	ius Fever.		• • •	: : :	:	::	: :	:	: : :	:::
	Enter	ric Fever.				*	• •		•	: : :	:::
Deaths of	Person Years an	ns Aged 65 ad Upwards.		:-0	27 4 4	4	42	40	85	0000	· 01 4
Dear		ren under ear of Age.		ಣಬಣ	101-	ಣ	13	11 20	39	67	-0-
	Net	Number.		8 16 20	42,47	15	157	79 156	192	7, 111	w 4 L
ths.	Trans	sferred in.		: - 0	11 22	ಣ	02 00 ;	22	22	ଉଉଚା	: : :
Deaths.	Trans	ferred out.		4 : :	40%	ભ	500	16	Π	:∞:	* * * *
	Reg	gistered.		122	2 2 23	14	149	74	181	3770	w 41-
	Marri	ages.		ωr-0 <u>1</u>	ω 12 ω	13	101	44 79	101	10 02	01 4 ro
	Illegitima (correc	te Births eted).		c) co –	- C3 F3			18	64	ରଜର	C1 10 H
	Births (co	errected).		22 39 26	48 90 20	59	380	376	476	6 67 88 88	657
	County and Public	Health District.	Ayr County—continued. Burghal Districts—contd.		Prestwick Saltcoats	Troon	Ayr Carrick	Kilmarnock	Banff County .	Aberchirder	Charlestown of Aberlour Cullen

			11 15 A 1 A 1								
	; ri	61 63	rO	:: ल :	-	-	*		23	• 0	63
0004	ಣ	တတ	e5	ଷଅଷ :	44:	9	707	9 ::	ස ල	-100	20
• • •	- :		•	· · · · · · · · · · · · · · · · · · ·	# 0 0 # 6 0	:	* * * * * * * * * * * * * * * * * * *	0 0 0 0 0 0 0 7 0	ಣ	: 63	r
	:		4	prod : : :	⊢ 61 :	-	: ¬	0 \ 0 \ 0 \ 0 \ 0	2	0 proof	9
	a y e e q e	• —	:		• • •	•	::		က	H 63	*
	e 6 e e e e	• —	:	0 0 0 0 0 0 0 0	• • •	*	, .	• • •	-	0 0 0 0 0 0	F-4
• • •	• •	≓ :		• • • •	, .	•	0 ¢	0 0 0 0 0 0	*	6 6 6 6 d 0	ф ф в
: : :	: :	• •	*	• • • •	0 0 0 0 0 0 0 0 0	0 0	: :	0 0 0 0 0 0	•	# G 0 0 0	0 0 0
0 4 0 9 0 0 0 0 0	: :	6 0 0 0	-	• • • •	:-:	:	0 U 0 0 0	0 B 0 0 0 0	•	* * *	
	: :	• •	:		0 0 0	:	• •	0 0 0 0 0 0	•	* * *	•
* * U	: :	• •	:	0 0 0 0 0 0 0	0 0 0 0	:	• •	a o o' o o o	:	0 B 0 0 0	•
• • • •	::	* *	П		· · · ·	:	• •	0 0 0 6 0 0 0	•	* *	•
20 € €	- m	22	38	ଟେମଟା :	61	42	21	10 7	69	10	42
:01-	: 67	11	ಬ	٠:::	:ସର	က	:01	: r = :	36	111	12
19	4 %	49	79	704001	0 8 8 0 8 9	58	29	12 6 :	147	21	79
→ m m	- :	90	16	0.21 ::	10 to 01	41	:07	Q ::	11	: 7	1-
• • •	-	67 :	41	0 0 0 0	: 01 0 1	22	6	ତାଳ :	ಳು	01 01	63
16	ಣರಾ	45 83	67	ದ ೮ ೦೦ ೮	25 19 8	92	38	12 :	142	23 45	-14
224	. ∞	16	70	m © 01 :	222	26	: 00	907 :	62	111 26	25
31 31 33	: 07	24	10	:0	:0:	6	: ∞	:-:	25	631 ∞	15
22 82 42 44	7	132	169	010000	46 47	87	61	10 :	202	24	37
		• •	•		a 0 0	•	• •				
		County Districts.	Berwick County	Burghal Districts. Istream	County Districts.	Bute County	Burghal Districts. Iport.	County Districts. un	Caithness County	Burghal Districts.	County District.
Findochty Keith . Macduff .	Portknockie Portsoy .	County Banff . Keith .	Berwic	Burgha Coldstream Duns Eyemouth Lauder	East Middle	Bute	Burgho Millport . Rothesay	Arran . Bute . Cumbrae	Caithn	Burgho Thurso . Wick .	Caithness

	-
	5
	1
	1
	1
	1
	١.
	١.
r.	
C	
-	
F	۱. ټا
F	니 디
F	١. ٢
F	١. ٢
F	١ ٢
F	-
F	
F	
F	
F	
F	
F	三 円
F	
F	
F	
F	
F	
F	
F	
	BLE
	BLE
	BLE

	Violence.	62	61 : :		20	œ :m m → ;
	All Respiratory Diseases (except Phthisis).	6	ю н : н	4	120	20 1 38 20 20 4
	Other.	H	- :::		13	e :e ⊢ ⊢ :
	Tuber. Culosisis Pulmonar	y. 41	₹ : : :	•	35	in 4 :w
m	Diarrhœa (under 2 Years).	-	H ; .::		മ	° : : ⊢ : :
Deaths, from	Diphtheria and Croup.			: : :	9	- :- aa :
Dea	Whooping-cough.			. : ;	10	ന :⊣ į : į : :
	Scarlet Fever.	. , •			· භ .	:::::
	Measles.	; ; H		, , , , , , , , , , , , , , , , , , ,	# ()	9::
	Smallpox.					: : : : : :
	Typhus Fever.		* * * * *		: : :	* * * * * * * * * * * * * * * * * * * *
_	Enteric Fever.	. :			C1	
Deaths of	Persons Aged 65 Years and Upwards	. 37	80 no	10	121	46 61 10 10 10 4
Deal	Children under One Year of Age.	12	ъе ∷ н	. ,	78	30 m m m m
	Net Number.	85	ଟ୍ଟା ଟେଡ	20	492	150 34 33 33 16
Deaths.	Transferred in.	12	01 00 : 00	4	95	<u>7</u> 03 00 03 00 03
Dea	Transferred out.	41	67 : ;: -			111111111111111111111111111111111111111
	Registered.	7.7	35 10 10 25 25	17	462	104 8 8 2 2 3 3 3 4 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1
	Marriages.	99	28 12 1 6	19	262	83 118 118 111
	Illegitimate Births (corrected.)	19	· 124 60 H	4	54	1 in 5 d in 5 d
	Births (corrected).	241	94 34 11 29	73	1001	386
	County and Public Health District.	Clackmannan County	Alloa	Clackmannan	Dumbarton County. Burghal Districts.	Clydebank Cove and Kilcreggan Dumbarton Helensburgh Kirkintilloch Milngavie

r0 04	9				:	:	:		-	•		:	92	ଜୀନ	48° c	:0-	63 :	ī	67 4	က
14 23	88	က	10	•	:	•		∞	5	:	ಣ	9	309	: a	203	46	paret proof		×	18
ಣ ಣ	က	*		•	•	:		0	J	0 0		p(74	: -	49	: 2 :		70		67
99	17	:	2	•	-		: -	4		:	6.1	ಭಾ	123	:-	80	26	4 1	ಣ	<u> </u>	GI
; p!	-	:		:	•	:		•	•		:	:	25		:8	; eə :	6 0 6 0	67	: 63	•
* *	Н			•	•		: :	• •		•	6 5 0	:	20	:	15	H 4 :	: :	0 0	: :	•
- :	•	•	:	•	•	•	• •	0		•		•	41	0 0	: 10	:-:		0	0 0	
	*	*	:	b 2	:	•	0 0	•		* * *	*		27	*	: -		: :		0 0 0 4 0 0	-
63 :	Н				•	•	: :	6 0	•		•	:	∞ ⊢ 1	: 6	10	: 6 :	::	•		:
	:				:	•		•		•	•		* */-	•	: :			e e	* *	•
0 0 0 0	:	:	•	•	:		: :			•	•	•	:	:	• •	• • • • • • • • •	: :			:
:-		•	•	•	•	:	: :	:	•	:		ø 6	5 6 0	•	• •	* 0 0 0 0	: :	:		•
33	115	~1	24	ರ		ಣ	ယက		15	ಌ	19		570	10 O	368	ო ∞ −	119	-1	ω 67 20 20	32
16	34	ಣ	9	<u></u>		•	: 03	4	1	p	ಬ	10	342	<u></u>	212	: 10 ro	12	00	171	14
67	271	22	61	တ	ಣ	2	<u>၂</u>	ಣ	35	^	38	ದ್ದ	1786	0 %	1147	307		ۍ 20	19	72
21 4	25	ಣ	70		•		- 01	্য	ಣ	•	67	9	264	67 00	133	:2:	00 G3	14		10
38 4	37	p=4	18	0 0	0 0			67	12		67		390	: 63	261	: ∞ →	67 :	_	10	103
98 88	283	20	74	<u>o</u>	ಣ	4	.111	33	44	~	00 60	34	1912	1 6	1275	5 240 12	m _ m	45	19 79	165
44,	202	o,	61		4	ಣ	11	26	30	=	17	25	1499	ಣ ಣ	1116	182	51	30	10 33	30
9. 18	63	Ħ		67	4	लं	0 e	12	20	4	<u></u>	က်	257	61 6V		45	1	4	m 01	13
168	543	25	132	13	_ _ _	15	150	93	12	222	65	02	3513	22 00 6 6	2074	10 636 38	154	131	18 3	152
• •	•	•	٠			•			•	•							0 0	•	• •	•
cts.	nty	cts.						cts.			•		othi	icts.				icts.		•
County Districts.	Dumfries County	Burghal Districts.	0	•			٠	County Districts.					Edinburgh (Midlothian) County	Burghal Districts. nyrigg				County Districts.	a 9	
uty 1	ries	hal i	rn.	п	neu	9	٠ ي	tty I	۵n	TI.	0		gh (. Cou:	nhal .	gh	a . L	urgh	nty .	ater	u
Cour	um	Burg	Dumfries	Langholm	Lochmaben	Lockerbie	Moffat . Sanquhar	Cour	Dumfries	Langholm	Lockerbie	Thornhill	ıbur,	Bonnyrigg Dalkeith	Edinburgh	Lasswade Leith Loanhead	Musselburgh Penicuik	Cou	Gala-Water Lasswade	Suburban
Cour Eastern Western	A	Bun Annan	Dun	Lang	Locl	Lock	Moffat Sanqub	Annan	Dun	Lan	Loc	Tho	Edin	Bon	Edin	Lassw Leith Loanh	Mus Pen	Calder	Gal	Sub
-					*					27 74						The second second				

TABLE F.—continued.

	Vi	olence.	7	:	:	. - -	ಣ	48		0	4 4 6	67 : 7	,	:-
	Diseas	espiratory ses (except athisis).	24	:0	Ω		16	175		67	:	8 ::	7	. 67
	er- sis.	Other.	co	: -		-	-	24			•	7: 5	4 :	d 0
	Tuber-	Pulmonary.	7	; G	7		ন্য	51		:	*	€2 : ∠	H	:-
m		arrhœa r 2 Years).	-	•		::-	:	22	:	:	* (n :-	1 :	: :
Deaths from	Dip and	htheria Croup.		*	: :		•	9	0 0	•	:	: :		: :
Deat	Whoop	ing-cough.		*	* *	0 0 0 0 0	*	25		:	; ,	- : -		: :
	Scarl	et Fev er .		:	: :	0 0 0 0 0 0	3 *	•	:	:	:	: : :		: :
	M	easles.	2		٠ :	4 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	7	2		:	*	: : : ल	:	
	Sm	allpox.	•	0 0 0	: :	: : :	*	:		:	*	•		::
	Typh	us Fever.	:	a d q	: :	* * * *	:	:	:	•		: ::	:	::
	Enter	ric Fever.		*	: :	: : :	:	:	•	:	:		:	: :
Deaths of	Person Years an	s Aged 65 d Upwards.	65	67 =	1,		32	308	ಣ	- c	ء د	11.5	9	11
Deat	i e	ren under ear of Age.	28	::		H 70 H	10	201	:		: G	18		:-
	Net 1	Number.	154	4 4	20	4 5 6	99	964	ಣ	ಲಾ ಸ	2 0	0 0 40	œ	18
ths.	Trans	ferred in.	22	: 4	4 4	H 4 H	00	140	:	:-	1 1	- 10	ಣ	9
Deaths.	Transf	erred out.	20	, page	:		6	65	-		. ~	t 17	:	: 63
	Reg	istered.	152	4 -	16	677.03	69	916	41	ა 4	104	64	20	1 m
	Marria	iges.	95	44	6	400	3]	525	611	es	6	6 6 27		31 00
	Illegitimat (correct	e Births ted).	40	13	4	ಣಾಣಣ	14	125	0 0 0	: -	+ xC	10	1	: ന
	Births (cor	rected).	297	14	20	16 33 16	136	2136	9	25	128	13 88 E	12	21
			ıty				•	•			and			
	County and Public Health District.		Elgin (Moray) County	Burghal Districts.	Forres	Grantown-on-Spey. Lossiemouth .	County District. Elgin (Moray)	Fife County	Burghal Districts. Anstruther-Easter	Auchtermuchty .	thil		Crail	Cupar

∞ c₁ :	• • •	1::	• • •	r : :	::::	8 = 2 -	30	ිට : : ලට :
17	: ::	۳ : -	:::-	∞	B U U U	27 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	357	18 20 30 20 2
64 : :	: :-	m :4	• • •	- ::	::::	w w w :	22	1 : : : : : : : : : : : : : : : : : : :
7 ::			:: ಣ	es : :	-000	H 70 00 01	94	45 :: 42
Ø ::	: ::	::-	0 0 0 0 0 0	ന-:		— ст сп —	56	- : :83 :
eo : :	: :-	• ;===		* * *	0 1 V 0	:-::	∞	::::0-
4 ::	* * *	0 0 P	0 0 0	ಣ : :	6 0 0 b	; re ∞ ;	00	4 : :06
	0 0 0 0 0 0	0 0 6 0 0 0	0 0 0 0 0 0	0 0 0	* * * * *	::::	Н	::::
: : :		::-	: : ; ; ; ;	67 ::	* * * * * * * * * * * * * * * * * * *	:- ::	10	: : : : : : : : : : : : : : : : : : : :
:::	: ::	: : :	: : :	: : :	: : : :	* * * *	-	powed 1
• • •	: ::	0 0 0 0 0 0 0 0 0	* * *			: : : :	6 0	
						, 9 9 9 9 9 9 9	n 0 0	
00 00 00	:	884	:019	21600	2000	24 27 26 16	364	34 18 214 16
17	: :-	: : : : : : : : : : : : : : : : : : : :	: w 4	11 3	OHHH	7. C C C C C C C C C C C C C C C C C C C	284	18 22 229 10
106 12 3	: 010	7 5 166	:82	42 6 11	19 77 15 15	48 97 135 34	1211	86 25 95 43 43
∞ m :	: : : :	1 7 7 7	: c1 c2	00	87F	12 4 4	55	904 : 100
26		::0	0 0 pm-ri		:: : : : : : : : : : : : : : : : : : : :	10 m 20 m	90	m : : : : : 0, ₹
124	: 07 4	6 4 148	55.	34 5 10	179	48 90 137 32	1246	83 23 871 44
95	: HM	22 - 23	: 60	100000000000000000000000000000000000000	7760	627	679	43 14 15 15 15
∞ 67 :	: :01	:-=	: :67			30 20	177	00 co co 42 co
295	. 487 828	111 13 263	6 40	103 20 15	112	65 287 416 75	1975	133 38 1366 59
	and .		ton .		0 6 0 0	0 0 0	٠	
	• •		onkst			rcts.	nty ricts.	
	erty ourgh		nd M			Distr e	Cou	
mline :ry	Lib iamsk id	ny rrn ldy	nk an	lly ch rgh	rt veem rews	County Districts. ar fermline	Forfar County Burghal Districts.	n . nstie
Dunfermline Dysart Earlsferry	Elie, Liberty, Williamsburgh. Falkland Inverkeithing	Kilrenny Kinghorn Kirkcaldy	Ladybank and Monkston Leslie Leven	Lochgelly Markinch Newburgh	Newport Pittenweem St Andrews Tayport.	Cupar . Cupar . Dunfermline Kirkcaldy St Andrews	F.C.	Arbroath Brechin . Carnoustie Dundee . Forfar .

9
3
12
172
0
0
F
H
M
B
A

	Vi	olence.		: : 0	N	- : :0	က်	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Diseas	espiratory ses (except athisis).		70 H 7	4	70 70 4 61	22	⊔ :⊔ ໝ ;≈1 ໝ
	er-	Other.		: : G	31	: m : m	•	:::::::
	Tuber-	Pulmonary.		C7 C	3	- c1 : c2	9	:::::
from		arrhœa r 2 Years).		• • • • • • • • • • • • • • • • • • •	0 0	⊢ :		::::::
Death's fro		ohtheria Croup.		*	* * *	::	41	d::d:::
Des	Whoop	oing-cough.		* 0 0 0 0 0	e e e	- : : -	*	
	Scarl	et Fever.		* * * * * *	•	* * * *	Н	: : : : : : :
	M	easles.		* * * * * * * * * * * * * * * * * * *	0 0	:- :-	Н	:::::::
	Sm	allpox.		: :	•		•	
	Typh	us Fever.		: :	•		*	::::::
		ric Fever.		* * * * * * * * * * * * * * * * * * *	•		:	
Deaths of	Person Years an	as Aged 65 and Upwards.		7-99	+	10 10 13 16	42	ಬ 4⊍ ಬಬ∺ ⊍
Deat		ren under ear of Age.		& :4	н	10 a - 1 a	25	70 H H H 4 60
	Net 1	Number.		11		26 32 27 40	136	11 8 2 6 6 1
Deaths.	Trans	ferred in.		67 : 69	>	£ 4 4 10 :	20	01 01 : : to La
Dea	Transf	erred out.		o :-	4	252 : 54 : :	10	:- : ro : :
	Reg	istered.		11	1	24 53 30	126	00 8 9 9 0 0
	Marria	ages.		6 4 4 2 12		18 17 17 14	96	100 : 100 - 11
	Illegitimat (correct	e Births ted).		ক্য : লং		4001	28	: ⋈ : ⋈ ⋈ □ −
	Births (cor	rrected).		14		47 78 75 67	315	18 17 19 17 17 188
	County and Public Health District.		Forfar County—contd.	Burghal Districts—contd. Kirriemuir Monifieth Montrose	County Districts.	Arbroath	Haddington County .	Burghal Districts. Cockenzie and Port Seton Dunbar East Linton Haddington North Berwick Prestonpans Tranent

-									
	: 61	10	:01	: ⇔ −	b • • • • • • • • • • • • • • • • • • •	. 7	O		- 4 ₩ ::
	ස රා	34	: m	ස හ :	777	ု့ က	21	: :01 4	- 00 00 00 00 00 00 00 00 00 00 00 00 00
***************************************	• • •	က	0 u 0	ден	* * * *	* * *		0 0 0 0	: : : :
	:01	30	: 10	± 20 € 1	200	0109	<u></u>	· · · · · · · · · · · · · · · · · · ·	⊣ :01 :02
	: :	•			0 6 8 0 0 0		•	r	
	: 67	Yes	0 0 0 0 0 0	0 7 0 6 0 0 5 0 0	rd :::	: :	•		
		67	0 0 0	0 0 0 0 0 0	* press! *	•	∞	: : :1-	:::-:
	• •	0 B 6	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	: :	•	0 0 0 0	
	:-	9	:4:	63 ::	: : :		72	0 0 0 A	:::::
	: :	• •	: : :	0 0 0 0 0 0 0 0 0	• • •		• •		
	::	*	:::	• • •	0 0 0	0 0 6 0 0 fr	0 0	0	:::::
	: :	:				• • • • •	H		::::
	8	164	80 m	233	33 33 0	0191	21	81400	400000
-	100	24	:o :	- 1 to 02	:4-	: 67	25	: : pred [~	36 511
-	20	308	ಇ ಇ ಇ	37,8	25 14 14	16 36	135	7000 mm	16
-	ကသ	23	:	m	ಣಣಣ	: 67	18	: 61	लाकः लल
	: ന	22	:007	1: 0	нн :	H :		• • • •	:- : : :
	17 46	307	c1 % 4	35 31 15	6. 4° 5. 4°	17.	L	w 41-∞	01 11 14 9
	32	138	81	4 con 13 con 10	\$4r	೧೦ ಆಕ	09	ಅವಲವ	ကယ၀ ယက
	9	32	-∞ :	4 :01	464	- 20	41		11 22 1
	46 129	426	9 121 6	39 24 24	34 62 24	10	307	32072	39 26 39 31 14
		•				• •	· >>		
cts.		unty		icts.			ount.		icts.
istri		nverness Count		County Districts. rness			incardine Count Burghal Districts.		County Districts. encekirk er Deeside yrus ehaven er Deeside
nty L		ness	llian ss ie	ss .		Uist Uist	rdir	ry rvie ekir ven	unty celxir Deesi us tven Deesi
County Districts.	Eastern . Western .	Inverness County Barrabal Districts	Fort-William Inverness Kingussie	Coum Inverness Aird Badenoch	Lochaber Skye Harris	North Uist South Uist	* Kincardine County Burghal Districts.	Banchory Inverbervie Laurencekrrk Stonehaven	County Dis Laurencekirk. Lower Deeside St Cyrus. Stonehaven. Upper Deeside
	Eas	Н	For Inv Kir	Inver Aird Bader	Locha Skye Harri	Sou	*	Ba. In La	Lo St UJ

* Including the portion of the County within the Burgh of Aberdeen.

Table F.—continued.

								,	
	Vi	olence.	-	-	• :	က	* * *	:	. :- : :
	Diseas	espiratory ses (except athisis).	9	63	4	19	ಣ : –	-01-	ध ं य य
	er-	Other.	-	:		67	: : :	:	9 0 0 0 0 0 0 0 0 0
	Tuber-	Pulmonary.		:	-	2	* * * *	- G :	: : 61 61
mo		arrhœa r 2 Years).	b 6 6	:	•		* * * * * * * * * * * * * * * * * * *	. , , ,	::-:
Deaths from	Dır and	b B	* * * * * * * * * * * * * * * * * * * *	•	* *		* * *	::::	
Dea	Whoop	oing-cough.	6 6	0 0		23	::-	- ; :	
	Scarl	let Fever.		0 0 0	0 0 0	-	0 0 0 0 0 0 0		::-:
	M	easles.	0 0	:	0 0	:	• • •		
	Sm	nallpox.	0	•	:	:	0 0 0 0 0 0		
	Typh	us Fever.	•	•	•	:	0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0
	Enter	ric Fever.		:	:	•		• • •	
Deaths of	Person Years an	ns Aged 65 and Upwards.	6	ণ	-1	52	921	en : :	0.0000
Deat		ren under ear of Age.	က	*	್ಣಾ	26	441	. 5	H 4 10 H
	Net :	Number.	23	7	16	136	511	6 2 8	1 2 2 2 8 2 2 3 2 8
ths.	Trans	ferred in.	9	က	ಣ	20	01	H 00 H	ط ; m ص
Deaths.	Transf	ferred out.	6	*	0	9	ಣ : :		::-:
	Reg	ristered.	26	4	22	122	16	19	117
	Marri	ages.	∞	ಣ	70	83	10 7	∞ <u>Γ</u> α	ದ್ದಾರ್
	Illegitima (correc	te Births eted).	9	4	63	35	87 - 87	:	1 8 5 7
	Births (co	rrected).	20	25	25.	224	14 22 6	18 43 2	33 14 51
	County and Public	nealth District.	Kinross County .	Burghal District. Kinross	County District. Kinross	Kirkcudbright County	Burghal Districts. Castle-Douglas Dalbeattie Gatehouse	Kirkcudbright	County Districts. Eastern Northern Southern Western

-											
265	67 H 00	180 6	ಬಡುಬ	ယ ထိ က	O		* * * .	4 60	73	63	• • •
1623	35	1201 40 1	55 18 25 25	18 165 29	89	10	L 01 4	31	6	10	4
205	m - 9	134	ರ ಣ ಣ	36	13	:12	: -:	9:	0 0	, t	:
421	110	324 10 4	909	01 00 12	රා	hand a hand	: - :	40	C/3	 	-
117	٠ : m	75 4 ::	m 63 m	. 55 n	00	:-8	* * * * * * * * * * * * * * * * * * *	٠. ن	9 0	*	0 0 0
67	::-	48	·⊠ ⊢ :	₩ F 4	ಣ	Ø ::	8 • 0 • • 6 • • •		:	0 0 0	•
65	0 0 0	38	40101	:53 :	67	0 0 0		:01	:		
22	H :01	16	o pand o	• •		* * *	0	• • • • •	\$ \$ •	9 0	•
251	P 0 P	205	:-0	3 4 7 7	-	0 0 0	. • • •				0 0
49	- :-	45 :::		. cu :	:	* * *		• • • • •		:	
7	* 7 * * 3 * * * *	-::	* * *	* * * * * * * * * * * * * * * * * * *	:	0 0 0 0 0 0	0 0 0	* 0 * 6 * a	•		• •
10	a 3 4 a 0 4 a 0 4	9 : :	8 8 8 8 0 9	<u></u> ⊢0:	•	0 · 0 · 0		* 0 * 0 * 0	:		
1424	26 1 34	980 40 6	28 27 15	24 178 65	22	2 4 6	ಣ ೧೧ –	18	22	01	1.2
1336	23 : 23	931	33 24 21	15 201 16	92	10 10 00	' 01 4 01	36	4	က	-
6209	110	4619 .167 .16	155 111 96	818 158	264	16	000	118	40	53	21
505	13	263	13 33 16	111 98 12	46	∞ <u>~</u> ∞	- G1 :	25	23	C3	:
464	H : 63	3335	: 4 61	47.4	8	0 0 0 0 0 0 0 0 0	0 0 0	15	r=1	•	,I
6471	98	4691 155 13	142 822 822	125 768 154	236	22 22 23	00 D	99	39	<u>6</u> 3	18
4486	53	3454 99 17	00 00 00 00 00 00 00 00 00 00 00 00 00	450 84	146	12 20	∞ to 4	65	22	17	ರ
842 4486	22	600 19 4	0 20 17	116 23	44	- 01 L	Ø : Ø	26	00	4	4
12852	222 6 390	8576 335 43	344 175 267	201 1952 340	703	44 60 40 40	25. 1.35.	324	22	82	53
•	ø e c				•				0	٠	•
County	Districts.			County Districts. er dle	Linlithgow County	Burghal Districts. nadale hgate rowstounness		County Districts. gate	Nairn County	Burghal District.	County District.
* Lanark	Burghal Airdrie . Biggar . Coatbridge	Glasgow. Hamilton Lanark.	Motherwell Rutherglen Wishaw .	County Lower Middle . Upper .	Linlithge	Burghal Dista Armadale . Bathgate Borrowstounness	Linlithgow Queensferry Whitburn	County Bathgate Linlithgow	Nairn	Eurgha Nairn	County Nairn
-											

* Including the portion of the County within the Burgh of Renfrew.

inued.	
-cont	
F	
BLE	
TA	

	Vi	olence.	4	- :	н :ед :	62	:	-
	Diseas	espiratory ses (except thisis).	16	ಣ :	o⊌ ;ы	23	- :	7
	er- sis.	Other.	n		e ;e ;	41		C7
	Tuber-	Pulmonary.	7		01 th 111	ಣ	O 0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	೯೦
m		arrhœa r 2 Years).	•	• • • • •	::::	•	::	•
Deaths from	Dip and	htheria Croup.	*	* * *	6 0 0 0	:		:
Deat	Whoop	oing-cough.	0 0	0 0 6 0 0 0	* 0 4 ° * * * * *	g 0 0	* * * * * * * * * * * * * * * * * * *	0 0 0
	Scarl	et Fever.		• • • • •	:-::	* *	0 0 0 4 0 0	. •
	M	easles.		: :		•	0 0 0 0	# 0 #
	Sm	allpox.		0 0 0 0 0 0		# 0 0	o • • • • •	* *
	Typh	us Fever.	•	0 0 0 0		*	e 6 6 0 6 0	e e e
		ric Fever.		•	:-::	•	o e o e	•
Deaths of	Person Years an	ns Aged 65 nd Upwards.	62	ව ය	21 19 6 5	22	10	ರಾ
Deat		ren under ear of Age.	ಬ	67	Ø : :	ಣ	٠ :	. 61
	Net	Number.	106	16	34 16 16	51	0 10	27
ths.	Trans	sferred in.	5	0 0 0 0 0 0	₹-;;	00	: 67	9
Deaths.	Trans	ferred out.	7	proof 0 0 0	::-	00	~ 04	řÜ.
	Reg	istered.	103	17	7720	51	15	56
	Marri	ages.	28	13	∞ n n :	35	19	10
]	Illegitima (correc	te Births eted).	C21	prod *	:::-	. स	ं	63
	Births (co	rrected).	103	13	8 11 8	77	8 13	80
			å					•
	County and Public	Health District.	Orkney County	Burghal Districts.	County Districts. inland orth Isles uth Ronaldshay.	Peebles County	Burghal Districts.	County District. Peebles
	County and Public	nealth District.	Orkney County	Burghal Districts. Kirkwall	Mainland South Ronaldshay Walls	Peebles County	Burghal Districts.	Innerleithen Peebles

-															1512.52									CTION OF THE OWNER.						
18		•	:	:	:	:	•	•	:	•	•	ಣ	•			ಣ	4	4	4	36		0.1	40	D	: =		4		70 G	Ŋ
75			•	•	•	r	*	67	4	-	61	000	N		ಣ	133		11	ಬ	205		20	L- 70	3 5	00	25.0	9	~	200	
0					*	:	•			•	•	9	•		•	:		-	0 0 0	36		:	c	2 6	2 C	<i>ي</i> د د	-		- 4	0
19		•	•	*	•	•	:	•	•	•		2	:		•		67	67	7	99		•	. G	24	- L	7 [01	-	10	1 1
. 2		:	:		9 0		:		:	•	0 0	-	•				:	p	*	22			; x) ₋	7	r 00	:		6	0
73		0 0	•	•	•		•			•		_			63	-	•		0	ಬ		:	:-	4	: 6	1	•		67	:
ಣ			•	:		0 0	•		•	•			0 0		:	П	0	•	9 0	30		*	; a) -	101				- r	a
-		:	*			•	•			•	:		•		:	0 0		•	•	23			:	*		• •	*		ে	:
9		:	6 0		:	:	*	•		*	• (9	•			•	:	•		25			: 67	> <	# 10		0 0			4
:		:	•	:	:	•	:	•	•	:	:	•	•			*	•	:	:	0			* *	•		: :	:			
:		•	:	:	•	•	•	•	:		:	•	•		•		0 0	0 0	•			:	•	•	:	: :	•		:	
:		*	:	:	•	•	•	:	:	•	:	•	•		•	•	:	:	*	C 3		•	: -	4	* .	: :	:		port	
195		ಣ	67		4	10	ભ	63	<u>ဂ</u>	C3	GI (10 en	0		12	26	56	33	44	292		∞	od 50) -	4 00		10		30 to 00 to	
44			•	_	•	*	•	67	4	:	• (07	•		_	9	4	4,		188		63	7.5) <u>)</u>	56	22	4			4
422		4	67	10	9		က	9	21	4	1-1	127				49		64	34	1082		31	23 c2 20 c3	00	307	84	34		109	
59		•	_	ଠା	•	67		_	9		ر ا ت		•		20.	က၊	Ö	16	೧	107		9	70	ō	4	12	0		200)
39		:	•	:	•		67	•	_	:	. 1	0 -	4		67	က (∞ •	10 F		155		•	4		24		ਜਵ		8 5 5	
402		4	_	<u>∞</u>	9	10	20	20	16	ಣ	67	135			20	49	49	50 cm	90	1130		25	371	40	317	7.3	26		170	
247		೧೯	:	14	1	တ		67	∞	4	9	707	4		œ	91		ය -	77	702		25	16 203	30	200	78	26		74	
59		•			:	07	_		0.1		p ()		70	1-1		0,6	3	128		-	30	0	42	00	ಸರ		001	
664		5		ဗ	10	16	1-	13	23	<u> </u>	1100	202	1		44	64	200	119	70	2313		101	63	1133	989	205	96		202	
			•	•	•		•	•			•	٠	•			۰				•		•				•				
Perth County	Burghal Districts.				der	ie .		sngr						County Districts.						Renfrew County	Burghal Districts.					woo	٠	County Districts.		
Perth	Burghe	Aberfeldy	Abernethy	Alyth .	Auchterarder	Blairgowrie	Callander	Coupar-Angus	Crieff .	Doune .	Dunblane	Ferth Rattrav		Count	Blairgowrie	Central .	Highland	Perth .	w estern.	Renfr	Burgh	Barrhead	Gourock. Greenock	Johnstone	Paisley.	Port-Glasgow	*Renfrew.	Count	Upper . Lower .	

* Including the portion within the County of Lanark.

TABLE F.—continued.

	Vi	olence.	11	• • •	:	: 4 3	ಣ : ':	41	ું જા	*	* :
	Diseas	espiratory ses (except athisis).	47	- c1 :	:01 H	3 8 01	r : 0	16	7 ::	63	0 : 6 : 6 :
	er- sis.	Other.	41			: : 67	::61	9	1 2	:	6 0
	Tuber- culosis.	Pulmonary.	25	; r=1	0	:: 10	4-64	7	ಣ –	: '	mon(-1
m		arrhœa r 2 years).	• /		: : :	: : :	: : :	C1	::	:	
Deaths from		ohtheria Croup.	ಣ	: : :	: : 67	::-		62	. 61	:	4 .
Deat	Whoop	oing-cough.	က	* * * * * * * * * * * * * * * * * * * *	* * * *	0 \0 0 0 0 0 0 0 0	ಣ : :	-	* * *	:	*
	Scarl	let Fever.	•		* * * *	0 0 0 0 0 0		•	* * *	:	:
	М	easles.	•	:::		: : :	* * *	. :	: :	:	:
	Sm	nallpox.	•	: : :	: : :	: : :	: : :		• •	•	:
	Typh	us Fever.	•				• • • •	:	::	:	:
	Enter	ric Fever.	-	• • •	0 0 0	::-	* * * *	:	::	:	:
hs of			127	:0101	8718	16 38	22 10 20	70	26	ο c	3
Deaths		ren under ear of Age.	30	:-:		1881	w : 01	20	1	<u>ુ</u>	
	Net	Number.	278	n ∞ n	0 13 8	11 45 91	448 288	144	0.00 0.00		0
ths.	Trans	ferred in.	14	⊣⊘:	:-:	:20-	ი -*:	18	4 :	C 3	
Deaths.	Trans	ferred out.	14	: 20 61	::-	63 : 17	c1 - :	17	- :·	m <u>-</u>	-
	Reg	istered.	278	2 11 23	12	13 40 91	47 14 28	143	26	22.	01
	Marri	ages.	102	ಟ ಪ:	:01	6 0 0 0	119	103	49	- 0	2
]	Illegitimat (correc	te Births eted).	34		:	040	∞ : :	27	300	က -	-
	Births (co	rrected).	463	15	13 26 9	831 188	15	311	134	57 a	0
			Ross and Cromarty County								
	County and Public Health District.			ricts.	• • •	ricts.		Roxburgh County	ricts.	٠	
				Dist		Distr	ern	b C	Dist	٠	
				Burghal Districts. marty gwall trose	ordor way	County Districts. K Isle R Ross	oss West n	burg	Burghal Districts. vick		٠
				Burgh Cromarty Dingwall Fortrose.	Invergordon Stornoway Tain	County Black Isle Easter Ross Lews	Mid Ross . South-Western .	Rox	Burgl Hawick Jedburgh	Melrogo	SO TOTO
1											-

Hardwick 19 2 8 14 2 15 15 15 15 15 15 15												
ty Districts. 19 2 8 14 2 13 15 15 15 15 15 16 15 17 16 16 18 17 10 11		4 0 0 0	4		6/1	ಣ	_	: 64	13	: 00	നെ :	9 7 1
if Districts. 19 2 8 14 2 18 3 5 11 1		ରୀ ତୀ	22	18	ಣ	9	prod	ت :	84	17 67	9 10	16
if Districts. 19 2 8 14 2 14 1 3 5 6 11 1	: : :		ಣ	2 -	•	9	* *	9:	19	07 FT 4	H H 4	63 4 :
ty Districts. 19 2 8 14 2 14 1 3 6 7 14 1	:-:	:	9	70 H	*	10		∞ ~	21	:::0	03 : 4	N O N
ty Districts. 19 2 8 14 2 12 14 15 15 16 17 17 18 15 17 19 17 19 17 11 12 13 15 14 15 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11 17 11		• • • • •	-			6 6	•	0 9 2 0 0 0	10		70101	Ø Ø :
ty Districts. 19	• • •	0 0	•	• •	•	:	•	* * * *	9	::07	, benefit .	: eo :
trick billion	::-		63	Ø :	¢ 0 0	•	• • •	* *		• • •	* * * * * * * * * * * * * * * * * * *	
up Districts. 19 2 8 14 2 19 3 5 19 3 9 12 7 19 3 5 7 19 3 5 7 19 3 9	* * *	0 0	•	0 0	:	:	:	::	41	: "	* * * * * * * * * * * * * * * * * * *	
ty Districts. 19 2 8 14 2 12 14 1 5 14 1 7 19 3 5 14 1 7 7 19 3 5			:	9 0 0 0 - 0	•	9	C	~ :		0 P P		: : :
ty Districts. 19 2 3 9 12 7 19 3 9 7 19 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		• •	0 4 0	e 9 4 d 6 U	*	:	* *	0 9 c 0	:	0 0 0 0 0 6 0 0 0	0 0 0	
ty Districts. 19			*	0 0 0 0 0 0	3 4 e	•	:	* *	•	* * *	,0 0 0 0 0 0 0 0 0	
ty Districts. 19		: :	*	0 0 0	•	0 0 2	0 0 0	0 0 0 0 0 0	+-1			
ty Districts. 19	0-10	-1	ಣ	19	ಬ	49	00	36	238	8 2 Q	20 10 10	18 30 16
ty Districts. 19	റെ — ന	ಣ —	18	40	67	6	Q	4 :	100	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	-1 00 Cz	16 26 4
ty Districts. 19	12 41 130	11	102		7	96	0	25 E		8 112 117	4 6 9 9 4 6 9 9	2 2 8 3 2 0 0 3 2 0 0
ty Districts. 19	:07	: ന	5	∞ ±0	•	00	<u></u>	10 CJ	75	770	ကတေယ	20 63 83 83
ty Districts. 19	67	* *	23		:	ည	ಣ	² ⊢ ⊢	87	:-61	25: 3	67 CO
ty Districts. 19	400	<i>1</i> 0 ∞	91	64	77	93	21	60	516	7 12 127	85 52 54 54 54 54 54 54 54 54 54 54 54 54 54	68 125 45
ty Districts. 19 32 41 11 129 11 11 129 11 11 11 11 11 11 11 11 11 11 11 11 11	∞ o □	710	21	· 8 –	67	20	ಣ	9 -	319	8 7 18	555	. 42
ty Districts. Irk County tal Districts. s sud County hal Districts. ty Districts. les ng County hal Districts. thal Districts. thal Districts. thal Districts. thal Districts. that Districts. that Districts. that Districts.	ल ल ल	: 67	17	01	ಣ	10	ಣ	ಬ ಚ	22	12	4911	4.024
Hawick Jedburgh Kelso	19 32 41	111 239	119	711	19	136	27	22 86	1244	13 40 268	78 56 162	226 341 60
County Districts. Jedburgh Kelso Liddesdale Melrose Selkirk County Burghal Districts. Galashiels Selkirk County District. Burghal District. County District. Selkirk Burghal District. Shetland County Burghal District. County Districts. Shetland North Isles Stirling County Burghal Districts. Grangemouth Stirling Gounty Burghal Districts. Grangemouth Stirling Gounty Districts. Gounty Districts. Central Eastern Western			•		•	•	,	, ,	•			e , •
County Hawick . Jedburgh Kelso Liddesdale Melrose . Selkirk . County Selkirk . Shetlan Burgha Lerwick . Shetlan Burgha Lerwick . County Mainland North Isles Stirling Burgha Burgha Lerwick . County Mainland North Isles Stirling Burgha Burgha County Central . County Central . Eastern .	Districts.		: County	Districts.	District.	d County	l District.	Districts.	County	llan . Dunipace	th .	Districts.
	th.	Liddesdale Melrose .	Selkirk	Burghal Galashiels Selkirk	County Selkirk .	Shetlan	Burgha Lerwick .	County Mainland North Isles	Stirling	Bridge of A Denny and Falkirk	Grangemou Kilsyth . Stirling .	Central . Eastern . Western .

TABLE F.—continued.

	Vi	olence.	23	*	63	03		: 69
·**.	Diseas	espiratory ses (except athisis).	11	2	. =	10	ંલ⊣ :	w 4
	er-	Other.	***	•	*	9	: proof : : : : : : : : : : : : : : : : : :	Ø 69
	Tuber-	Pulmonary.	2	*	10	2	: - 01 -	1 63
m m		arrhœa r 2 Years).	9 0 0	•	•	23	: -)
Deaths from		ohtheria l Croup.	•	•	*	67	:-::	:-
Dea	Whoop	oing-cough	0 0	• •	•	က	::::	H 63
	Scarl	let Fever.	0 0	•	:	6 9 0	::::	: :
	M	feasles.	6 6	0 0	*	*	: : : :	* * * * * * * * * * * * * * * * * * *
	Sn	allpox.		*	9 0	*	: : : :	• •
	Typh	nus Fever.	0 0 0	4 6 0	:	:		: :
	Enter	ric Fever.	:	:		:	* * * * * * * * * * * * * * * * * * *	: :
Deaths of	Person Years an	ns Aged 65 nd Upwards.	44	61	42	54	m ∞ m →	21 18
Deat		ren under ear of Age.	5	:	rO	20	ಬರ್ :	G 52
	Net	Number.	75	63	73	126	8 th 10 th	36
ths.	Trans	sferred in.		*	. 61	7	:04 :	 ∞
Deaths.	Trans	ferred out.	-	:	1	2	::	• •
	Reg	gistered.	74	63	72	121	0 9 a a	35
	Marri	ages.	12	:	12	61	27 12	14
	Ill e gitima (correc	9	*	9	60	60 1 60	13	
	Births (co	84	-	8	229	414 021	66	
	County and Public	Health District.	Sutherland County .	Burghal District, Dornoch.	County District. Sutherland	Wigtown County	Burghal Districts. Newton-Stewart Stranraer Whithorn Wigtown	County Districts. Machars

QUARTERLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN THE

DIVISIONS, COUNTIES, AND PUBLIC HEALTH DISTRICTS

OF

SCOTLAND.

QUARTER ENDING 30th SEPTEMBER 1920.

Published by Authority of the Registrar-General.

CCLXIII.

EDINBURGH:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

1 9 2 0.

Price 6d. Net.

REPORT.

REPORT ON THE BIRTHS, DEATHS AND MARRIAGES REGISTERED IN SCOTLAND DURING THE QUARTER ENDING 30TH SEPTEMBER 1920.

THE more outstanding features of the vital statistics of Scotland in the Third Quarter of the year 1920 are a falling birth-rate, an exceptionally high marriage-rate—the highest on record—and a low death-rate. birth-rate of the quarter was 25.6 per thousand; it is 4.0 less than that of the previous quarter. Following the Armistice and the demobilisation of the troops there was a marked increase in the birth-rate, but as the birthrate of this quarter may be described as of pre-war level, that rise may now be considered as passed. The marriage-rate of the quarter was 10.3, which is higher than those of all previous quarters since 1855, when national registration was instituted. The death-rate of the quarter was 11.3; in only two previous quarters were lower Scottish death-rates recorded, these two quarters being the third quarter of 1919 and the third quarter of 1917. The principal epidemic diseases rate of the quarter was low; it was only 0.6 per thousand. The epidemic of small-pox referred to in the two previous quarterly reports was continued in this quarter, and indeed attained a maximum in it, for the deaths recorded numbered 69, which is 19 more than in the last quarter. In the report on the statistics of the second quarter attention was drawn to the unusual number of illegitimate children; in this quarter that number was 2389, which, while being 367 less than in that quarter, is more than average; it is 331 more than in the third quarter of last year.

BIRTHS.

Births registered in Scotland during the quarter ending 30th September 1920 numbered 31,626. This number is 4589 less than that of the previous quarter, but is 6202 more than that of the third quarter of last year, 6192 more than the mean of those of the third quarters of the preceding five years, and 3939 more than the mean of those of the third quarters of the preceding ten years. It is less than the number registered in each of the three preceding quarters, but more than in any other quarter subsequent

to the second quarter of the year 1914.

The quarterly birth-rate was 25.6 per thousand. It is 4.0 less than that of the second quarter of this year, 5.3 less than that of the first quarter of this year, and 2.3 less than that of the fourth quarter of last year, but it is higher than those of all other quarters subsequent to the second quarter of the year 1915. It is 4.8 more than the mean of the rates of the third quarters of the preceding five years, and 2.7 more than the mean of those of the third quarters of the preceding ten years. A distinct post-war rise of birth-rate was observed in the fourth quarter of last year, 1919, when it rose from 20.5 (in the previous quarter) to 27.9, and this rise attained a maximum of 30.9 in the first quarter of this year, but since then the rate has been falling. It fell to 29.6 in the second quarter, and is now found to be 25.6. The average third quarterly birth-rate in the

TABLE I.—BIRTHS, ILLEGITIMATE BIRTHS, DEATHS, and MARRIAGES in SCOTLAND, and in the Divisions of the Counties during the Quarter ending 30th September 1920, with relative rates; also Infantile Mortality.

	POPUL	ATION.	TOT BIRT (Corre	HS.	ILLEO MA BIRT (Corre	TE THS.	DEA' (Corre for Tra	ected		IAGES.	CHIL	cted.)
	Census 1911.	Esti- mated to middle of 1920.	Num- ber.	Rate per 1000 of Pop.	Num- ber.	Per cent. of Total Births.	Num- ber.	Rate per 1000 of Pop.	Num- ber-	Rate per 1000 of Pop.	Num- ber.	Rate per 1000 Births.
SCOTLAND,	4760904	4921100	31626	25.6	2389	7.6	13948	11.3	12702	10:3	2356	74
LARGER BURGHS	224 573 5	2426500	15621	25.6	1143	7.3	6946	11.4	7888	12.9	1266	81
SMALLER BURGHS	9566 87	966700	6123	25.2	393	6.4	2832	11.7	2433	10.0	449	73
COUNTY DISTRICTS	1558482	1527900	9882	25.7	853	8.6	4170	10.9	2331	6.2	641	65
Northern Division,	105997	95100	474	19.8	54	11.4	3 13	13.1	116	4.9	30	63
North-Western Do.	164636	150100	736	19.5	51	6.9	527	14.0	214	5.7	50	68
North-Eastern Do.	467333	450400	2897	25.6	403	13.9	1293	11.4	1076	9.5	217	75
East-Midland Do.	712146	732600	4496	24.4	340	7.6	1964	10.7	1703	9.2	337	75
West-Midland Do.	386312	393800	2393	24.2	138	5.8	1067	10.8	806	8.1	141	59
South-Western Do.	2033521	2185600	15175	27.6	983	6.2	6225	11.3	6270	11.4	1182	78
South-Eastern Do.	700577	736600	4325	23.4	301	7.0	1970	10.6	2173	11.7	317	73
Southern Do.	190382	176900	1129	25.4	119	10.5	- 589	13.2	344	7.7	82	. 73

last five years unaffected by the war—1910 to 1914—was 25.1, and from

this average the rate of this quarter differs but little.

Of the 31,626 children whose births were registered during the quarter, 16,111 were male and 15,515 were female, the ratio of male to female children being 103.8 to 100. In the previous quarter this ratio was 105.0 to 100.

In the Divisions of the Counties the quarterly birth-rate varied from 27.6 in the South-Western, 25.6 in the North-Eastern, and 25.4 in the Southern, to 19.5 in the North-Western, and 19.8 in the Northern. In the East-Midland it was 24.4; in the West-Midland, 24.2; and in the South-Eastern, 23.4.

In the counties this rate ranged from 32.0 in Clackmannan, 29.5 in Kincardine, and 29.4 in Linlithgow, to 14.4 in Sutherland, 15.4 in Shetland,

and 16.4 in Peebles.

In the larger burghs, those with populations exceeding 30,000, when taken collectively, the quarterly birth-rate was 25.6; in the smaller burghs, 25.2; and in the county or extra-burghal public health districts, 25.7. Compared with that of the previous quarter, the larger burgh rate is 4.3 less, the smaller burgh rate is 3.4 less, and the county district rate is 4.6 less.

In the larger burghs taken individually the quarterly birth-rate varied from 31.7 in Hamilton, 31.3 in Greenock, 31.3 in Coatbridge, and 27.5 in Kirkcaldy, to 19.8 in Perth, 20.9 in Edinburgh, 23.5 in Dundee, and 23.9 in Ayr.

In burghs with censal populations of between 10,000 and 30,000, *i.e.* those of the smaller burghs with populations of more than 10,000, this rate varied from 37.5 in Port-Glasgow, 35.1 in Irvine, 32.8 in Alloa, and 32.2

in Dumbarton, to 16.5 in Galashiels, 19.7 in Rutherglen, 21.0 in Hawick,

and 21.6 in Grangemouth.

In county districts with censal populations of more than 10,000, this rate varied from 39.2 in Annan District of Dumfries, 34.6 in County District of Clackmannan, and 34.5 in Middle Ward District of Lanark, to 14.9 in County District of Sutherland, 15.0 in Mainland District of Shet-

land, and 16.0 in Skye District of Inverness.

Of the 31,626 children whose births were registered during the quarter, 29,237, or 92.4 per cent., were legitimate, while 2389, or 7.6 per cent., were illegitimate. The legitimate children of the quarter are 4222 less than those of the previous quarter, but 5882 more than those of the corresponding quarter of last year. The illegitimate children of the quarter are 367 less than those of the previous quarter, but 331 more than those of the corresponding quarter of last year. In the report dealing with the statistics of the second quarter of this year it was pointed out that the number of illegitimate children registered was unusually high, being higher than in all quarters subsequent to the second quarter of the year 1880; that number appears to have been the maximum of the post-war rise, for the number registered in this quarter is not only less than it, but is also less than those of the first quarter of this year and that of the fourth quarter of last year. The actual numbers registered in the four quarters of last year were 2069, 1876, 2058 and 2417 respectively, while those registered in the three quarters of this year numbered 2690, 2756 and 2389 respectively.

The illegitimate rate of the quarter, 7.6 per cent. of the total births registered, is the same as that of the previous quarter, but is 0.5 less than

that of the third quarter of last year.

In the Divisions of the Counties the illegitimate rate varied from 13.9 per cent. in the North-Eastern, 11.4 in the Northern, and 10.5 in the Southern, to 5.8 in the West-Midland, 6.5 in the South-Western, and 6.9 in the North-Western. In the East-Midland it was 7.6, and in the South-Eastern 7.0.

In the counties this rate varied from 17.6 in Moray, 14.5 in Caithness, 13.9 in Aberdeen, 13.3 in Wigtown, and 13.1 in Banff, to 2.0 in Selkirk, and 4.1 in Haddington and in Dumbarton.

In the larger burghs taken collectively this rate was 7.3, in the smaller burghs 6.4, and in the county districts 8.6. In the previous quarter these

three rates were 7.0, 7.4, and 8.7 respectively.

In the larger burghs taken individually this rate varied from 11.0 in Perth, 10.1 in Aberdeen, and 9.9 in Ayr, to 3.8 in Clydebank, 4.2 in Motherwell, and 4.6 in Greenock.

In those of the smaller burghs, which have populations of over 10,000, it varied from 10.2 in Montrose, 9.0 in Irvine, and 8.8 in Fraserburgh, to

0 in Galashiels, 1.7 in Grangemouth, and 2.2 in Dumbarton.

In county districts with populations of over 10,000 it varied from 26.0 in Turriff District of Aberdeen, 23.6 in Ellon District of Aberdeen, 23.6 in Rhins District of Wigtown, and 22.6 in County District of Caithness, to 2.0 in Lorn District of Argyll, 2.3 in Calder District of Midlothian, and 2.5 in Kilmarnock District of Ayr and in County District of Clackmannan.

Births registered in July numbered 11,089; in August, 10,557; and in September, 9980. The monthly birth-rate in July was 26.6; in August, 25.3; and in September, 24.7. The births registered in July number 2694 more than in the corresponding month of last year, those registered in

TABLE II .-- Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1910 to 1920 inclusive.

	of of	0 40 50	£0 6	so)
1920	Per 1000of Pop.	3 30.9	29.6	25.6 11.3 10.3			
	No.	37748 18925 11751	36215 18248 11881	31626 13948 12702			
Mean	for Ten Years	23.8 18.3 6.6	25.3 2.3 2.3 2.7	9.66 12.6 7.5	23.3 15.6 7 1		23.8 15.4 7.8
61	Per 1000of Pop.	18.6 23.9 7.3	19.5 13.6 9.5	20.5	27.9 13.1 9.2	740,	21.7 15.4 9.0
1919	No.	22507 28959 8811	23856 16612 11642	25424 13325 12268	34481 16253 11416	4,894,077	106268 75149 44137
1918	Per 1000of Pop.	19.3 14.9 6.8	21.4 13.7 6.6	20·1 12·3 7·6	20.0	,274	20.2
19	No.	23221 17885 8240	26054 16680 8048	24700 15188 9404	24579 28619 8908	4,886,274	98554 78372 34600
17	Per 1000of Pop.	21.2	21.6 15.3 6.0	18.8	18.6 12.5 6.6	,738	20°1 14°3 6°3
1917	No.	25371 21789 7260	26198 18612 7334	23096 13735 7827	22776 15347 8065	4,854,738	97441 69483 30486
91	Per 1000of Pop.	16.3	25.0 15.2 6.4	22.4 12.4 6.4	21.0	308	22.8 14.6 6.5
1916	No.	27352 19508 8604	29931 18272 7636	27144 15026 7766	25515 17834 7477	4,824,308	109942 70640 31483
5	Per 1000of Pop.	26·3 21·2 6·8	25°8 17°1 7°8	22.22 113.2 8.0	21.2	,598	23.9
1915	No.	30999 24990 7996	30793 20413 9245	26804 15932 9645	25585 20296 9386	4,785,598	114181 81631 36272
4	Per 1000of Pop.	26°3 17°7 7°4	28.0	25.5 13.6 7.9	25°1 15°5 6°7	,167	26·1 15·5 7·4
1914	No.	30656 20654 8631	33009 18169 9088	30336 16219 9358	29933 18515 7972	4,747,167	123934 73557 35049
13	Per 1000of Pop.	25.6 18.2 6.7	27.3 15.4 7.2	24.7 13.6 7.6	24.3 14.6 7.0	3,132	25.5
1913	No.	29825 21270 7841	32198 18143 8503	29487 18194 9037	29006 17462 8310	4,728,132	120516 73069 33691
23	Per 1000of Pop.	25°6 17°5 5°9	27.2 15.0 7.0	25.3 12.8 7.4	25.2	440,-	25.9 15.3 6.9
1912	Z o.	30272 20698 6994	32221 17693 8209	30166 15228 8778	30057 18721 8529	4,741,077	122716 72340 32510
11	Per 1000of Pop.	26.1 16.9 5.8	27.7 15.2 7.3	24.7 13.4 7.0	23.7 14.8 6.7	4,751,132	25.6 15.1 6.7
1911	No.	30710 19794 6758	32935 18029 8567	29653 16149 8434	28513 17760 8052	4,75]	121811 71732 31811
01	Per 1000of Pop.	26·1 17·7 6·3	28.6 15.8 6.7	25.2 112.8 6.7	24.9 14.8 6.4	4,738,611	26·2 15·3 6·5
1910	No.	30422 20605 7317	33812 18593 7928	300 6 1 15331 7975	29705 17716 7646	4,738	124000 72245 30866
		FIRST QUARTER. Births, Deaths, Marriages,	SECOND QUARTER. Births, Deaths, Marriages,	THIRD QUARTER. Births, Deaths, Marriages,	FOURTH QUARTER. Births, Deaths, Marriages,	YEAR. Population	Births, Deaths, Marriages,

August 2444 more, and those registered in September 1075 more, and a similar comparison of birth-rate shews that of July to be 6.5 higher, that of August to be 5.8 higher, and that of September to be 2.6 higher.

The birth-rate of the quarter in England and Wales was 24.3 per

thousand, which is 1.3 less than the Scottish rate.

MARRIAGES.

Marriages registered in Scotland during the quarter numbered 12,702. This number is 821 more than that of the previous quarter, 434 more than that of the third quarter of last year, 3320 more than the mean of the numbers of the third quarters of the preceding five years, and 3653 more than the mean of those of the preceding ten years. This is the largest number of marriages registered in one quarter since the introduction of national registration in 1855, the previous largest number

being that of the third quarter of last year.

The quarterly marriage-rate is 10.3 per thousand, and is the highest quarterly Scottish marriage-rate yet reported. It is 0.6 more than that of the previous quarter, 0.4 more than that of the third quarter of last year, 2.6 more than the mean of the rates of the third quarters of the preceding five years, and 2.8 more than the mean of those of the third quarters of the preceding ten years. The marriage-rate of this quarter and those of the five preceding quarters average 9.7, while the maximum quarterly rate of all quarters previous to April 1919 was 8.9. In the 257 quarters dealt with in these reports of dates previous to April 1919 a marriage-rate of 8 per thousand or upwards only occurred 22 times, and then only in fourth quarters, while in the six quarters that have elapsed since that date the rate has been 9.2 or more.

In the Divisions of the Counties the quarterly marriage-rate varied from 11.7 in the South-Eastern, and 11.4 in the South-Western, to 4.9 in the Northern, and 5.7 in the North-Western. In the North-Eastern, it was 9.5; in the East-Midland, 9.2; in the West-Midland, 8.1; and in the

Southern, 7.7.

In the counties, burghs included, this rate varied from 13.4 in Midlothian, 12.1 in Lanark, 10.5 in Aberdeen, and 10.4 in Clackmannan and in Forfar, to 3.4 in Shetland, 3.6 in Sutherland, 4.2 in Argyll, 4.5 in Ross and Cromarty, and 4.6 in Haddington and in Orkney.

In the larger burghs taken collectively the quarterly marriage-rate was 12.9; in the smaller burghs, 10.0; and in the county districts, 6.2. In the previous quarter these three rates were 11.6, 9.4 and 6.9 respec-

tively, and in the third quarter of last year they were 12.7, 9.6 and 5.8.

In the larger burghs taken individually the marriage-rate ranged from 15.8 in Edinburgh, 14.0 in Ayr, and 13.9 in Aberdeen, to 8.0 in Clydebank, 8.6 in Kilmarnock, and 9.2 in Motherwell. In Glasgow this rate was 13.2, and in Dundee, 12.2.

In burghs with populations of between 10,000 and 30,000 this rate varied from 20·1 in Irvine, 18·4 in Dumfries, and 18·3 in Inverness, to 6·4 in Kirkintilloch, and 7·0 in Buckhaven, Methil and Innerleven, and in

Montrose.

In county districts with populations of more than 10,000 this rate varied from 10.3 in Western District of Dumbarton, and 9.3 in Middle Ward District of Lanark and in Upper District of Renfrew, to 1.0 in Skye District of Inverness, 1.6 in Ellon District of Aberdeen, and 1.8 in Lews District of Ross and Cromarty.

Marriages registered in Scotland in the month of July numbered 5596; in August, 3289; and in September, 3817. Compared with the number registered in the corresponding month of last year, that of July is 477 more, and that of August is 103 more, but that of September is 140 less. The monthly marriage-rate of July was 13.4; of August, 7.9; and of September, Compared with that of the corresponding months of last year the July rate is 1.1 more, and the August rate 0.3 more, but the September rate is 0.3 less.

DEATHS.

Deaths registered in Scotland during the quarter numbered 13,948. This number is 4300 less than in the previous quarter, but 625 more than in the third quarter of last year. It is 693 less than the mean of the numbers of the third quarters of the preceding five years, and 1285 less than the mean of those of the third quarters of the preceding ten years. This number, 13,948, is less than that registered in all quarters since the institution of national registration with the exception of seven, those of the third quarters of the years 1855, 1856, 1859, 1860, 1861, 1917 and 1919.

The quarterly death-rate was 11:3 per thousand. It is 3:6 less than that of the previous quarter, but 0.5 more than that of the third quarter of last year. It is 0.7 less than the mean of those of the third quarters of the preceding five years, and 1.3 less than the mean of those of the third quarters of the preceding ten years. It is lower than all quarterly Scottish death-rates with the exception of two, those of the third quarter

of 1919, and the third quarter of 1917.

In the Divisions of the Counties the quarterly death-rate varied from 14.0 in the North-Western, 13.2 in the Southern, and 13.1 in the Northern, to 10.6 in the South-Eastern, 10.7 in the East-Midland, and 10.8 in In the North-Eastern Division this rate was 11.4, the West-Midland. and in the South-Western, 11.3.

In the counties this rate varied from 14.5 in Orkney, 14.3 in Ross and Cromarty, 14:2 in Dumfries, and 14:0 in Wigtown, to 8:9 in Kinross, 9.3 in Haddington, 9.5 in Nairn, and 9.6 in Berwick and in Dumbarton.

In the larger burghs taken collectively the death-rate was 11.4; in the smaller burghs, 11.7; and in the county districts, 10.9. In the previous quarter these three death-rates were 15.6, 14.5 and 14.0 respectively, and in the third quarter of last year they were 10.6, 11.0 and 10.6 respectively.

In the larger burghs taken individually the quarterly death-rate ranged from 13.5 in Coatbridge, 12.8 in Ayr, 12.6 in Kirkcaldy, and 12.5 in Leith, to 8.6 in Clydebank, 9.0 in Motherwell, 9.1 in Falkirk, and 9.4 in Perth. In Glasgow this rate was 11.9; in Edinburgh, 10.6; in Dundee, 11.1; and in Aberdeen, 10.9.

In those of the smaller burghs which have populations of more than 10,000 this rate varied from 17.3 in Irvine, 16.7 in Inverness, and 16.2 in Montrose, to 6.8 in Cowdenbeath, 8.2 in Buckhaven, Methil and Inner-

leven, and 8.9 in Borrowstounness.

In county districts with populations of more than 10,000 the deathrate ranged from 17.7 in Annan District of Dumfries, and 16.4 in Skye District of Inverness and in Central District of Perth, to 7:4 in St. Andrews District of Fife, 7.6 in Lasswade District of Midlothian, 8.2 in Kirkcaldy District of Fife, and 8.3 in the Western District of Haddington and in Upper District of Renfrew.

Deaths registered in Scotland in July numbered 4728; in August, 4695; and in September, 4525. The Scottish monthly death-rate for July was 11.3; for August, 11.3; and for September, 11.2. Compared with the death-rate of the corresponding month of last year, that of July is 0.3 more, and that of August is 1.3 more, but that of September is 0.1 less.

The death-rate of the quarter in England and Wales was 10.1.

is 1.2 lower than the Scottish rate.

AGES OF THOSE DYING.

Of the 13,948 persons whose deaths were registered during the quarter, 3084, or 22.1 per cent., were aged less than five years old; 6322, or 45.3 per cent., were aged more than five but less than sixty-five; and 4540, or 32.6 per cent., were aged sixty-five or over. In two instances the age at death was unstated. Compared with the numbers in the previous quarter, deaths among children of less than five years old are 1746 fewer, those among persons aged between five and sixty-five are 1573 fewer, and those among persons of sixty-five and over are 981 fewer. Compared with the number of the third quarter of last year, those among children of less than five years old are 173 fewer, those among persons aged between five and sixty-five are 342 more, and those among persons of sixty-five and over are 108 more.

Deaths of children of less than one year old numbered 2356. This number is 1126 less than that of the previous quarter, but 364 more than that of the corresponding quarter of last year. The equivalent annual infantile mortality rate is 74 per thousand registered births. This rate is 22 less than that of the previous quarter, and 4 less than that of the third quarter of last year. This is the sixth consecutive quarter in which this rate has been less than 100. The infantile mortality rate of this quarter, 74, is the lowest Scottish quarterly rate yet recorded, with the exception of that for the fourth quarter of last year, when it was also 74. Otherwise the previous lowest was that of the third quarter of last year, which was Previous to 1913 the quarterly infantile mortality rates were not included in these reports, and the foregoing statement consequently only applies to reports published since that date.

In the counties, burghs included, the infantile mortality rate varied from 90 in Forfar, 88 in Selkirk, and 87 in Wigtown, to 39 in Bute and in Kinross, and 47 in Roxburgh. In the larger burghs it varied from 109 in Ayr, 104 in Dundee, and 94 in Motherwell, to 23 in Falkirk, 47 in Kilmarnock, and 56 in Greenock and in Clydebank. In Glasgow it was 86; in Edinburgh, 67; and in Aberdeen, 91. In smaller burghs with populations of over 10,000 this rate varied from 138 in Inverness, 124 in Irvine, and 117 in Galashiels, to 17 in Grangemouth, 32 in Alloa, and 50 in Borrowstounness. In county districts with populations of more than 10,000 it varied from 117 in Cupar District of Fife, 115 in Keith District of Banff, and 105 in Annan District of Dumfries, to 21 in Deeside District of Aberdeen, 25 in Western District of Dumbarton, and 27 in Upper District of Renfrew.

In the larger burghs taken collectively this rate was 81; in the smaller burghs, 73; and in the county districts, 65. In the previous quarter these three rates were 109, 90, and 80 respectively, and in the third quarter of last year they were 86, 75, and 67.

CAUSES OF DEATH.

Of the 13,948 deaths registered, 780, or 5.6 per cent. of the total, were attributed to the principal epidemic diseases. This number includes 21 from enteric fever, 61 from measles, 52 from scarlet fever, 113 from whooping-cough, 117 from diphtheria, and 416 from the diarrheas of children of less than two years old. Compared with the number in the previous quarter the total deaths from these causes are 318 fewer, and compared with the number in the third quarter of last year they are 133 fewer. Compared with the number in the previous quarter deaths from enteric fever are 2 more, those from scarlet fever are 11 more, and those from the diarrheas of childhood are 126 more, but those from measles are 321 fewer, from whooping-cough 88 fewer, and from diphtheria 48 fewer. Compared with the number in the third quarter of last year, deaths from enteric fever are 1 more, from scarlet fever 12 more, and from the diarrheas of childhood 9 more, but those from measles are 77 fewer, from whooping-cough 48 fewer, and from diphtheria 30 fewer.

The principal epidemic diseases death-rate was 0.6 per thousand. It is 0.3 less than in the previous quarter, and 0.1 less than in the third quarter of last year. The quarterly death-rate from enteric fever was 2 per 100,000; from measles, 5; from scarlet fever, 4; from whooping-cough, 9; from diphtheria, 9; and from the diarrhœas of childhood, 34.

In the counties, burghs included, the principal epidemic diseases rate of the quarter ranged from 1.0 per thousand in Linlithgow, 0.9 in Nairn, and 0.8 in Forfar, in Lanark and in Stirling, to 0 in Bute, in Kinross, in Selkirk and in Sutherland. In the larger burghs it ranged from 1.0 in Dundee, and 0.9 in Paisley, in Coatbridge and in Ayr, to 0.3 in Edinburgh, 0.4 in Aberdeen and in Perth. In smaller burghs with populations of more than 10,000 it varied from 3.2 in Irvine, and 1.4 in Borrowstounness and in Fraserburgh, to 0 in Buckhaven, Methil and Innerleven, in Forfar, in Galashiels, in Hawick and in Montrose. In county districts with populations of over 10,000 it varied from 1.7 in Thornhill District of Dumfries, 1.4 in Brechin District of Forfar, 1.2 in Linlithgow District of Linlithgow, and 1.2 in Central District of Stirling, to 0 in eleven districts.

Deaths from epidemic diseases other than those classed as the principal epidemic diseases included 5 from typhus fever, 5 from malaria, 69 from small-pox, 27 from erysipelas, 24 from cerebro-spinal meningitis, and 18 from encephalitis lethargica. In the previous quarter deaths from typhus fever numbered 1; from small-pox, 50; and from cerebro-spinal menin-

gitis, 35.

Of the 69 persons dying from small-pox, 42 are reported to have been vaccinated and 27 to have been unvaccinated; of the former all were aged 15 or over, while of the latter 24, all except 3, were under that age. Of the 69 deaths 62 occurred in Lanarkshire, 52 being credited to Glasgow, 2 each to Coatbridge and Rutherglen, 4 to the Lower Ward County District, and 2 to the Middle Ward County District. Of the remaining 7, 3 occurred in the county of Ross and Cromarty, and 1 each in the counties

of Dumbarton, Inverness, Renfrew and Stirling.

Deaths from all forms of tuberculosis numbered 1350, and constituted 9.7 per cent. of the total deaths of the quarter. They are 295 fewer than in the previous quarter, but 29 more than in the third quarter of last year. They equal an annual death-rate of 109 per 100,000, which rate is 25 less than that of the previous quarter, but 2 more than that of the third quarter of last year. They included 910 deaths from phthisis, 151 from tuberculous meningitis, 123 from abdominal tuberculosis, and 166 from other tuberculous disease. Compared with the number in the previous quarter, deaths from phthisis are 210 fewer, from tuberculous meningitis 15 fewer, and from abdominal tuberculosis 30 fewer. The

quarterly death-rate from phthisis was 74 per 100,000, which is 18 less than that of the previous quarter, but is 5 more than that of the third

quarter of last year.

Deaths from malignant disease numbered 1393, and equalled a death-rate of 113 per 100,000. These deaths are 51 fewer than in the previous quarter, and 48 fewer than in the third quarter of last year. Deaths from apoplexy numbered 989, and from heart disease 1503, the former

being 128, and the latter 217, fewer than in the previous quarter.

Deaths from pneumonia numbered 850, constituted 6·1 per cent. of the total, and equalled an annual death-rate of 69 per 100,000. They are 1405 fewer than in the previous quarter, but 117 more than in the third quarter of last year. Deaths from bronchitis numbered 583, constituted 4·2 per cent. of the total, and equalled an annual death-rate of 47 per 100,000. They are 715 fewer than in the previous quarter, but 101 more than in the third quarter of last year.

Deaths from influenza in all numbered 74, of which 22 were attributed solely to influenza, and 52 to influenza complicated by some other disease. The total number is 678 less than in the previous quarter,

and 8 less than in the third quarter of last year.

Deaths attributed to violent causes numbered 680. They are 22 fewer than in the previous quarter, and 7 fewer than in the corresponding

quarter of last year.

Deaths ascribed to diseases and accidents of pregnancy and childbirth numbered 153. They are 79 fewer than in the previous quarter, but 15 more than in the third quarter of last year. They equal a death-rate of 4.8 per 1000 registered births, which rate in the previous quarter was

6.4, and in the third quarter of last year was 5.4.

Deaths of which the causes were ill-defined numbered 219, and those of which the causes were unspecified or merely described as "Natural Causes" numbered 80. The former included 135 attributed to heart failure and 52 to syncope. In the previous quarter deaths from ill-defined causes numbered 256 and from unspecified causes 94.

Table III.—Deaths from Influenza during Quarter ending 30th September 1920.

	Total.	Males.	Females.		A g	e Dist	ributio	on.	
				-5	5-	15-	35-	55-	75 and over.
Only named cause	22	6	16	2		3	4	10	. 3
Other Epidemic Diseases Pulmonary Tuberculosis	2		2			 1		<u> </u>	_
Other Forms of Tuberculosis . Meningitis (not Tuberc. or CerSp.)	3	3		<u> </u>	1	1		laggi-manuri-m Garanghyapun	
Heart Disease	2 4 3 0	$\frac{1}{2}$	1 2 9	3 2	1	- 1 8	9	7	_
Other Dis. of Respir. System	2	21	9	Z		8	9	1	3
Childbirth	1 8	2	1 6		2	1 2	1		_ 1
Total	74	37	37	8	4	17	15	22	8
July	32	, 13	19	2		10	8	9	3
Aug	20	. 11	9	2	3	2	4	7	2
Sept	22	13	9	4	1	5	3	6	3

Table IV.—Deaths from Influenza in Larger Burghs during Quarter ending 30th September 1920.

	In	fluenza Dea	ths.			Age Dist	tribution.		
BURGHS.	Total.	Sole Cause.	One of two or more Causes.	-5	5-	15-	35-	55	75 and over.
Glasgow Edinburgh Dundee Aberdeen Paisley Leith Greenock Coatbridge Motherwell Kirkcaldy Hamilton Clydebank Perth Kilmarnock Falkirk Ayr	12 5 1 1 - 2 2 - 4 - 3 1 - 1	2 2 - - 2 - 2 - 1 - -	10 3 1 1 2 - 2 - 3 - 1	11	1	3 1 - - - 1 2 - 1 8	3 1 - 1 - - - 1	1 - 1 - 3 - 1 10	1 2 1

Table A.—Birth-, Death-, and Marriage-rates of the Counties of Scotland during the Quarter ending 30th September 1920.

			Rat		000 of Estulation.	imated		Infantile
COUNTIES.		Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	Illegiti- mate Births per 100 Births.	Mortality Rate per 1000 Births.
SCOTLAND	• •	4,921,100	25.6	10.3	11.3	0.6	7.6	74
Aberdeen	• •	305,600 61,100 268,500	25·3 19·6 28·1	10·5 4·2 9·1	11·4 13·5 10·9	0·5 0·4 0·7	13·9 8·0 6·8	82 73 66
Banff		57,800 26,900 16,600	24·2 21·9° 18·4	6·2 6·1 5·3	11·7 9·6 11·2	0·3 0·7 0·0	13·1 11·5 11·7	74 68 39
Caithness	• •	28,600 28,600 148,900	24·0 32·0 26·2	7·2 10·4 8·3	12·0 11·3 9·6	0·3 0·4 0·6	14·5 4·8 4·1	58 48 56
Dumfries		68,900 539,100 39,800	27·7 22·9 26·7	9·5 13·4 8·9	14·2 10·9 12·1	0.6 0.4 0.5	10·6 7·2 17·6	79 71 52
Fife Forfar Haddington		293,600 283,500 44,800	25·8 23·5 24·1	8·7 10·4 4·6	9·8 11·1 9·3	0·5 0·8 0·5	5·7 9·0 4·1	68 90 74
Inverness	• •,	79,800 38,400 7,600	18·3 29·5 26·8	6·7 6·9 6·3	13·7 11·1 8·9	0·5 0·3 0·0	8·2 12·0 11·8	74 53 39
Kirkeudbright Lanark Linlithgow		35,300 1,618,000 86,900	24·6 27·8 29·4	6·2 12·1 8·2	13·0 11·5 9·9	0.5 0.8 1.0	12·4 6·6 6·5	73 82 82
Nairn		8,800 22,500 14,600	22·1 24·0 16·4	11·7 4·6 5·7	9·5 14·5 11·8	0·9 0·2 0·3	12·2 8·1 11·7	61 66 67
Perth	• • •	119,300 299,100 70,300	21·2 26·1 20·9	7·9 9·9 4·5	11·7 10·8 14·3	0·3 0·7 0·2	9·9 5· 3 5· 7	68 63 62
Roxburgh		43,100 24,300 26,100	21·7 16·7 15·4	7·8 9·3 3·4	11·4 10·8 13·7	0·2 0·0 0·3	6·4 2·() 9·9	47 88 59
Stirling Sutherland	• •	167,200 17,900 29,600	24·6 14·4 26·4	9·7 3·6 5·4	10·8 12·2 14·0	0.8 0.0 0.5	6· 3 12·3 13·3	59 77 87

Table B.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of over 30,000 during the Quarter ending 30th September 1920.

					Estimated	Leave	Popu	00 of Esti ulation.	mated	Illegiti-	Infantile Mor-
,					Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Glasgow .	4	•			1,115,500	26.6	13.2	11.9	0.8	7.1	86
Edinburgh	,		e		342,300	20.9	15.8	10.6	0.3	8.8	67
Dundee	,				189,000	23.5	12.2	11.1	1.0	8.9	104
Aberdeen	,				167,700	26.3	13.9	10.9	0.4	10.1	91
Paisley .				٠	89,400	24.7	11.4	10.7	0.9	5.6	70
Leith	,	0			84,700	26.7	10.9	12.5	0.5	4.8	93
Greenock .	,				79,700	31.3	10.3	12.4	0.6	4.6	56
Coatbridge.		•	•	٠	44,500	31.3	9.8	13.5	0.9	5.1	63
Motherwell			•		42,200	27.1	9.5	9.0	0.8	4.2	94
Kirkcaldy .	,		•		40,700	27.5	9.8	12.6	0.5	5.0	78
Hamilton .		•	•	•	39,500	31.7	10.6	10.6	0.2	8.3	57
Clydebank .	,		•	٠	4 8,800	26.1	8.0	8.6	0.7	3.8	56
Perth	•	•		0	36,600	19.8	13.4	9.4	0.4	11.0	71
Kilmarnock	•	•	•	•	37,800	24.4	8.6	10.2	0.7	7.3	47
Falkirk .		•			34,500	24.6	13.7	9.1	0.8	7.5	23
Ayr	•	•		۰	33,600	23.9	14.0	12.8	0.9	9.9	109

Table C.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of between 10,000 and 30,000 during the Quarter ending 30th September 1920.

	Estimated	Rat	es per 100 Pop	00 of Esti	mated	Illegiti-	Infantile Mor-
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Airdrie	24,800	30.8	14.1	10.7	0.6	3.6	94
Alloa .	11,500	32.8	9.0	10.7	0.3	7.4	32
Arbroath	17,900	25.5	10.0	10.0	0.7	4.3	52
Barrhead	12,100	29.0	8.9	9.9	1.3	6.8	114
Borrowstounness	11,600	27.4	14.1	8.9	1.4	6.3	50
Buckhaven, Methil, and Inner-	12,000						
leven	20,000	25.1	7.0	8.2	0.0	4.0	56
Cowdenbeath	76,000	23.4	7.7	6.8	0.9	7.5	65
Dumbarton.	00,500	32.2	10.4	10.8	0.9	2.2	104
Dumfries	15 500	24.6	18.4	15.4	0.5	4.2	115
Dunfermline	20,200	30.3	16.3	12.7	0.5	2.6	61
Forfar	9,800	23.2	11.0	13.5	0.0	7.0	53
Fraserburgh	77 200	28-3	7.1	11.7	1.4	8.8	75
Galashiels	7.4 5.00	16.5	9.9	11.8	0.0	0.0	117
Grangemouth	10,700	21.6	10.4	9.7	0.4	1.7	17
Hawick	15,500	21.0	8.4	12.5	0.0	6.1	73
Inverness	20,200	22 ·8	18.3	16.7	0.8	6.9	138
Irvine	10,100	35.1	20.1	17.3	3.2	9.0	124
Johnstone	12,100	24.3	10.5	9.5	1.3	8.1	81
Kirkintilloch	12,500	23.9	6.4	11.5	0.3	2.7	53
Montrose	9,100	25.8	7.0	16.2	0.0	10.2	102
Musselburgh	18,600	30.0	8.3	12.4	0.4	7.9	79
Peterhead	14,400	29.8	8.8	10.5	0.6	8.3	65
Port-Glasgow	18,500	37.5	10.5	12.4	0.9	2.9	69
Renfrew	14,700	25.7	8.1	9.7	0.8	5.3	84
Rutherglen	27,900	19.7	10.8	10.1	1.0	2.9	65
Stirling	22,400	27.1	12.6	13.5	•0.9	5.9	85
Wishaw	27,700	30.5	9.9	9.9	0.7	7.1	75

Table D.—Birth-, Death-, and Marriage-rates of all County Public Health Districts in Scotland having Censal Populations of over 10,000 during the Quarter ending 30th September 1920.

			Rat	es per 100 Popu	00 of Esti- lation.	mated	Illegiti-	Infantile
		Estimated Population Middle of 1920.	Births	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	Births per 100	Mortality Rate per 1000 Births.
ABERDEEN COUNTY.								
Aberdeen Deer Deeside Ellon Garioch Turriff	• •	22,600 25,600 11,100 12,300 12,500 9,900	20·4 24·9 16·8 28·9 25·4 29·4	6·2 5·3 3·9 1·6 4·1 3·6	11.8 10.9 13.2 10.7 11.1 13.7	0·2 0·3 0·0 0·3 1·0 0·4	13:8 21:9 19:1 23:6 18:8 26:0	60 81 21 79 50 41
ARGYLL COUNTY.								
Lorn		9,400	20.8	2.1	14.8	0.4	2.0	82
AYR COUNTY.								
Ayr	• •	42,400 12,600 22,300 44,800	31·2 22·7 29·0 29·6	8·1 3·8 8·2 7·6	10·4 10·7 10·9 10·9	0.8 0.0 0.2 0.7	9·3 9·7 2·5 5·7	69 42 68 63
Banff County.								
Banff		15,600 10,600	25·2 22·9	5·9 2·2	9·7 11·6	0·0 0·7	16·2 18·0	91 115
CAITHNESS COUNTY.		-						
Caithness		16,400	25.7	5.6	11.6	0.5	22.6	28
CLACKMANNAN COUNTY.								
Clackmannan .	• •	9,200	34.6	8.2	11.3	0.4	2.5	· 3 8
DUMBARTON COUNTY.								
Eastern	• •	23,900 27,500	22·0 29·2	5.0	9·3 8·4	0.7	5·3 5·9	45 25
DUMFRIES COUNTY.								
Annan Thornhill	• •	9,700	39·2 28·2	7.4	17·7 12·5	0.4	7.4	105 86
Edinburgh (Midlothia County.	N)	•						
Calder Lasswade Suburban	• •	17,500 26,200 26,500	29·3 23·2 21·1	9·1 5·9 6·3	11.6 7.6 9.7	0·9 0·6 0·1	2·3 5·9 3·5	39 72 57
ELGIN (MORAY) COUNTY.								
Elgin (Moray) .		19,400	25.3	4.1	13.1	0.6	16.3	65
FIFE COUNTY.								
Cupar		15,100 34,200 49,600 15,000	24·8 30·4 27·7 18·5	2·9 9·1 5·8 5·3	10·5 8·7 8·2 7·4	0·0 0·7 1·0 0·5	13·8 7·7 6·1 5·7	117 57 81 29

Table D.—continued.

	TS. 4°	Rate	es per 100 Popu	00 of Esti llation.	mated	Illegiti-	Infantile
	Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 100 Births
FORFAR COUNTY.							
Brechin	11,600 9,900	22·9 25·2	3·4 4·0	9·9 12·4	1·4 0·4	9·0 22·2	90 63
Haddington County.							
Western	17,700	25.7	4.7	8.3	0.5	6.1	44
Inverness County.							
Skye	11,400	16.0	1.0	16.4	0.0	10.9	43
LANARK COUNTY.	,						
Lower	33,500 212,100 43,000	20·9 34·5 29·1	6·7 9·3 7·7	9·1 10·4 11·8	1·1 1·1 0·3	5·7 5·7 7·0	68 80 60
LINLITHGOW COUNTY.							
Bathgate	35,6 00 16,4 00	33·9 29·2	7·4 6·3	9·2 10·7	0·9 1·2	5·0 9·2	76 92
PERTH COUNTY.							
Central	9,200 11,700 19,800	22·4 23·4 24·7	5·2 4·4 4·8	16·4 13·9 12·0	0·0 0·3 0·2	11.5 13.0 4.1	58 43 73
Western	9,500	23.0	3.3	10.0	0.0	7.3	36
RENFREW COUNTY.							
Upper	40,700 22,900	17·9 20·0	9·3 4·5	8·3 9·4	0·2 0·5	6·6 ·5·2	. 27
Ross and Cromarty County.							
Easter-Ross	9,100 25,000 10,300	31.0 19.6 24.0	3·1 1·8 5·4	14·4 13·5 14·3	0.0 0.2 0.0	7·0 3·3 3·2	42 98 32
SHETLAND COUNTY.		-		•			
Mainland	17,000	15.0	1.9	13.6	0.0	9.4	31
STIRLING COUNTY.							
Central	30,800 41,300 11,500	23·2 24·7 19·1	5·9 9·2 4·5	9·7 11·0 10·4	1·2 0·4 0·3	6·1 6·2 7·3	72 54 73
SUTHERLAND COUNTY				10.1	0.0	10.0	70
Sutherland	17,100	14.9	3.7	12.1	0.0	10.9	78
WIGTOWN COUNTY. Rhins	10,900	26.3	5.1	11.0	0.4	23.6	2 8

Table E.—Causes of Death in Scotland at Different Periods of Life during the Quarter ending 30th September 1920.

	All	l Age	s.						A	ge.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15–	25-	35-	45-	55-	65-	75 and over
I. GENERAL DISEASES.														
1 Enteric Fever 2 Typhus Fever 4 Malaria	21 5 5	10 3 5	11 2			2	3	7	1 3	3 1 2	2 2			•••
$ \begin{array}{c c} & \textbf{5} & (a) \\ & (b) & \text{Smallpox} \\ & (c) & \end{array} \begin{array}{c} \text{Vaccinated} \\ \text{Vaccination} \\ \text{Doubtful} \end{array} . $	42 27 	29 12 	13 15 	8	7	4	5	1	3	9	19	5 2	5	
6 Measles	61 52 113	33 24 49	28 28 64	18 2 63	38 19 45	4 19 4	5	4	***	3	1		•••	• • •
9 (a) Diphtheria (c) Croup, Membr. Laryngitis (b) . 10 Influenza* 13 Cholera Nostras	115 2 22	57 2 6	58 16	10 1 1	53 1 1	40	6	3	1	1	3	2	9	3
14 Dysentery	6 27 6	3 10 5	3 17 1	2 3	 			2 3	3	1	1 6 2	1 4	4	1 4
17, 25, 26, 27) 20 (a) Pyæmia, Septicæmia (not Puerperal) (b) (c) Vaccinia	31	21	10	9	1	1	2	2	8	2		4	• • •	2
21 Glanders 22 Anthrax 23 Rabies, Hydrophobia	•••		•••	• • •	•••				• • •		• • •	• • •	• • •	
24 Tetanus 28 Pulmonary Tuberculosis, Phthisis 29 (a) Acute Phthisis (b) Acute Miliary Tuberculosis	887 23 17	430 7 8	457 16 9	3	16	7 1 2	28 3 1	2 223 7 3	219 5 4	1 172 6 4	130	60	25	4
30 Tuberculous Meningitis 31 Abdominal Tuberculosis 32 Tuberculosis of Spine	151 123 20	73 54 10	78 69 10	41 16	49 29 1	22 19 2	16	14 16 3	5 15 3	2 4 2	6 3	7	• • •	•••
33 Tuberculosis of Joints 35 Tuberculosis of other Organs, Disseminated Tuberculosis (34) 36 Rickets, Osteomalacia	21 108	11 61 6	10	5	16	7	6	8 15	15	9	16	2 13	1 4	2 2
37 Syphilis. 38 Other Venereal Diseases 45 (a) Carcinoma	51 1 887	25 1 362	3 26 525	5 36	3 1	• • •	1	2	1 15	3 1 56	164	1 258	2 258	134
(b) Sarcoma (c) Malignant Disease, other or not defined	60 446	31 212	29 2 34	1	3		1	1	6 10	8 32	13 69	8 131	15 131	4 72
46 Other Tumours (Situation undefined) 47 Rheumatic Fever	59 13	2 34 3	3 25 10	1	1	7	9	16	6	6	5	3 2	3	2 7
(b) Osteo-arthritis	21 1 2	7 1 2	14	• • •	• • •			1		1	3	4	8	4
50 Diabetes 51 Exophthalmic Goitre 52 Addison's Disease 53 (a) Leucocythæmia	124 13 6 14	55 2 1 9	69 11 5 5	• • •	2	2	2	12	14 2	11 5	18 4 3	30	27	8
(b) Lymphadenoma 54 Anæmia, Chlorosis 55 (b) Purpura	$\begin{bmatrix} 6 \\ 124 \\ 4 \end{bmatrix}$	3 46 2	3 78 2	1	1			3	10	2 1 23	3 1 20	32	2 1 27	 11
(c) Hæmophilia (d) Other General Diseases (a) 56 Alcoholism 57 Chronic Lead Poisoning	1 5 27	1 2 15	3 12	1	1	1	• • •	i	2	5	12	1 6	2	1
58 Other Chronic Occupational Poisonings 59 Other Chronic Poisonings	•••	• • •		• • •	• • •	• • • •				•••		•••	• • •	
	* Co7a						1.							

^{*} Sole Cause-vide page 11.

TABLE E.—continued.

	Al	l Age	s.						Ag	e.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
II. DISEASES OF NERVOUS SYSTEM.														
 60 Encephalitis	50 24 176	27 11 91	23 13 85	3 7 76	4 8 50	1 2 11	4 2 6	6 3 10	7	6 1 4	10	4 1 3	1 71	4
 62 Locomotor Ataxy 63 Other Diseases of Spinal Cord 64 Cerebral Hæmorrhage, Apoplexy 65 Softening of Brain 66 (α) Hemiplegia (c) Paralysis, Cause or Nature unspecified (b) 	17 99 989 49 110	14 46 451 26 47	3 53 538 23 63	23	1	1	1	8	8 8	1 14 31 1 2	6 15 9 8 9 · ·	24 245 9 16	3 23 320 13 43	1 11 284 23 39
67 General Paralysis of Insane 68 Other Insanity 69 Epilepsy 71 Convulsions (not Puerperal) (70) 72 Chorea 73 Neuralgia, Neuritis 74 (c) Cerebral Tumour	41 30 58 114 1 6 33	38 8 34 55 3 15	3 22 24 59 1 3 18	 2 92	4 16	2 3 2 2	1 2 1	2 11 1 	4 3 10 2	16 7 7 	13 5 9 1 2 10	7 4 4 1 2 8	7 5 	 2 2 2
(d) Other Diseases of Nervous System (a, b) 75 Diseases of Eye and Annexa 76 (a) Mastoid Diseases (b) Diseases of Ear	24 2 9 39	17 1 7 24	7 1 2 15	1 5	2 5	1 2	1 4	2 9	 3	3 5	1 1 3	8		2 2 1
III. DISEASES OF CIRCUL- ATORY SYSTEM.														
77 Pericarditis 78 Acute Endocarditis 79 (a) Valvular Disease (b) Fatty Degeneration of Heart (c) Other Organic Diseases of Heart 80 Angina Pectoris 81 (a) Aneurysm (b) Arterio-sclerosis (c) Other Diseases of Arteries 82 (a) Cerebral Embolism, Thrombosis (b) Embolism and Thrombosis, not	9 47 732 67 614 34 31 112 1 104 24	2 26 359 21 313 22 20 50 1 42 13	7 21 373 46 301 12 11 62 62 11	1 1 5 2 1	2	2 6	3	2 7 27 8 	10 40 1 6 1 2 	1 7 50 6 16 1 3 6 1	1 11 85 7 51 5 10 11 14 4	3 5 155 25 133 9 9 17 	218 17 202 13 2 34 29 6	136 11 193 5 60 36 1
Cerebral 83 Diseases of Veins 84 (a) Lymphatism, Status Lymphaticus	3 5	1 4	2 1	5	***			•••		1	1		1	
(b) Other Dis. of Lymphatic System 85 Hæmorrhage, Other Diseases of Circulatory System	9	4	5	000					1	***	2	1	2	3
IV. DISEASES OF RESPIRATION SYSTEM.												Action of the second se		
86 Diseases of Nose 87 (b) Laryngitis (c) Other Diseases of Larynx (a) 88 Diseases of Thyroid 90 Bronchitis (89) 91 Broncho-pneumonia 92 Pneumonia 93 Pleurisy 94 (a) Pulmonary Apoplexy (b) Pulmonary Congestion (c, d) 95 Gangrene of Lung 96 Asthma 97 Pulmonary Emphysema 98 (a) Fibroid Diseases of Lung (b) Other Diseases of Respiratory System	13 5 7 583 350 500 65 60 6 10 3 7		7 5 270 159 188 17 26 1 4	3 4 90 123 37 3 9 	6 1 17 89 31 4 3 		1 1 1 7 1 2 2	6 5 38 5	6 6 51 2	1 19 10 666 5 2 2 1 1 1	41 16 67 9 6 2	1 104 31 77 19 6 2 2 1 1	1 2 151 35 67 12 10 2 4 2 3	2 145 25 49 5 21

TABLE E.—continued.

	All	Age	s.						Ag	e.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25–	35–	45-	55-	65-	75 and over
v. dis. of digestive system. 99 Dis. of Mouth, Teeth. Oral Sepsis 101 Diseases of Pharynx, Esophagus, Tonsillitis (100) 102 Gastric Ulcer 103 Other Dis. of Stomach. Gastritis 104 Diarrhœa, Enteritis (under 2 years) 105 Diarrhœa, Enteritis (over 2 years) 107 Intestinal Parasites (106) 108 Appendicitis, Typhlitis 109 (a) Hernia (b) Intestinal Obstruction 110 Other Diseases of Intestine 111 Acute Yellow Atrophy of Liver 112 Hydatids of Liver 113 Cirrhosis of Liver 114 Gallstones 115 Other Diseases of Liver 116 Diseases of Spleen 117 Peritonitis, cause not specified 118 Other Diseases of Digestive System	6 17 79 117 416 142 103 36 89 21 2 42 25 39 27 9	5 6 42 61 225 84 60 13 51 9 26 8 19 9	1 11 37 56 191 58 43 23 38 12 2 16 17 20 18 5	37 384 3 17 1 1 5	4 9 32 26 6 1 2	1 6 14 2	2 1 2 11 2	4 6 4 7 22 4 1 1 2	9 1 9 14 3 2 1 2 1 2 1	18 3 6 11 6 10 2 4 4 4 2 3	 12 11 17 11 5 6 6 6 5 	18 18 18 22 3 7 12 4 17 4 4 4 	8 19 24 8 11 15 2 6 7 11	11 6 13 23 3 4 13 3 7 6 9
VI. DISEASES OF GENITO- URINARY SYSTEM. 119 Acute Nephritis	42 344 32 27 7 33 9 58 4 2 12 5 14 10 	24 190 16 11 3 23 9 58 4 	18 154 16 16 4 10 2 12 5 14 10 	4 2 2 1 1 	7 1 	2 2	4 3	3 7 1 2 3 1 1 2	4 16 4 1 1 1 1 1 	2 32 1 3 1 1 1 1 1 2 3 3 	2 66 3 6 1 3 2 1 	7 89 9 5 2 5 3 13 	4 97 4 2 1 9 2 28 1 2 2	3 32 8 5 1 10 16 2
VII. DISEASES OF PREGNANCY AND CHILDBIRTH. 134 (a) Abortion, Miscarriage (c) Uncontrollable Vomiting . (d) Ectopic Gestation (e) Other Diseases and Accidents of Pregnancy (b) 135 Puerperal Hæmorrhage	4 1 7 5 20 19 40 30 13 		4 1 7 5 20 19 40 30 13 					 1 4 10 8 2	2 1 6 10 11 22 17 5	215 948553	1	4		
VIII. DISEASES OF SKIN AND CELLULAR TISSUE. 142 (a) Senile Gangrene (b) Noma, Cancrum Oris . (d) Other Gangrene (c)	52 1 3 7 33 15	24 1 4 15 7	28 1 2 3 18 8	1148		2	• • •	2	2		1 1 7 1	3 1 1 5 3	18 3 3 1	31 2 4 1

Table E.—continued.

	All Ages. Age.													
1	All	Age	S						Age.					
	Both Sexes.	Males.	Femiales.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
IX. DISEASES OF ORGANS OF LOCOMOTION.														
146 Dis. of Bones (Mastoid excluded) 147 Diseases of Joints 149 Other Dis. of Locomotor Syst. (148)	23 9	13 7 	10 2 	4	3 1 	5	4 1 	2 1 	1 1 	1	2 1	1	1 2	1
X. MALFORMATIONS.														
150 Congenital Malformations	129	65	64	113	9	4	1	2		• • •	•••	•••	***	* * *
XI. DISEASES OF EARLY INFANCY.														
151 (a) Premature Birth (b) Congenital Debility, Icterus, Sclerema (c, d, e)	540 374	315 215	225 159	540 374	• • •				• • •				***	* * *
152 Other Diseases peculiar to Early Infancy	76	48	2 8	76	0,00		• • •		• • •	• • •		• • •		• • •
153 Lack of Care	2	1	1	2	* * *	• • •		•••		* * *	•••	***	•••	• • •
XII. OLD AGE.							de la company de							
154 (a) Senile Dementia (b) Senile Decay	20 721	8 281	12 440	***	• • •					# J + P		2	5 95	13 626
XIII. VIOLENT CAUSES.														
163 Suicide (155-162) 164 Poisoning by Food 165 Other Accidental Poisonings 167 Burns and Scalds (166) 168 Exposure to Poisonous Vapours 169 Drowning 170 Accidents with Fire Arms 171 Accidents with Instruments and Weapons 172 Accidental Falls 173 (α) Accidents in Coal Mines	54 1 13 66 7 *107 8 70 25	35 5 37 5 82 7 51 24	19 1 8 29 2 25 1 	5	4 33 9 3	5	12 2 	3 .:.14 .:.16 .:76	12 1 14 3 	9 4 8 21 2 	14 3 4 3 15 1 	9 5 1 6 	4 1 2 1 5 5	3 1 2 1 2
(b) Accidents in Other Mines (c) Accidents in Quarries 174 Accidents with Machinery 175 (a) Accidents on Railways (b) Acc. with Horses and Vehicles (c) Accidents with Motor Vehicles (d) Accidents with Tramways (e) Other crushing Accidents	7 37 12 38 13	1 6 32 8 25 8 7	1 5 4 13 5 2		 2 7 2	3 1 9	1 2 1 1	:361512	1 5 3 2	6	 10 2 3 1	 1 3 4 7	 2 2 3	2
177 Hunger 180 Weather Agencies (178, 179) 186 (a) Overlaying (b) Suffocation (otherwise) (c) Other Accidents (176, 181, 185) 184 Homicide (182, 183) 190 Execution 191 War Casualties (not Sickness)	2 6 19 167 10	2 1 15 120 4 	5 4 47 6	 6 7 2 4	1 8	12	1 8	1 17 2	 2 17 2	2 15	25 1	 4 21	21	1 21 1
XIV. ILL-DEFINED CAUSES.							-							
187 Dropsy	3 52 2	26 1	3 26 1	2		• • •	1	1	1 1	6	9	11	1 10 1	2 11
189 (a) Heart Failure (c) Teething	135 2 25	86 1 7	49 1 18	3 2 2	1 11	1	 ï	3	4	2	2 3	30	40	29
(f) Dis. not Specified, Nat. Causes	80	42	38	28	728	202		705	807	955	13 1378	1961	2264	2276
All Causes	*13948	7084	0864	4506	128	292	424	703	307	330	1010	1901	2204	2210

^{*} Including 2 of unstated age.

TABLE F. -- ANALYBIS OF MORTALITY IN EACH COUNTY AND PUBLIC HEALTH DISTRICT IN SCOTLAND DURING THE QUARTER ENDING 30TH SEPTEMBER 1920.

All Respiratory Diseases (except Phthisis). All Respiratory Diseases (except Phthisis) 19 28 14 27 27 27 27 27 27 27 2		Vi	olence.	089	34	55 :		::67	: :	oi : w
Diseases (except Phthisis). Collection							7 - 4 .00			
Diarrhosa (under 2 Years). Pulmonary. Oi		Diseas	ses (except	1611	× ×	74			* *	4 :11
Diarrhoea (under 2 Years). Start		er-	Other.	440	19	12 :	: - : :	::-	- :	::01
Corrected Corr		Tub	Pulmonary.	910	58	ਲ :	: ରାରା			9:4
Scarlet Fever. 22 1	m m			416	18		0 pand 0 0		- :	::67
Scarlet Fever. 22 1	ths fro				22	64 :	: - : :		0 0	0 0 0 0 0 0 0 0 0
Measles. 19 8 6 1 1 1 1 1 1 1 1 1	Dea	Whoop	oing-cough.	113	00	ο ₁ :	. 01 H	ಣ : :		
Smallpox. 69	,	Scarl	let Fever.	52	1		0 0 0 0 0 0 0 0	0 0 0	0 0 d 0	* * *
Typhus Fever.		М	easles.	61	က	67 :			* • • • • • • • • • • • • • • • • • • •	-::
Enteric Fever.		Sm	nallpox.	69	•	* *		* * * * * * * * * * * * * * * * * * *	8 0 0 0	
Persons Aged 65 Years and Upwards, Persons Aged 65		Typh	us Fever.	ರ	0 . •	0 · · · · · · · · · · · · · · · · · · ·				
Years and Upwards. 75 85 1 1 1 1 1 1 1 1 1		Enter	ric Fever.	21	. 63	H :		::-	: :	
Net Number. Section	the of	Person Years ar	ns Aged 65 nd Upwards.	4540	326	134	1000	4 2 11	⊢ ⇔	22 8 23
Transferred in. Transferred out. Registered. Marriages. Illegitimate Births (corrected) Births (corrected) Births (corrected). Transferred in. Illegitimate Births (corrected). Births (corrected). Transferred in. Illegitimate Births (corrected). Illegitimate Births (corrected). Transferred in. Illegitimate Births (corrected).	Deat			2356	159	101	987	7: 5	: ~	F 4 63
Transferred out.		Net :	Number.	13,948	874	459	. 83 L 2 L	∞ 61 %	40	67 21 70
Registered. 88 80 87 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	aths.	Trans	sferred in.	1711	104	45	01-01	0 - 1 - 2	:-	7 6
Illegitimate Births (corrected)	Deg	Trans	ferred out.	1711	132	12	9 : :	::01	:-	40
Illegitimate Births (corrected)		Reg	ristered.	13,948	805	489	127	7 - 4°	410	100
Births (corrected). Corrected Correct		Marri	ages.	12702	804	584	20 14 23	95 H	29	3 8 8 8
		Illegitimat (correc	te Births eted)	2389	270	112	007	: ന ന	— es	11 35
aty .		Births (co	rrected).	31,626	1945	1109	80 18 19	108	9	116 64 160
ts.		6)			. Y					
Pub burict fried f		County and Public	orice.		Aberdeen County Burghal Districts.			• • •		ricts.
TLAND		and]			en C	• • •				Dist
arty		nty a		AN	srde.	en r.	urgl	e . Idru	arty	unty en
County ar Health I Health I Burghal Burghal Waberdeen Ballater Ellon Fraserburgh Huntly Inverurie Kintore Old Meldrum Peterhead Rosehearty Turriff County L Aberdeen Alford		Cou	Ĭ	SCOTI	A be	Aberde Ballate: Ellon	Fraserb Huntly Inveru	Kintor Old Me Peterhe	Rosehe Turriff	Con Aberde Alford Deer

	: -	10	: : :	:		:-0	: m 01	30	01 00 -	:-:	H 4. H
: ea :	40	16	ಣ : :	:01		- 0 -	140	: 60	400	::01	000
es : :		12	on -:	~~:		* * * *	:4 H C	27	; က		:20
Ø 4 H		20	— ო :	· Ø :		:-01	1210	23	: 0		L 70 :
:	0 0	67	67 ::			• • •	• • • •	. %	: -	::	O 10
0 0 pmg	:~	CJ	* * * * * * * * * * * * * * * * * * *	:01		• • •		: 9		, , , , , , , , , , , , , , , , , , ,	0101:
0 0 5	0 0	:	• • •			* * * *	0 0 0	<u> </u>	0 0 0 0 0 0	, , s	ಣ : :
	• •		* * *	0 0 0 0 0 0	1			Н	; 	* * * * * * * * * * * * * * * * * * *	
• • • •	0 0	•					: : :	ಣ	0 0 0 0 0 0	* * * *	:::
• • • •	: :	•		• • •		0 0 0	* * * *	• •		: : :	
* * * *	• •	•						6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			
0 0 0	: :	-		: : :		2 0 0	*	Н			yman
121	တ္ထ	800	401	10-01		4 4 70	7 2 113	249	ъ 1 4	144	288
1174	ကက	22	: - 2	— ল :		::-	그 4 8 8	126	222	:00	ল ল ল
00 00 00 00 00 00	15	208	4.1.2.2	ය දැ ස	C	61 61 62 63 63	13 35 26	736	18 108 6	0 E	44 97 9
070	تر.	31	:07	: 77	G	N 60 60	87-91	107	701 ::	6	52 :
O1 C9	: :	59	m on :	: ro :	} -	- 20 :		106	20 cm	::-	:0:
60 60 60 60 60 60	15	206	122	m 9 m	1	25	11 29 23 19	735	126	122	103
13.5	010	6 5	13	:일:	G	пог	ထက္က	119	8 11801	ಬರುಗು	82
21	19	24	n n :	:∹ :		:: 10	9141	129	2020	•	m 7 x
47 89 80	30	301	. 352	α 4 α	1	2000	86 94 94 94 94 94	1897	60 202 27	22 S 23 S 25 S	89 232 47
		•		÷ •				•		• • •	
e • *		Argyll County Burghal Districts.		ead	County Districts.	cnan .		Ayr County Burghal Districts.	Ardrossan		भूद्र के • • •
Deeside . Ellon . Garioch .	Huntly . Turriff .	Argyll Burghal	Campbeltown Dunoon . Inveraray	Lochgilphead Oban . Tobermory	Count	Arunamurenan Cowal	Kintyre. Lorn Mid-Argyll Mull	Ayr Burgh	Ardrossan Ayr Cumnock	Darvel . Galston . Girvan .	Irvine . Kilmarnock Kilwinning

* Including the portion within the County of Kincardine.

Proch.
. \triangle
000
A)
~
~
~
.0
· 60
W
~
8
0
Ó
6)
7
- 1
- 1
PC.
险
-
-
~
-
-
P 1
Desired.

																				_			
	Vi	olence.			p(;	-	•	: -	- F			YC.	က	ന _ന	→	00		:	_	63	:		
	Diseas	espiratory ses (except thisis).			O7 :	-	•	: ¬	4	* *		16		4 1	2	24		-	:	4	:	67	
	er-	Other.			*		•	:	:-	4 က		ಣ	:	4 n	3	က		•	:	67	*		
	Tuber-	Pulmonary.			,i	0 0			◄	<u>က</u>		,	÷ 65	ಣ ಸ	9	10		•	6 9	67	:		:
m		arrhœa r 2 Years).			0 0			-	:			20) *	H 0	0	-		•	:	*	:	:	:
Deaths from		ohtheria Croup.			*	0 0	• 1		•	• •			:	:	:			•	•	0 0	•	•	:
Dea	Whoop	oing-cough.			•		•	•	:-			,		:-	4	•		0	:	0 0		:	a a a
	Scarl	et Fever.			:	•	•	:	*					:	*				:	*	:		
	Me	easles.			0 0	•	•	*	* *	• •		C7	:	.:-	4	•		:	:	**		*	:
	Sm	allpox.			0 0	: :	-	**	•			6		:	0	:		:	:	•	•	:	:
	Typh	us Fever.			•	: :	•	*						:	*	•			•		•. •	:	0 0
	Enter	ric Fever.		-	:	: :	•	:	:			:		:	:			•	:	•	:		_
Deaths of	Person Years an	ns Aged 65 nd Upwards.			بر صد	בי בי) (φ α	0 6.	-11		36	15	227	H	74		•	6	91	:	4	m
Deat	1	ren under ear of Age.			07	: 01) À	ರ ಸರ	0	1 67		23	ಣ	11	77	526		67	8 4	4	*	. 1	_
	Net	Number.			<u></u>	x x		D T 6	3 00	21		111	34	193		170		70	Ö k	35	67	9	9
ths.	Trans	ferred in.			*	:-		0 4	6	က		100	1	<u>a</u> 7.		233		ಣ	: 0	3		,1	
Deaths.	Trans	ferred out.			ကင	n :	λ	೧ ೧೧		Ø		14	ಬ	ಸರ ಸ		17			<u> </u>	*			* * * * * * * * * * * * * * * * * * * *
	Reg	istered.		1	7-	11	- 0	0.60	9	20		107	32	19.3		164		থ	16	22	67	<u>م</u>	9
	Marri	ages.		(1 cc	~ 10	•	19	00	17		98	37	46		000		က	10	7.7	ი .	4.0	2
	Illegitimat (correc	te Births ted).		(24 4	4 11	G	4 co	, ;	73		37	7	4 6		46	-	*	: 0	21	(24 0	73
	Births (co	rrected).]	17	33 6	* *	4 cc	0 00	37		33	72	162) ()) k	302		9	ос о ос	0	4 6	1 7 7	
	County and Public		Ayr County—continued.	Burghal Districts—contd.	Markolo.	Newmilns and Greenholm	Duceturioly	Saltcoats	Stewarton	Troon	County Districts	Ayr	Carrick	Kilmarnock Northern Northern	£	bann County .	Burghal Districts.	Aberchirder	Bant .	•	Charlestown of Aberlour	Cullen .	- · · · · · · · · · · · · · · · · · · ·

		; r-d	က	• - • • •	:ল :	-	: :	⊢ ::	41	: 67	67
		∞ 6 ₁	11	ਲ਼ : ┌ ;	400-	2	H 4	bred head .	-	01 4	νΦ
:- :		: :	:	* * * *	1 0 0 7 0 0	-	• ;	0 6 0 0 0 0	63	•	r
: 01 64	; p==4	- 01	က		: ന —	-	• pod	b \ 0 0 0 0	4	- co	, -
		: ⊢	4	0 pand 1	0 :-	•	0 0 0 0 0 0	• • •			•
	• • •	:-	:	• • • • • • • • • • • • • • • • • • •	6 0 0 0 0 0	0	* ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	• • •	-	• •	H
	0 r 0 0	0 0 0 0 0 0	:	. 4 · · · · · · · · · · · · · · · · · ·	0 0 0 0 0 0 0 0 0	•	6 ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	0 0 0 0 0 0 0 0 0	*	• •	•
, 0 0 6 0 0 6 0 0		• • • • • • • • • • • • • • • • • • •	Ħ	0 0 0 0 0 0 0 0 0 0 0 0	* • • • • • • • • • • • • • • • • • • •	•	• • • • •	0 0 0 0 0 0 0 0 0	* *	* * * * * * * * * * * * * * * * * * *	•
				* * * *	* * * * * * * * * * * * * * * * * * *	*	0 0 0 0	* * * *	:	• •	•
* U * 0		* * *	:		0 0 0 0 0 0 0 0	*	a • • • • • •	e 6 e e e e e e e e e e e e e e e e e e	:	* * * * * * * * * * * * * * * * * * *	:
	• •	0 0 0 0	:	b 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0	* * * * *	0 0 0 0 0 0	•	0 0 0 0 0 0	
	: :	* a	•			:	0 0 0 0		*	• •	:
:40	-40	2 = =	28	460-	0000	27	17.5	ಸು ಅ :	55	14 5	33
:	: -	0,1	10	:	ကက ⊢	က	:07	proof 0 0	10	ಬ 4	ಣ
111	10	38	65	1-0m:	100	47	4.62	<u> </u>	98	12	48
:: 20	r-d :	ಬರ	6	⊣ ::::	01 01 4	9	: 10	- :	41	hand (CV)	
-01:	* p====================================	9:	က	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		21	es ==	₩ ÷	က	0 • 0 • 0 6	ಣ
13	11	39	59	0 v n :	8176	62	33.4	12 : 12	00 TJ	111	20
10 - 10	710	6 33	41	S1 12 4 -	110	22	: 😤	0101:	52	10.7	23
P P 07	: 67	11	17	~ ::::	43:	တ	. ro	ಣ-:	25	:	24
26	48	99	148	1 ∞	41 555 8	77	111	100:	172	20	106
• • •			•	a • • s		•		6 ^ 4		0 0	•
		Districts.	Berwick County	Burghal Districts. Istream Istra I	County Districts.	Bute County	Burghal Districts. Iport	County Districts. In	Caithness County	Burghal Districts. urso	County District.
Findochty Keith Macduff	Portknockie Portsoy .	County Districts. Banff Keith	Berwic	Burghal Coldstream Duns Eyemouth Lauder	County East Middle West	Bute	Burghai Millport. Rothesay	County Arran Bute Cumbrae	Caithne	Burgha, Thurso . Wick .	Caithness

	Vi	olence.	က	punt		67	20	∞ :4 HH ;
	Diseas	espiratory ses (except athisis).	6	01		4	85 83	မ ်က <i>မ</i> ာလ ်
		Other.	22	ಣ	:-	-	12	छ :्यः ;खः
	Tuber-	Pulmonary.	က	:-	* * * * * * * * * * * * * * * * * * *	6.1	26	:4
u u		arrhœa r 2 Years).	က	, — ·	; r-1	H	oo	ധ :ശ .:പ്:
Deaths from		ohtheria Croup.	. 8	0 0 0 0 0 0	* *	0 0 a		- : : : : : : : : : : : : : : : : : : :
Dea	Whoop	oing-cough.	•	• • • •	* * *	0	9	∀ : : : : :
	Scarl	et Fever.	e n 0	0 0 0 0		•	H	::- :::
	M	easles.		0 0 0 0 0 0	::	0 0	. 2	::01 :::
	Sm	allpox.	•	• • • • •	: :	g g e		7::::::
	Typh	us Fever.	•	: :		:	e e	: : : : : :
		ric Fever.	•	::	::	e e e	+-1	:::::::
Deaths of	Person Years an	s Aged 65 d Upwards.	34	တတ	ကယ	∞	104	13 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Deat	1	ren under ear of Age.	11	m 63	: ന	ု ၈၁	55	19 ::1
	Net 1	Number.	81	중류	10	56	358	105 2 2 61 81 10
ths.	Trans	ferred in.	10	70 GJ	. ;(67	74	₩ : c 20 m
Deaths.	Transf	erred out.	5	თ ⊣	: :	1	53	484 884
	Reg	istered.	92	29	ಣರಾ	67	337	44 68 29 10 10
	Marria	ages.	75	26	n 67	19	312	00 00 00 00 00 00 00 00 00 00 00 00 00
]	Illegitimat (correct	e Births ted.)	H	٠:	: ला	ତୀ	40	जं:4 ७८ :
	Births (cor	erected).	230	95	97	80	286	320 182 182 75 23
	County and Public Health District.		Clackmannan County	Burghal Districts. Alloa	Dollar Tillicoultry	Clackmannan	Dumbarton County .	Burghal Districts. Clydebank Cove and Kilcreggan Dumbarton Helensburgh Kirkintilloch Milngavie

က က	12		:- :-	4 :	ന ⊢	68	46	21:	67 :	4147
10	22	:00	— ::::	. 44	1	141	00 to 00	26	OI H	0:1-4
ಣ :	9	⋈ - :	* * * * *	¬ : :	63 :	53	53 -:	:57	⊣ :	ದ : ಆ
41 41	20	400	¬ ::::	4 : :	401	93	:270	20	9:	□ □ CJ 4
:01	က	:-:			* * *	31	:- 0	::::	67 :	8:
• •	4		0 0 0 0	• • • • • •	: 67	15	:::3		• —	::
67 :	•	0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0	° °		• · • • •	· · · · · · · · · · · · · · · · · · ·	8 0 0 1 0 0 0	::-:
0 to 0 0 0 0	-	• • •	* * * * * * * * * * * * * * * * * * *	0 0 0	: -	4	: : 4	: : :	; :	0 0 0 0 0 0 0 0 0 0
12	77	• • •	* * * * * * * * * * * * * * * * * * *	• • •	: 03	က	::-	• • •	• •	
• • • • • •	•	* * * * * * * * * * * * * * * * * * *		* * *	• •	•	: : `	: : :		* * * *
• •	*	0 0 0 0 0 0		: : :	: :	•	* * * * * * * * * * * * * * * * * * *	0 0 0 0 0 0	e. e.	0 0 0 0 0 0 0
~ :	•	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	• •	Н	::-	* * *		* * * * * * * * * * * * * * * * * * *
138	86	20 co	4000	484	111	508	6 10 336	:2=	8 63	212
ى تى ت	38	8 = =	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10	-1	221		: m	ĦĦ	70 to 11 to
58	246	15 60 12	2112	4 th th	36	1475	12 29 908	3 266	φ ο	51 50 65
111	27	. 10 CI	— ന വ ന	401	24	264	5 4 119	396	ك 4	7, 411
16	46	:87	::00	12:	4-	338	3 3 240	: 7:	63 :	::37
61	265	10 81 13	441-4	0 07 t-	28 36	1549	28 1029	197	ರ್ಷ ದ	34 13 125
30	165	10 72 1	ကတကားက	100	23	1822	21 1363	2333 133	39	40 16 39 42
12	51	м4 :	o₁ : – o	F 00 H	0 1 4	222	158	121	1 0	∞ ⊢ ⊙ ∞
132	480	22 96 12	12 11 11 20	95 44 16	57	3101	23 46 1801	568	140	129 46 153 141
- •	•						9 0		• •	
<i>i</i>	ıty	ts.		,		thia	<i>t</i> s			ts.
County Districts.	Dumfries County	Burghal Districts. nan		County Districts. nan		[id]o	Burghal Districts. nyrigg . keith .			County DistrictsWater wade
y Dis	ies	al D	я	y Da		m) q	al D		hgi	ty D
ount 'n .	mfr	urghe n ries	nabe rbie t	ount n ries	rbie	urg	urgh yrige ith urgh	rade nead	elbur uik	Youni Waterade
Cour Eastern Western	Du	Burgha Annan . Dumfries Langholm	Lochmaben Lockerbie Moffat . Sanquhar	Annan . Dumfries Langholm	Lockerbie Thornhill	Edinburgh (Midlothian) County	Burgha Bonnyrigg Dalkeith Edinburgh	Lasswade Leith Loanhead	Musselburgh Penicuik	Calder . Gala-Water Lasswade Suburban

											•					
	Vi	olence.	5	:	-		:		ಣ	36		0 0 0	: -	:-	-	:-
	Diseas	espiratory ses (except athisis).	6	•	- O	-	:	•	70	75	:		: 87	7	:	
	er- sis.	Other.	4		:	:	: 1	-	ಣ	19	•	:	: 87	- n	•	0 0
	Tuber-	Pulmonary.	H	•	က 	:	C)	•	70	46	•	:-	- 10	L 4		:-
m (arrhœa r 2 Years).	2		-	0	: '	-	ಣ	19	•	o 0 0	• •	: 61	•	: :
Deaths from	Dip and	htheria Croup.	•		•	•	*		:	11	•	0 0	• 0	• •	•	: :
Dea	Whoop	oing-cough.	:	•		:	•	*	•	2		0	0 0	:	•	: :
	Scarl	et Fever.		•			:	•	:	က	0 0	•		0 0 0 0 0	•	: -
	M	easles.	0 0	:			:	* C	:	7	•	•		: r-4	•	
	Sm	allpox.		•			:		•	•	•				* * * * * * * * * * * * * * * * * * * *	• •
	Typh	us Fever.	:	•	: :	•	:	•	•		•	: :	:		•	: :
	Enter	ric Fever.	:	*	: :	:	:	•	:	:	:	: :	:	: :	:	::
Deaths of	Person Years ar	as Aged 65 and Upwards.	55	9	10	•	ന	•	30	226	•	<u>⊣</u> ന		41 co	C 1	- 4
Deat		ren under ear of Age.	14.	•	ಣ –	•	, r	T	00	130	,	* *	7	-1-	0.1	: 07
	Net :	Number.	121	9	16	ನಾ	00 0	N	64	720	poss	±0	41	14	1	12
ths.	Trans	ferred in.	19	,	ب 4	gund	ಣ	:	יטי	104	:		9	ကတ	67	
Deaths.	Transi	ferred out.	21	0 0	∞ :	*	•	:	13	79	*	: 67	2-	* :	0 0	:-
	Reg	istered.	123	20	125	67	್ದಾರ್	N	75	695		: [-	42	111	5	15
	Marri	ages.	89	: !	147	-	4. 0	9	20	640	:	: 20	35	2 7 7 2 2	4	142
]	Illegitimat (correc	te Births ted).	47	p (5 10 10 10 10 10 10 10 10 10 10 10 10 10	_	4 6	N	20	109	*	: ന	ಬ	- ∞	*	: 67
	Births (co	rrected).	267	a	30	1	ලේ -	11	123	1902	20	ಣ ಯ	126	23	1- (178
	County and Public		Elgin (Moray) County	Burghead Districts.	Forres	Grantown-on-Spey.	20	Rothes	County District. Elgin (Moray)	Fife County .	Burghal Districts. Anstruther-Easter	Anstruther-Wester.	Buckhaven, Methil, and	Innerleven. Burntisland	Crail	Cupar

4-:	: : : : : : : : : : : : : : : : : : : :	:: ಣ	::-	ಣ ⊣		:97:	56	1 : :: 18
m 01 m	• • •	:::	* 0 0 0 0 0 0 0 0	4:	0 :	w m o 4	77	4.62 :: 7.5
eo : :	: : :	: :01		• • •		e − e − e	23	63 : :6 :
70 ::	ল : ৫০	:	• • •	en : :	• • • •	8 B B B	44	н : н 8
• • •		: ⊢ ო		0 0 0	::-:	:41-	39	어
4 ::	0 0 0	::-		::-		; eo	9	::::0:
* * *	• • • • •	0 0 0 0 0 0	* * *	F-1 : :	6 0 0 b	:	13	- : ::o :
• • •	0 0 0	::-	: : :	* * * *	0 0 0 0 0 7 0 0 0 0 0 0	: : :	73	::::
* * * *	• • •			: : :	• • • •	:	• •	
• • •	0 0 0		0 0 0		0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	:	
• • •	• • •		0 0 0		0 0 0 0 0 0 0 0	* * * * * * * * * * * * * * * * * * *	9 0	
	• • • • •			• • •	0 0 0 0 0 0 0 0 0 0 6 0	* * * * * * * * * * * * * * * * * * *	0 0 q	
32	H H4	52	- n o	ෆ ⊢ ෆ	0 – 0 0	110	281	18 10 159 159
4 : :	: :-	:07 67	: : 4	:	w : ro	. 522	151	6 3 116 3
97	10 8 2	3 7 129	0 0 1 1	22 00 00	1100111	105 102 288	794	45 23 10 529 33
- m -	: :0	:==	:01 03	m 67 m	67 : :	- E C C	52	8 - 1 - 3
21 :::	: :	:-∞	parel		:-::	1020	75	62: 13
1111	01 00 10	3 126	2 4 61	19	128211	65 90 20 20 20	817	45 23 9 520 33
124	H 014	100	122	30	0 - 1 - 0	111 73 20 20	738	45 10 13 579 27
9 :::	: :-	: 77	; prof. :	4	::-0	20 20 4	151	100
23.1.	16	8 14 281	4 12 49	98	15 8 8 8 8 8 8 8 8	94 261 346 70	1678	115 45 119 1118
	and .		ton .				٠	
			Ladybank and Monkston Leslie Leven			County Districts. refermline	Forfar County Burghal Districts.	
Dunfermline Dysart Earlsferry	Elie, Liberty, Williamsburgh. Falkland Inverkeithing	Kilrenny Kinghorn Kirkcaldy	Ladybank Eleslie . Leven .	Lochgelly Markinch Newburgh	Newport Pittenweem St Andrews Tayport.	Cupar . Dunfermline Kirkcaldy St Andrews	Forfa: Burgha	Arbroath Brechin . Carnoustie Dundee . Forfar .

,			,												
	Vi	olence.				:	grad good		. 63	: :	:	**	• .	: :	- :
	Diseas	espiratory ses (except athisis).				#	ंटा छा	C7 —	17		. *		: -		H 4
	er-	Other.			:	:	*, * * * *. *	:=	ಣ		:	:	•	: -	
	Tuber-	Pulmonary.			:::	4	: 63	-	4		C.J	.:	0		<u>;</u> ::
H H		arrhœa r 2 Years).	RS .		: :	•	::-	: :	က		*	:	* D		
Deaths from		htheria Croup.				•	::	: :	23		: '				
Dea	Whoop	oing-cough.			::	o o	es	Ø1 ⊢			•	* *	,		* .*
	Scarl	et Fever.			::	•	: : '	r :	H		*	: :		-	: :
	M	easles.			: :	•	: :		:		•	: :		:	::
	Sm	allpox.		,	* *	•	::	: :	:		:	: :			::
	Typh	us Fever.			* * * * .* * *	•		::			0	: :			: :
	Enter	ric Fever.			: :		: :	::	•		•	: :		•	: :
Deaths of	Person Years an	s Aged 65 d Upwards.			4 4 0		150	D 70	34		7.6	۵	00	67	ကက
Deat	1	ren under ear of Age.		٠	:- 6)	; 9 x	04	20		 0	N :	-		9
	Net 1	Number.			7 00 00 77		20	3 E	105		4.6	2 —	13	91	16
ths.	Trans	ferred in.					07 F- 6	90	21		:-	٦ :		~	: က
Deaths.	Transf	erred out.			01 - ro		15	77	17		c	٠ :	œ	50	: :
	Reg	istered.			90		18	29	101		10 H	0	50	10	13
	Marria	iges.			200		10	10	52		ကဂ	4 	7	4-	11
	Illegitimat (correct	e Births ted).			1 :9		707	14	11			4 :			- :
	Births (con	rected).			15		51	63 63	271		18	:	20	0 0	41
	County and Public Health District.		Forfar County—contd.	Burghal Districts—contd.	Kirriemuir	County Districts.	Arbroath	Forfar	Haddington County .	Burghal Districts.	Cockenzie and Port Seton	East Linton	Haddington	North Berwick	Tranent

:-	∞ : ro :	: :01	:::	4 ⊢ : : :	: : : 61
213	27	: :01 40	. : : O	II - :- 6	н : н ого
: :	9:	:-:::) : : :	∾ :-::	::-::
:01	17 14 :	67 :: m m	: : 4	10	ال : : نام
P	ය : ය		-	: ::::	:::::
:	4 :0 :	* * * * *	: : 07 :		
	- ::::	- ::::			
• •	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* * * * *	0 0 0 0 0 0 0 0	භ ::::	: ന : : :
• •	-	:-:::	• • • •		
• •	⊣ :::	:::-	• • • • • • • • • • • • • • • • • • •		
9 0 0 0 0 0	0 0 0	* * * * * * * * * * * * * * * * * * * *		· · · · · · · · · · · · · · · · · · ·	
	- :::	н : : : :	9 0 0 0	0 0 0 0	:::::
12	135 28 22 28 22	0110	10 10	44 22 4 0 1 0 1	ଉଚ୍ଚ ପ୍ର
e 10	27		I m — —	13 −∞ :∞	ed :ed :L
37.00	2 2 2 2 2 2 3 2 3 2 3 3 3 3 3 3 3 3 3 3	22 19 21 26 47	12 12 12 12 12	107 7 6 6 17	10 8 10 9
141	20 8 :	:62	:	81 27 77 77	ಚಬ4 –ಚ
* *	17 :: 9	en :en ⊢ :	0 0 0 0	6 1 : 1 4	: :- :0
53.7	272 5 86 3	10 10 10 10 10 10 10	12 13 21 21	98 90 90 90 90 90	8 2 2 2 8
6 21	135 22 33 3	ଅବସ ପର	00 44	10201	011 04
1:	% :°° :	ಬ ಲು 4 :ಸು	o ← 61 ro	<mark>स.</mark> ७७७७	ಸಾ 4 0 44 ್
30	367 8 116 5	25 29 44 45 45 45 45 45 45 45 45 45 45 45 45	18 16 27	284 10 10 7	3.7 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0
	• • •				
County Districts. ern	Inverness County Burghal Districts. rt-William. verness ngussie	County Districts. rness rnoch		* Kincardine County Burghal Districts. Banchory Inverbervie Laurencekirk Stonehaven	County Districts. encekirk. er Deeside yrus ehaven er Deeside
Distr	B C.	Dist		1e (Dis	Dissipation of the property of
ty I	ness hal	aty.	Uist Uist	rdir hal v vie	nty ekir eesi
oun rn	ver:	Jour nock	is h U n U	nca: 3urg hor; rber ence	Cour ence er L yrus ehav
Cour Eastern Western	Inverness Burghal L Fort-William Inverness Kingussie	Count Inverness Aird Badenoch Lochaber Skve	Harris . North Uist South Uist	* Kincardine Burghal L Banchory Inverbervie Laurencekirk Stonehaven	County Dis Laurencekirk . Lower Deeside St Cyrus . Stonehaven . Upper Deeside
HP		H TH H O.	7 - 102	* HHH02	

* Including the portion of the County within the Burgh of Aberdeen.

			,						
	Vi	olence.	H	:	П	ວ	:-:	:	:rr :
	Diseas	espiratory ses (except athisis).	7	1		10	:::	:07 -	4:01-
	er-	Other.	:	•	:	ಣ	• • •	-::	
	Tuber-	Pulmonary.	-	П	0 0 0	2	:~:	: cd :	c4 : : ::
В		arrhœa r 2 Years).		:	:	41	:- :	ಣ :	
Deaths from		ohtheria l Croup.	•	:	•	•			
Dear	Whoop	oing-cough.	•	:	:	•	: : :		
	Scarl	let Fever.	•	:	:	•	• • •		
	M	leasles.	•	:	•	•	* * * * * * * * * * * * * * * * * * *		
	Sm	nallpox.	:	:	:	:	• • •	0 0 0 0 0 0	: : : :
	Typh	nus Fever.	•	:	:	•			
	Enter	ric Fever.	•	•		•			::::
Deaths of	Person Years an	ns Aged 65 and Upwards.	∞	က	ಬ	45	81 4 81		1102
Deat		ren under ear of Age.	23		-	16		- m :	4:10
	Net	Number.	17	7	10	115	1- th 10	19	30
ths.	Trans	sferred in.	잭	63	ତୀ	15	: ⇔ ⊣	⊢n:	4:01-
Deaths.	Trans	ferred out.	10	p=4	့	က	* * *	-::	H H
	Reg	gistered.	23	9	17	103	10	16	27 8 9 11 11 11 11 11 11 11 11 11 11 11 11 1
	Marri	ages.	12	rO	7	55	<i>™</i> ∺ ಬ	e= :	8847
]	Illegitima (correc	te Births eted).	9	63	4	27	:10	ကြက	7:98
	Births (co	rrected).	51	18	33	218	10 20 00	33	46 111 43
			0		•	tty			
	County and Public	Health District.	Kinross County	Burghal District. Kinross	County District. Kinross	Kirkcudbright County	Burghal Districts. Castle-Douglas Dalbeattie Gatehouse	Kirkcudbright Maxwelltown New Galloway	County Districts. Eastern
			124	Kim	Kin	Kir	Cast Dall Gate	Kirl Max New	East Nord Sout

254	ಣ		175	ကေတ	30 m	16	:	⊣ ::	m ~1	Н	П	:
655	9	25	493 15	12 m 21	99	26	0 m 01		O 10	:	•	0 0 0
154	63	:∞	108	01 4 01	: 60	00	:-0		4 L	•	6 a e	•
353	631	: ∞	268 4 2	o 4 61	7-40	5	~ :::	Ø ::	67 :	ಣ	panel .	Ø
197	4	: ന	136	∞ :α	30 m	රි	:07	H ::	4 11	C/1	•	63
31	:	:01	20	:07	н то :	r	: : : : : : : : :	c ₁ ::	:	•	•	•
526	•	:-	000 ::	: 63	10	63	0 0 0	0 0 0 0 0 0		*		•
18	•	: 63	= :	; r-1 r-1	₩ :::	H	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	:⊣	•	•	•
27	:	: :	21:::	:	: 4	4	• • •		ಣ	*	•	•
62	:	: 61	25	:01 :	40:		• • •	• • •		•	*	•
:	:	• •			• • •	:		• • • •	• •		0 0	•
1 10	:	: -	∞ ::		:: : :	-	::-	• • •	• •	•	•	:
11115	<u>e</u>	1 42	795 22 9	19 17 14	22 117 44	47	<i>1</i> 000	χο - :	15	∞	4	4
932	18	22	644	27 9 16	12 147 19	53	61 00 4 1	თ 	23	ಣ	7	67
4680	67	151	3340 105 22	96	77 552 128	216	12 26 26	0,88	82	21	12	6
454	12	15	254 19	128	20 77 16	42	440	10 10 CI	£ 4		-	
407	:	1:	274	cı ::	67 43 5	21	0 0 0	Pd :::	4 16	-	parel.	•
4633	55	143	3360 94 20	90 53 57	124 518 117	195	1220	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	73	21	12	6
4918	. 88	$\frac{1}{110}$	3713 105 22	92 1.0	56 497 83	180	8 14	01 00 01 00 01	99	26	20	9
751	7	18	531	12 4 5 1	10 105 22	42	140	ପରାପ	15	9.	H	ಸರ
11319	192	350	7461 315 31	288 138 212	176 1837 315	643	34 52 80	15	303 120	49	23	56
•	•				e e, e	. 8		a 6 o	٥ •	0	0	•
County	Burghal Districts.	• •			County Districts. er dle	Linlithgow County	Burghal Districts. nadale hgate rowstounness .		County Districts.	Nairn County	Burghal District.	County District.
* Lanark	Burghal Airdrie	Biggar . Coatbridge	Glasgow. Hamilton Lanark.	Motherwell Rutherglen Wishaw	County Lower Middle Upper	Linlithg	Armadale . Bathgate . Borrowstounness	Linlithgow Queensferry Whitburn	County Bathgate Linlithgow	Nairr	Burgho Nairn	County Nairn

* Including the portion of the County within the Burgh of Renfrew.

B
ā
3
2
continu
4
2
Ò
S.
- 1
- 1
'a
F
H
国
BI
-
_4

	Violence.	က	c ₁ :	::-:	. 63	: :	61
	All Respiratory Diseases (except Phthisis).	9	ca :	c1 c1 : :		:-	•
	J. si Other.	D.	7:	ca ca : :	-	: :	
	Other. Pulmonary.		* *	red : : :	67	: :	63
u.	Diarrhœa (under 2 Years).	H	::	:-::	•	: :	:
Deaths from	Diphtheria and Croup.	•	::	::::	:	* *	• •
Dea	Whooping-cough.		* *	::::	•	::	:
	Scarlet Fever.		. ::	::::	-	:-	:
	Measles.			: : : :	:	::	:
	Smallpox.	:	* *		:	* * *	:
	Typhus Fever.	:		::::	:	: :	0 0 0
	Enteric Fever.	:	::	:::::		::	
Deaths of	Persons Aged 65 Years and Upwards.	49	. II ea	m m - 10	18	7.00	∞
Deat	Children under One Year of Age.	o	r-i :	æ 4 ∶∟	4	1:	က
	Net Number.	82	18	34 14 7	43	917	20
Deaths.	Transferred in.	က	* * .	es : : :	10	- 10	4
Dea	Transferred out.	73	- :	: H : :	7	: 04	ಬ
	Registered.	81	19	31 15 7	40	14	21
	Marriages.	26	P-1	ωr-α	21	့ ဖတ	-
	Illegitimate Births (corrected).	=======================================	¢1 ⊢	10	7	1 67	4
	Births (corrected).	136	22	20 13 6	09	14	82
		•			•		•
	County and Public Health District.	Orkney County	Burghal Districts. Kwall	County Districts. hand h Isles h Ronaldshay.	Peebles County	Burghal Districts.	County District.
	Com	Ork	Burghe Kirkwall Stromness	Mainland North Isles South Ronal Walls	Pee	Burghal Innerleithen Peebles .	Con

10		• •	:	:	:	-	:		C1	•	:	67	:			:		-	_	44		,	67 5	# T	: h	C rc) , -		က	73
32		•	•	•	•	ঝ	67	_	P-4	:		9	:		63	ಣ	1	9		87		4	87 6	2	- 60	2 K	20		40	00
9		:	:	•	67	•	:	_	-	:	:		:		proof	•	*	:	:	33			63 5	2	* P	7 7	+ m		63	:
10		:	•	•	:	•	:	•	_	•		C)	•		-	67				59		p 4	: 0	10	01 0	51 4	1 41		9	n
2		•	:	:	:	:	:	:		•	:		:		_	:	:	•	:	20		•	ကဂ	2	ા લ	O 67	က		:	:
-		:	:	•	•	•	*	•			•	~	:		:		:	•	:	7		က	:	•	: 0	3			-	:
က		:	•		•	•	0				•	:	•		:	0	- 4	~	:	10		-	: 10)						Ī
:		•	•		•	•	•	•		•	•	*	:		:	•	:	•		7			•	: '	c	o :			(N
!		:	:	:	:	•	:	•	:	•	:		:		:	:	:	:	:	9		•	:0	1	: <	1 '			:	* * * * * * * * * * * * * * * * * * * *
:		•	e e		•			:	•	:	:	:	:		:	0 0	:	:	:	-			:	•	0 D	:			: 1	-
:		•	•	*	•	•	•	•	•		•	•	•		•	•	•	0 0	*	ಬ		:	: 6	1	. 6	3	•		0 0	•
67		:		*	•	•	•		:	•	:	67	•			:	•		:			0	•	•	:	:			:	:
154		က ,	·	41	9		,(67	က	-	1	98	4		12	61	17	23	00	232		10	10		9 1	122	9		30	77
43		•	: 7	⊣	67	Ø		67	67	•		13	:		හ	ಣ	ಣ	6	24	124		10	4 K		30	12	00		10 H	ဂ
352		ଟଡ଼ ।	 (00	12	13	ಣ	00	13	က	12		٥		21	38	41	09	24	808		30	29	0 0	0 KG	24.0 25.0 20.0 20.0 20.0 20.0 20.0 20.0 20	36		80 M	50 4
54		:	: 1	_	ಣ	0 0	ಣ	67	4		က	ر ا			4	9	ಣ	15	₽	84		-	101		200	2 [-	14		61	TO
55			* (ο 3			:	:	1	0 0	-	62,	:			ಣ	70	4		105		•	10	1	ಇ ಆ	ু থে	4		09	11
353		4	, 	<u>ರಾ</u>	0	14	:	9	16	က	10	110	Q		18	35	43	49	23	830		29	950	3	978	14 14 15 15 15 15 15 15 15 15 15 15 15 15 15	22.2		126	0.0
238		ಣ		ಸ್ತ	ಸರ	00		20	10	9	C 1	123			12	12	<u> </u>	24	∞	741		27	19		9 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	49	30		95	207
63		:	_	 (-	_	_	က	-	p=4	ಣ	20	24		4	9	<u></u>	ಬ	4	103		9	ෆ ර	3 (3.5	. 73	ಹ		120	0
635		9	ಟ	,(,(15	2	-1	16	20	C 1	17	182	00		32	52	69	123	ರ ಸ	1959		88	48	1 1	7 n	175	95		183	211
•				•	•			•		٠	•	٠	•		•	•	٠		•	•		٠		•	•		٠		•	•
Perth County	Burghal Districts.	Aberfeldy	Abernethy	Alytin	Auchterarder.	Blairgowrie	Callander	Coupar-Angus	Crieff	Doune	Dunblane	Perth	Kattray	County Districts.	Blairgowrie	Central	Highland	Perth	Western	Renfrew County	Burghal Districts.	Barrhead	Gourock		Johnstone	Port-Glasgow.	*Renfrew.	County Districts.	Upper	ower .
		Ab	Ab	Al	Au	Bla	Ca	ပ္ပိ	Cr	Do	D	Pe	Ka		Bl	Ce	H	Pe	>			Ba	ਠੱ ਹੈ	5 +	200	т Д	*R		D	Ĭ

* Including the portion within the County of Lanark.

1									
	Vi	olence.	6	- : :		L 03 4	- ::	5	63 : : :
	Diseas	espiratory ses (except thisis).	32	- 21 -	:-:	25	64 ; m	11	m : : :
	er-	Other.	4	7 ::	:-:	: -	• • •	2	Ø :-:
	Tuber-	Pulmonary.	21	-83 :	-::	⇔ 64 ∞	٠ : m	6	4 : 1:
m	1	arrhœa r 2 years).	•	• • •	:::	• • •	0 0 0	H	
Deaths from		ohtheria Croup.	23	0 0 0 0 0 0		::07		:	
Deat	Whoop	oing-cough.	П	• • •		::-	• • •	-	• • • •
	Scarl	let Fever.	•	• • • • • • • • • • • • • • • • • • •	• • •	• • •	• • • • • • • • • • • • • • • • • • •	•	• • • •
	M	easles.	•		:::		• • •	:	• • • •
	Sm	allpox.	က	:: : : : : : : : : : : : : : : : : : : :	: : :	* * *		•	* * * * *
	Typh	us Fever.	•			* * *		•	
	Enter	ric Fever.	•	0 0 0 0 0 0	0 0 0			•	
Deaths of	Person Years ar	as Aged 65 and Upwards.	128	H 4 H	01 44 4	14 18 40	20 6 14	26	0 0 0 0 0
Deat		ren under ear of Age.	23		: ::	0 m m	63 ::	11	9 : 1 :
	Net	Number.	252	6	13 6	00 cm 10 cm	37 8 19	124	94 v v v
ths.	Trans	ferred in.	25	01 to 4	G1 :	01 4 H	e : e	15	ъ: н :
Deaths.	Trans	ferred out.	18	:01 10	• • .8 • • •	: 10	9 : :	13	8 ::0
	Reg	ristered.	245	10	12 12 6	20 84 84	40	122	46 13 2 2 2 2 3
	Marri	ages.	79	9 0 :	ကတတ	6 7 111	14	84	33
	Illegitima (correc	te Births eted).	21	: r-1	2 :-		0101-	15	ю:
	Births (co	rrected).	369	13	8 1 0 1 0 1	33 71 123	65	235	122 4
	County and Public	Health District.	Ross and Cromarty County	Burghal Districts. Cromarty Dingwall Fortrose	Invergordon Stornoway	County Districts. Black Isle Easter Ross Lews	Mid Ross South-Western	Roxburgh County .	Burghal Districts. Hawick Jedburgh Kelso Melrose

	: -	က	63 :	-	4	_	H 69	24	 : ۳	4-6	юr :
1010	100	G,		67	00	67	70 m	63	:27	1263	S 6 4
:-:	- :	-	: -	• •	က	0 0	es :	17		: : 4	41011
٠ : ٥٦	:-	63	: 67	0 0	2	*	9	24	:	H H 4	4 to H
- : :	• •	•	• •			•	• •	12	• • •	- m m	4
• • •	• •	*	• •	* •	9	•	0 0	11	: : : : : : : : : : : : : : : : : : : :	* * presid	ଟାଳ :
	* *	:	• • • • • •	0 0 0	_	0 4 0	:-	•	0 0 0	: : :	0 0 0 0 0 0
0 0 0	::	:	: :	•	*	ф ф п	• •	5	: :07	::-	67 ::
• • • •	: :	:	• •			p=4	• •	4	0 0 0	:67	yeard 0 0
* * *	: :	:	* * * *	:	• •	•	* ° *	-	:	* * * * * * * * * * * * * * * * * * *	* * *
0 0 0	: :	•	• •	•	:	9 9	* * *	:			* * * *
* * * * * * * * * * * * * * * * * * *	0 0 0 0		• •	•	0 0	ø •	• •	o •	• • •	* n g	0 0 0 0 0 0 0 0 0
4401	⊘ 1 ∞	35	7 79	70	46	O	31 6	153	8 4 61	318	83 to 4
	67 :	6		_	9	ಣ	61	61	: 4 0	17 69	<u> </u>
11 13 20	12	99	15	00	90	19	58	454	41 67	28 23 76	75 1114 30
80 €	: :	9	₩ H	:	13	ଚ	0 -	82	4 m 01	1-41-	19
::-	::	က	ಣ :	:	9	تن	 •	82	23 - 1	51	0 6 4
20 & %	125	63	41	00	8	22	49	454	115	19 18 90	. 65 . 116 . 27
13 0 0	မာ က	25	36	ಹ	22	14	∞ :	407	48	28 22 71	46 96 1 3
: 37 4ª	: 61	Ø	; ;t		10	ಣ	9	65	:: 91	<u> по</u>	111
11 29 37	35.0	102	60	20	101	21	64	1034	14 42 213	58 62 153	180 257 55
		•		•	•	•	• •	٠			
County Districts.	a 4	County	burghat Districts. ishiels	County District.	Shetland County	Burghal District.	County Districts.	Stirling County Burghal Districts.	llan . Dunipace		County Districts. ral
County I Hawick . Jedburgh Kelso .	Liddesdale Melrose	Selkirk	Galashiels Selkirk .	County .	Shetland	Burghal Lerwick.	County Mainland North Isles	Stirling County Burghal Districts.	Bridge of Allan Denny and Dunipace Falkirk	Grangemouth Kilsyth . Stirling .	Central . Eastern . Western .

	Vi	olence.	*	:	:	41	:	ಕ್ಷಣ
	Diseas	espiratory ses (except athisis).	7	-	9	4	<u>: - : :</u>	ಣ
	er- sis.	Other.	H	:	; ===	67	⊣ ::::	∹ :
	Tuber-	Pulmonary.	ಣ	0 0 0	ಣ	41	어른 : :	- :
H H	lunda	arrhœa r 2 Years).	:	0 0 0	•	*	::::	
Deaths from	Din and	ohtheria l Croup.	*	:	:	67		, ,
Dea	Whool	ping-cough	e e	6 6	0 0 0	23	: T : : ;	:
	Scar	let Fever.	:	i	:	•	::::	• •
	M	leasles.	•		0 0	:	0 0 0 P	* * * * * * * * * * * * * * * * * * *
	Sm	nallpox.	•	•	*	*	: : : :	0 0 0 0
	Typh	ius Fever.	. 6	•	•		::::	::
	Ente	ric Fever.		•	:		• • • • • • • •	P 6
Deaths of	Person Years an	ns Aged 65 ad Upwards.	32	61	30	41	46704	114
Deat	Child One Y	ren under ear of Age.	. <u>.</u>		ಸರ	17	196	. o 01
	Net	Number.	55	ಣ	25	104	9112	32
Deaths.	Trans	sferred in.	H	. :		6	::	6 4
Dea	Trans	ferred out.	. •	•	0 0 8	7	; 4 : :	7 7
	Reg	gistered.	54	ಣ	51	102	21 21 6 6	31
	Marri	ages.	16	:	16	40	444	14
	Illegitima (correc	te Births eted).	00	-	<u>[-</u>	56	⊣ ल⊢:	17
	Births (co	errected).	65	,	64	196	8401-	22
	County and Public	Health District.	Sutherland County .	Dornoch	County District. Sutherland	Wigtown County .	Newton-Stewart Stranraer Whithorn Wigtown	Machars.

QUARTERLY RETURN

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN THE

DIVISIONS, COUNTIES, AND PUBLIC HEALTH DISTRICTS

OF

SCOTLAND.

QUARTER ENDING 31st DECEMBER 1920.

Published by Authority of the Registrar-General.

CCLXIV.

EDINBURGH:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses:

23, FORTH STREET, EDINBURGH;

IMPERIAL HOUSE, KINGSWAY, LONDON, W.C. 2, and 28, ABINGDON STREET, LONDON, S.W.1;
37, Peter Street, Manchester; 1, St. Andrew's Crescent, Cardiff:
or from E. PONSONBY, Ltd., 116, Grafton Street, Dublin.

1 9 2 1.

TABLE IA.—PRINCIPAL STATISTICAL FACTS FOR YEAR 1920.

		Deaths under 1 per	1000 Births.	92	104 85 77		101 121 121 104 101 104 113 86 99 99 71 71 88
		Illegiti- mate Births	per 100 Births.	7.5	7.0 6.9 8.6		ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο ο
			Phthisis.	98.0	0.98 0.80 0.72		1.06 0.99 0.99 0.93 0.75 0.93 0.93 0.93 0.93 0.93 0.93
	ion.*	hs.	All Tuber- culosis.	1.24	1.40 1.16 1.04		1.24 1.24 1.25 1.26 1.28 1.23 1.23 1.23 1.23 1.23 1.23 1.23 1.23
	Rates per 1000 of Population.*	Deaths	Principal Epidemic Diseases.	0.78	0.88 0.70 0.70		0.97 0.95 0.90 0.57 0.57 0.59 0.79 0.79 0.79 0.79
	es per 100		Total,	14.0	14.6 14.1 13.0		8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
	Rat	i,	Mar- riages.	9.6	11.7		4.4.4.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6
			Births.	28.1	28.6 27.7 27.4		29222222222222222222222222222222222222
			Phthisis.	4,195	2,342 766 1,087		1,167 286 1886 1538 855 855 855 855 855 855 855 855 855
			All Tuber- culosis.	6,041	3,351 1,110 1,580		1,635 417 252 2111 121 141 141 60 53 44 46 46 46
		Deaths.	Principal Epidemic Diseases.	3,796	2,108 669 1,019		1,067 183 194 137 147 152 153 153 153 153 153 153 153 153 153 153
	bers.		Children under 1.	12,565	7,086 2,267 3,212		3,478 688 661 591 250 280 147 147 115 778 778 778 66
	Numbers		Total.	68,179	34,793 13,590 19,796		16,767 4,442 2,812 2,402 1,124 1,218 1,328 653 653 4439 4449 4449
		,	mar- riages.	46,839	28,018 9,111 9,710		13,576 4,483 2,094 2,123 762 762 782 351 351 358 351 413 367 8380 380 380 380 380 380 380 380 380
		Illegiti.	mate Births.	10,207	4,777 1,836 3,594		624 6444 6446 6451 1150 1146 1131 833 67 73 67 79 67 67 67 69 63 63 64 64 64 64 64 64 64 64 64 64 64 64 64
			Births.	136,535	68,327 26,648 41,560		32,626 7,77,4 4,868,4 2,868,2 2,486,4 1,130,2 1,123,3 1,018 1,018 1,018 1,018
-				•			
				SCOTLAND .	Larger Burghs . Smaller Burghs County Districts	Larger Burghs:-	Glasgow . Edinburgh . Dundee . Aberdeen . Paisley . Leith . Greenock . Coatbridge . Motherwell . Kirkcaldy . Hamilton . Clydebank . Perth . Kilmarnock . Kilmarnock . Kalkirk

* Calculated on revised populations.

REPORT.

This report deals more especially with the statistics of the fourth quarter of the year 1920, but as with its completion figures relative to the entire year are now available, a short preliminary statement of them is prefixed. A full report on the vital statistics of the year will in due course be published in the Sixty-sixth Annual Report. The annual figures here given may be accepted as substantially correct, but they are provisional, and will be superseded by those appearing in the Annual Report above referred to.

The more outstanding statistical facts derived from an examination of the annual figures are a high birth-rate and a high marriage-rate, but a low death-rate. The marriage-rate of the year, 9.6 per thousand, is the highest Scottish marriage-rate yet recorded, while the death-rate, 14.0, is the lowest. The birth-rate was 28.1, and is higher than those of all years since 1906. The numbers of births and marriages registered in Scotland during the year both constitute records. Deaths from tuberculous disease, including those from phthisis, show a satisfactory decline, as do also those from measles and whooping-cough, the latter of which were fewer in this than in any previous year. Deaths from malignant disease were more numerous in this than in any previous year, and outnumbered these from phthisis by fully 37 per cent. Small-pox was the cause of death in 152 instances, this number being greater than in any year since 1904.

The quarterly statistics show a birth-rate of 25.0 per thousand, which is considerably below that of recent quarters, and may be described as of prewar level. The marriage-rate was 8.5 per thousand, which, while being 0.7 less than that of the fourth quarter of the previous year, is 1.1 more than the mean of those of the preceding five fourth quarters, and 1.4 more than the mean of those of the preceding ten fourth quarters. The death-rate was 13.8 per thousand, which is considerably lower than the mean of those

of the fourth quarters of recent years.

PRELIMINARY STATEMENT REGARDING THE VITAL STATISTICS OF SCOTLAND IN THE YEAR 1920.

Births registered in Scotland during the year numbered 136,535. This number is 30,267 more than that of the previous year, 31,258 more than the mean of the numbers of the preceding five years, and 22,599 more than the mean of those of the preceding ten years. It is the largest number of births registered in Scotland in any one year, the previous largest number being 133,525, which occurred in 1903. The minimum number of births registered in Scotland in any year, with the exception of 1855, was 97,441; it occurred in 1917, and compared with it the number for 1920 is 39,094, or 40·1 per cent., more. The large number of births registered during the year is associated with, and due to, large numbers in the first two quarters of the year only, there being no marked excess over pre-war averages in those of the latter two quarters.

Marriages registered numbered 46,839. This number is 2702 more than that of the previous year, 11,443 more than the mean of those of the five preceding years, and 12,748 more than the mean of those of the preceding ten years. It is the maximum number of marriages registered in Scotland in any one year, the previous maximum being that of 1919.

Deaths registered numbered 68,179. This number is 6970 less than that of the previous year, 6876 less than the mean of those of the five preceding years, and 5643 less than the mean of those of the ten preceding years. It is less than the number registered in any year subsequent to 1862.

The natural increase of the population of Scotland during the year, the excess of births over deaths, was 68,356, which amount is greater

than in any previous year since the institution of national registration, and that is since 1855. The previous largest number was that of 1896;

it amounted to 58,495.

The Scottish birth-rate of the year was 28.1 per thousand. It is 6.4 more than that of the previous year, the same amount more than the mean of those of the preceding five years, and 4.3 more than the mean of those of the preceding ten years. It is higher than the Scottish birth-rate of all years subsequent to 1906.

The annual marriage-rate was 9.6 per thousand. It is 0.6 higher than that of the previous year, 2.3 more than the mean of those of the preceding five years, and 2.5 more than the mean of those of the preceding ten years. This is the second consecutive year in which the marriage-rate has been 9.0 or more; in no other year since 1855 has it exceeded 7.8.

The annual death-rate was 14.0 per thousand. It is 1.4 less than that of the previous year, 1.5 less than the mean of those of the preceding five years, and 1.4 less than the mean of those of the preceding ten years. It

is the lowest annual Scottish death-rate yet recorded.

Deaths of children of less than one year old numbered 12,565, and equal an infantile mortality rate of 92 per thousand registered births. This rate is 10 less than in the previous year, 15 less than the mean of those of the preceding five years, and 16 less than the mean of those of the preceding ten years. It is the lowest annual Scottish infantile mortality rate yet recorded.

The principal epidemic diseases death-rate of the year was 0.78 per

thousand. It is 0.14 less than in the previous year.

The death-rate from all forms of tuberculous disease was 124 per 100,000, and from phthisis 86. Both of these rates are the lowest yet recorded. In the previous year these two rates were 129 and 88 respectively.

In the larger burghs taken collectively the birth-rate of the year was 28.6; the marriage-rate, 11.7; and the death-rate, 14.6. In the smaller burghs taken collectively these three rates were 27.7, 9.5, and 14.1; and in the county districts, 27.4, 6.4, and 13.0 respectively. Compared with the rates of the previous year, all these birth-rates and marriage-rates are higher, but all the three death-rates are lower. The increase of the birth-rate in the larger burghs is 6.6; in the smaller burghs 6.5; and in the county districts 5.8; and that of the marriage-rate in the larger burghs is 0.5; in the smaller burghs, 0.6; and in the county districts, 0.7; while the decrease of the death-rate in the larger burghs is 1.1; in the smaller burghs, 0.8; and in the county districts, 1.5.

In the larger burghs taken individually the birth-rate of the year varied from 34.8 in Hamilton, 34.2 in Greenock, 33.4 in Coatbridge, 31.3 in Motherwell, and 30.0 in Clydebank, to 22.5 in Perth, 23.2 in Edinburgh, and 25.6 in Ayr. In Glasgow it was 29.7; in Dundee, 27.4; and in Aberdeen, 29.5. In these burghs the annual death-rate varied from 16.9 in Greenock, and 15.3 in Glasgow and in Dundee, to 11.1 in Clydebank, 11.7 in Kilmarnock, and 12.8 in Paisley In Edinburgh this rate was

13.3, and in Aberdeen, 14.6.

In the larger burghs the principal epidemic diseases death-rate of the year ranged from 1.38 in Hamilton, 1.18 in Coatbridge, 1.14 in Falkirk, and 1.11 in Greenock, to 0.55 in Edinburgh, 0.57 in Leith, and 0.59 in Perth and in Kilmarnock. In Glasgow this rate was 0.97; in Dundee, 1.05; and in Aberdeen, 0.83.

In the same burghs the phthisis death-rate of the year varied from 112 per 100,000 in Leith, 108 in Coatbridge, and 106 in Glasgow, to 67 in Motherwell, 71 in Ayr, and 75 in Coatbridge and in Kirkcaldy In Edinburgh this rate was 85; in Dundee, 99; and in Aberdeen, 93.

Table IIA.—Causes of Death in Scotland during Year 1920.

CAUSES OF DEATH.	All						Age.						Age
OAUSER OF DEATH.	Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	stated.
Enteric Fever Typhus Fever Small-pox Measles Scarlet Fever Whooping-cough Diphtheria and Croup Influenza (sole cause specified) Erysipelas Phthisis, Pulmonary Tuberculosis Tuberculous Meningitis Abdominal Tuberculosis Other Tuberculous Diseases Cancer, Malignant Disease Cancer, Malignant Disease Rheumatic Fever Meningitis Organic Heart Disease Bronchitis Pneumonia (all forms) Other Diseases of Respiratory Organs Diarrhœa and Enteritis (under 2 years) Appendicitis and Typhlitis All Liver Diseases (not Malignant) Other Diseases of the Digestive System Nephritis and Bright's Disease Puerperal Sepsis Other Diseases and Accidents of Pregnancy and Parturition Congenital Debility and Malformation, including Premature Birth Violent Deaths, excluding Suicide Suicide Other Defined Diseases	96 16 152 816 245 628 724 290 171 4195 590 523 733 5758 203 729 6701 4699 6688 997 1287 445 446 2295 1869 242 596 5107 2682 234 16625 1397	- 12 271 8 341 64 30 40 18 146 68 51 274 25 1036 1729 147 1161 2 9 327 18 - 5055 113 - 1434 180	2 13 495,104,258 372,16 3,78 218,149 93,10 11,190 1079 82,126,16 2,172,38 - - 33,275 - 259 55	8 -15 40 80 27 224 6 1 72 102 72 63 6 25 70 40 28 165 22 -5 9 138 -1 128 10	9 -10 -3 -23 -2 -33 -4 -141 -60 -49 -61 -11 -30 -37 -66 -7 -71 -68 -2 -50 -243 -103144 -7	25 3 10 3 20 - 15 20 7 1017 41 76 146 40 44 44 179 34 358 25 - 102 14 105 81 58 91 6 374 16 374 18	21 3 6 1 4 - 9 26 10 976 13 38 94 130 62 480 29 - 50 25 128 121 121 292 1 263 38 436 33 31 31 32 33 31 31 32 33 31 31 32 33 31 31 32 33 31 31 32 33 31 31 32 33 31 31 32 33 33 31 31 32 33 33 31 32 33 34 35 36 37 38 38 38 38 38 38 38 38 38 38	14 4 24 - 3 - 21 21 813 6 25 76 423 22 19 376 41 41 218 184 62 205 - 316 50 797 79	9 5 34 1 2 - 25 22 631 4 22 631 1043 18 28 723 305 556 112 - 44 74 249 324 1 8 370 58 1346 156	7 1 17 1 1 4 38 26 308 - 18 55 1640 15 12 1490 689 656 138 323 429 - 324 45 2334 250	1 11 1 2 466 222 117 - 5 1100 1052 618 177 - 25 100 357 404 - 223 18 3547 329		1
All causes	68179	12565	4361	1529	1032	3306	3734	4563	6231	8962	10611	11277	8

A general summary of the causes of death registered during the year is given in Table IIA. A comparison with the corresponding table for the previous year shows that deaths from the following causes were more numerous in this than in that year, namely enteric fever, small-pox, scarlet fever, cancer, rheumatic fever, the diarrheas of childhood, appendicitis, puerperal sepsis, other accidents of pregnancy and child-birth, and congenital debility, malformations and premature birth, while deaths from the following causes were less numerous, namely measles, whooping-cough, influenza, phthisis, all tuberculous disease, meningitis, heart disease, bronchitis, pneumonia, and nephritis. Deaths from small-pox registered during the year numbered 152, which is the largest number in any year since 1904, when they numbered 185; in the three years 1917, 1918, and 1919 no deaths from small-pox were registered in Scotland. Deaths from measles are fewer than in any year since 1894, while from whooping-cough they are fewer than in any previous year Deaths from cancer are more than in all previous years; they outnumber those attributed to phthisis by 1563, or fully 37 per cent.

Table IIA. also shows the age distribution of those dying during the year. A comparison with the numbers in the previous year shows deaths in every age-group were fewer in this than in that year with one exception, those of children of less than one year being greater in this than in that year, as might be expected from the high birth-rate and consequently increased number of children exposed to the risk of death.

TABLE I.—BIRTHS, ILLEGITIMATE BIRTHS, DEATHS, and MARRIAGES in SCOTLAND, and in the Divisions of the Counties during the Quarter ending 31st December 1920, with relative rates; also Infantile Mortality.

	POPUL	ATION.	TOT BIRT (Corre	HS.	ILLEO MA BIRT (Corre	TE THS.	DEA (Corre for Tra	ected		IAGES.	ONE YEAR (Corrected.	
	Census 1911.	Esti- mated to middle of 1920.	Num- ber.	Rate per 1000 of Pop.	Num- ber.	Per cent. of Total Births.	Num- ber.	Rate per 1000 of Pop.	Num- ber-	Rate per 1000 of Pop.	Num- ber.	Rate per 1000 Births.
SCOTLAND,	4760904	4921100	30949	25.0	2372	7.7	17054	13.8	10504	8.5	3261	105
LARGER BURGHS	2245735	2426500	15387	25.2	1108	7.2	8789	14.4	6195	10.2	1874	122
SMALLER BURGHS	956687	966700	5969	24.6	428	7.2	34 36	14.1	2114	8.7	567	95
COUNTY DISTRICTS	1558482	1527900	9593	25.0	836	8.7	4829	12.6	2195	5.7	820	85
Northern Division,	105997	95100	481	20.1	50	10.4	333	13.9	170	7:1	24	50
North-Western Do.	164636	150100	783	20.8	54	6.9	583	15.5	239	6.3	57	73
North-Eastern Do.	467333	450400	2859	25.3	387	13.2	1484	13.1	1081	9.5	296	104
East-Midland Do.	712146	732600	4210	22.9	316	7.5	2466	13.4	1482	8.0	390	93
West-Midland Do.	386312	393800	2402	24.3	152	6.3	1260	12.7	633	6.4	211	88
South-Western Do.	2033521	2185600	15012	27.3	979	6.2	7934	14.4	4894	8.9	1862	124
South-Eastern Do.	700577	736600	4169	22.5	326	7.8	2330	12.6	1633	8.8	334	80
Southern Do.	190382	176900	1033	23.2	108	10.5	664	14.9	372	8.4	87	84

STATISTICS OF QUARTER ENDING 31ST DECEMBER 1920. BIRTHS.

Births registered in Scotland during the fourth quarter of the year 1920 numbered 30,949. This number is 677 less than that of the previous quarter, and 3527 less than in the fourth quarter of the previous year, but is 4362 more than the mean of those of the fourth quarters of the preceding five years, and 2934 more than the mean of those of the fourth

quarters of the preceding ten years.

The quarterly Scottish birth-rate was 25.0 per thousand. It is 0.6 less than that of the previous quarter, and 2.9 less than that of the fourth quarter of the year 1919, but is 3.3 more than the mean of those of the fourth quarters of the preceding five years, and 1.8 more than the mean of those of the preceding ten years. During the recent period of war the national birth-rate fell to 20 and even less, a minimum of 18.6 occurring in the fourth quarter of 1917, but subsequent to the armistice and the demobilisation of the troops the birth-rate rose markedly, being 27.9 in the fourth quarter of 1919, and 30.9 in the first quarter of 1920, both of which rates were in considerable excess of pre-war level, but since then this rate has been declining, and although it remains in excess of war-time level it now is down to pre-war level. The fourth quarter birth-rates of the three years 1912, 1913 and 1914 averaged 24.9, and that of the quarter now under review only differed therefrom by 0.1.

Of the 30,949 children whose births were registered during the quarter, 15,815 were males and 15,134 were females, the ratio of male to female children being 104.5 to 100. This ratio is more than in the

previous quarter, when it was 103.8.

In the Divisions of the Counties the quarterly birth-rate varied from 27.3 in the South-Western, 25.3 in the North-Eastern, and 24.3 in the West-Midland, to 20.1 in the Northern, and 20.8 in the North-Western.

TABLE II .-- Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1910 to 1920 inclusive.

	of of	0 40 0	967	တ္က ၈ ၂	0 00 10	1-00
1920	Per 1000of Pop.	30.9	29.6	25.6	25.0	4,864,400 6535 28·1 8179 14·0 6839 9·6
	No.	37747 18927 11751	36214 18249 11881	31625 13949 12703	30949 17054 10504	4,864 136535 58179 46839
Mean	Ten Years	18.3.8	es 10 5 65 65 65	2.5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	5.5. 5.5. 7.7	25.8
1919	Per 1000of Pop.	18.6 23.9 7.3	13.6	20.5 10.8 9.9	27.9	4,894,077 6268 21.7 5149 15.4 4137 9.0
19	No.	22507 28959 8811	23856 16612 11642	25424 13325 12268	34481 16253 11416	4,894 106268 75149 44137
1918	Per 1000of Pop.	19.3 14.9 6.8	21.4 13.7 6.6	20.1	20.0	4,886,274 8554 20°2 8372 16°0 4600 7°1
19.	No.	23221 17885 8240	26054 16680 8048	24700 15188 9404	24579 28619 8908	4,886 98554 78372 34600
17	Per 1000of Pop.	21.2	21.6	11.2	18.6	4,854,738 7441 20·1 9483 14·3 0486 6·3
1917	No.	25371 21789 7260	26198 18612 7334	23096 13735 7827	22776 15347 806 5	4,854 97441 69483 30486
9	Per 1000of Pop.	22.8 16.3 7.2	25.0	22.4 12.4 6.4	21.0	,308 22.8 14.6 6.5
1916	No.	27352 19508 8604	29931 18272 7636	27144 15026 7766	25515 17834 7477	4,824,308 109942 22.7 70640 14.1 31483 6.
20	Per 1000of Pop.	26·3 21·2 6·8	25°S 17°1 7°8	22.2 13.2 8.0	21.2	23.9
1915	No.	30999 24990 7996	30793 20413 9245	26804 15932 9645	25585 20296 9386	4,785,598 114181 23° 81631 17° 36272 7°
4	Per 1000of Pop.	26·3 17·7 7·4	28.0 15.4 7.7	25.5 13.6 7.9	15.5	26·1 15·5 7·4
1914	No.	30656 20654 8631	33009 18169 9088	30336 16219 9358	29933 18515 7972	4,747,167 123934 26 73557 15 35049 7
13	Per 10000cf Pop.	25.6 18.2 6.7	27.3 15.4 7.2	24.7 13.6 7.6	24·3 14·6 7·0	3,132 25.5 15.5
191	No.	29825 21270 7841	32198 18143 8503	29487 16194 9037	29006 17462 8310	4,728, 120516 73069 33691
CN2	Per 1000of Pop.	25.6 17.5 5.9	27.3 15.0 7.0	25.3	15. 2. 2. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	25.9
1912	No.	30272 20698 6994	32221 17693 8209	30166 15228 8778	30057 18721 8529	4,741,077 122716 25° 72340 15° 32510 6°
1911	Per 1000of Pop.	26·1 16·9 5·8	15.2	24.7 13.4 7.0	23.7 14.8 6.7	25.6
19	No.	30710 19794 6758	32935 18029 8567	29653 16149 8434	28513 17760 8052	4,751,132 121811 25-7 71732 15-3
. 01	Per 1000af Pop.	26·1 17·7 6·3	28.6 15.8 6.7	25.2 12.8 6.7	24.9 14.8 6.4	26.2 15.3 6.5
1910	No.	30422 20605 7317	33812 18593 7928	30061 15331 7975	29705 17716 7646	4,738,611 124000 26 72245 15 30866 6
		FIRST QUARTER. Births, Deaths, Marriages,	Second Quarter. Births, Deaths, Marriages,	Third Quarter. Births, Deaths, Marriages,	FourthQuarter. Births, Deaths, Marriages,	YEAR. Population Births, Deaths, Marriages,

In the Southern Division it was 23.2; in the East-Midland, 22.9; and in

the South-Eastern, 22.5.

In the counties it varied from 28.5 in Linlithgow, 28.4 in Banff, 27.7 in Ayr, and 27.5 in Lanark, to 12.0 in Bute, 16.2 in Selkirk, 16.5 in Shetland, and 18.0 in Berwick and in Peebles.

In the larger burghs taken collectively, the quarterly birth-rate was 25.2; in the smaller burghs, 24.6; and in the county districts, 25.0. In the larger burghs this rate was 0.4, in the smaller burghs 0.6, and in the county

districts 0.7 less than in the previous quarter.

In the larger burghs taken individually the birth-rate varied from 33.0 in Hamilton, 30.1 in Coatbridge, 29.7 in Clydebank, and 28.3 in Greenock, to 18.6 in Perth, 19.6 in Edinburgh, 22.0 in Ayr, and 22.8 in Dundee.

In burghs with populations of between 10,000 and 30,000, it ranged from 41.6 in Port-Glasgow, 33.9 in Irvine, 32.8 in Dunfermline, and 32.5 in Wishaw, to 17.0 in Galashiels, 17.5 in Grangemouth, 18.8 in Forfar, 19.5

in Hawick, and 19.7 in Arbroath.

In county districts with populations of more than 10,000, it ranged from 34·1 in Calder District of Midlothian, 32·6 in Bathgate District of Linlithgow, and 31·9 in Ayr District of Ayr and in Middle Ward District of Lanark, to 14·6 in Highland District of Perth, 14·6 in Western District of Perth, 16·9 in Mainland District of Shetland, 17·6 in Aberdeen District

of Aberdeen, and 17.7 in Central District of Perth.

Of the 30,949 children registered 28,577, or 92.3 per cent., were legitimate, while 2372, or 7.7 per cent., were illegitimate. The legitimate children of the quarter number 660 less than those of the previous quarter, and 3482 less than those of the fourth quarter of the previous year. The illegitimate children number 17 less than in the previous quarter, and 45 less than in the fourth quarter of the previous year. The illegitimate rate is 0.1 more than that of the previous quarter, and 0.7 more than that of the previous fourth quarter. In the report dealing with the statistics of the second quarter of 1920 attention was directed to the comparatively large number of illegitimate births then registered; they amounted to 2756; compared with that figure, those of this quarter are 384, or approximately 14 per cent., less.

In the Divisions of the Counties the quarterly illegitimate rate varied from 13.5 per cent. in the North-Eastern, 10.5 in the Southern, and 10.4 in the Northern, to 6.3 in the West-Midland, 6.5 in the South-Western, and

6.9 in the North-Western.

In the counties this rate ranged from 16.4 in Berwick, 15.3 in Banff, 14.8 in Elgin, and 14.3 in Caithness, to 4.5 in Nairn, 5.1 in Dumbarton, 5.3 in Renfrew, 5.7 in Orkney, and 5.9 in Linlithgow.

In the larger burghs taken collectively this rate was 7.2, in the smaller burghs, 7.2, and in the county districts, 8.7. In the previous quarter these

three rates were 7.3, 6.4, and 8.6 respectively.

In the larger burghs taken individually this rate varied from 11·2 in Falkirk, 10·4 in Aberdeen, 9·9 in Perth and 8·9 in Edinburgh, to 3·8 in Clydebank, 4·1 in Motherwell, 4·4 in Kilmarnock, and 4·6 in Greenock. In burghs with populations of between 10,000 and 30,000 it varied from 13·0 in Forfar, 12·7 in Fraserburgh, and 10·7 in Montrose, to 2·5 in Buckhaven Methil and Innerleven, 3·4 in Airdrie, 3·6 in Port-Glasgow, and 3·8 in Renfrew. In county districts with populations of more than 10.000 it varied from 27·6 in Ellon District of Aberdeen, 25·4 in Garioch District of Aberdeen, 23·5 in Keith District of Banff, and 22·7 in Turriff District of Aberdeen, to 3·3 in Lower Ward District of Lanark, 3·6 in Lorn District of Argyll, 3·7 in Western District of Stirling, and 4·0 in Eastern District of Stirling.

Births registered during October numbered 10,615; during November, 9990; and during December, 10,344. The Scottish birth-rate in October was 25.5; in November, 24.8; and in December, 24.8.

The birth-rate of the quarter in England and Wales was 22.0, which is

3.0 less than the Scottish rate.

MARRIAGES.

Marriages registered in Scotland during the quarter numbered 10,504. This number is 2198 less than that of the previous quarter, and 907 less than that of the fourth quarter of the previous year, but is 1454 more than the mean of those of the fourth quarters of the preceding five years, and 1928 more than the mean of those of the fourth quarters of the preceding ten years. This is the seventh consecutive quarter in which more than 10,000 marriages were registered, while previous to the period covered by them 10,000 were never registered in Scotland in a quarter, and more than 9000 were only registered in seven quarters in all, namely in the third quarter of 1913, the second and third quarters of 1914, the second, third and fourth quarters of 1915, and the third quarter of 1918.

The quarterly marriage-rate was 8.5 per thousand. It is 1.8 less than that of the previous quarter, and 0.7 less than that of the fourth quarter of last year, but is 1.1 more than the mean of those of the fourth quarters of the preceding five years, and 1.4 more than the mean of those of the

fourth quarters of the preceding ten years.

In the Divisions of the Counties the quarterly marriage-rate varied from 9.5 in the North-Eastern, 8.9 in the South-Western, and 8.8 in the South-Eastern, to 6.3 in the North-Western, and 6.4 in the West-Midland. In the counties, burghs included, it ranged from 10.5 in Aberdeen, 10.4 in Nairn, 9.9 in Midlothian, and 9.2 in Dumfries and in Lanark, to 4.9 in Sutherland, and 5.0 in Berwick, in Bute, and in Ross and Cromarty.

In the larger burghs taken collectively it was 10.2; in the smaller burghs, 8.7; and in the county districts, 5.7. In the previous quarter

these three rates were 12.9, 10.0, and 6.2 respectively.

In the larger burghs taken individually this rate varied from 12.2 in Aberdeen, 11.7 in Edinburgh, 10.5 in Glasgow, and 10.4 in Perth and in Ayr, to 6.3 in Coatbridge, and 6.9 in Motherwell and in Clydebank.

In burghs with populations of between 10,000 and 30,000 the quarterly marriage-rate varied from 18.9 in Inverness, 13.4 in Fraserburgh, 13.3 in Dumfries, and 12.6 in Dunfermline, to 3.0 in Grangemouth, 3.5 in Cowden-

beath, and 5.8 in Bo'ness and in Dumbarton.

In county districts with populations of more than 10,000 it ranged from 10.3 in Annan District of Dumfries, 10.2 in Rhins District of Wigtown, and 9.2 in Cupar District of Fife, to 2.2 in Lews District of Ross and Cromarty, 2.6 in Keith District of Banff, and 3.0 in Mainland District of Shetland.

Marriages registered in October numbered 3037; in November, 3124; and in December 4343, the marriage-rate of October being 7.3; of November, 7.7; and of December, 10.4. Compared with the marriage-rate of the corresponding month of 1919, that of October is 0.4 less, that of November is 0.2 less, and that of December is 1.7 less.

DEATHS.

Deaths registered in Scotland during the quarter numbered 17,054. They are 3106 more than registered in the third quarter, and 800 more than registered in the fourth quarter of the previous year, but are 2616 less than the mean of the numbers registered in the fourth quarters of the preceding five years, and 1798 less than that of the numbers

registered in the fourth quarters of the preceding ten years. The only fourth quarters since 1867 in which in Scotland a smaller number

of deaths were registered were those of the years 1919 and 1917.

The quarterly death-rate was 13.8 per thousand. It is 2.5 more than that of the previous quarter, and 0.7 more than that of the fourth quarter of the previous year, but is 2.3 less than the mean of those of the fourth quarters of the preceding five years, and 1.8 less than the mean of those of the fourth quarters of the preceding ten years. The only fourth quarter death-rates less than that of this quarter are those of 1917 and 1919.

In the Divisions of the Counties the quarterly death-rate ranged from 15.5 in the North-Western, 14.9 in the Southern, and 14.4 in the South-Western, to 12.6 in the South-Eastern, 12.7 in the West-Midland, and

13.1 in the North-Eastern.

In the counties, burghs included, this rate ranged from 16.4 in Sutherland, 16.3 in Kinross, 16.0 in Kirkeudbright, and 15.8 in Perth, to 8.6 in Nairn, 10.2 in Haddington, 10.7 in Linlithgow and 11.0 in Bute.

In the larger burghs taken collectively it was 14.4; in the smaller burghs, 14.1; and in the county districts, 12.6. In the previous quarter these three rates were 11.4, 11.7 and 10.9 respectively, while in the fourth

quarter of the previous year they were 13.5, 12.9 and 12.3.

In the larger burghs taken individually the death-rate varied from 16:1 in Perth. 15:8 in Greenock, 15:2 in Motherwell, and 15:1 Glasgow, to 10:9 in Kilmarnock, 11:7 in Clydebank, 12:5 in Paisley, 13:1 in Ayr, and 13:4 in Dundee. In Edinburgh this rate was 13:7, and in Aberdeen, 14:0.

In burghs with populations of between 10,000 and 30,000 this rate varied from 20.7 in Inverness, 18.9 in Port-Glasgow, 18.4 in Montrose, and 18.1 in Kirkintilloch, to 8.3 in Cowdenbeath, 9.0 in Rutherglen, 9.2 in

Buckhaven Methil and Innerleven, and 11.3 in Borrowstounness.

In county districts with populations of more than 10,000 the quarterly death-rate varied from 19.8 in Skye District of Inverness, 19.0 in Annan District of Dumfries, 18.4 in Easter Ross District of Ross and Cromarty, and 16.7 in County District of Sutherland, to 8.2 in Garioch District of Aberdeen, 8.2 in Lasswade District of Edinburgh, 8.5 in Linlithgow District of Linlithgow, and 9.1 in Ellon District of Aberdeen.

Deaths registered in October numbered 4805, in November 5643, and in December 6606. In October the monthly death-rate was 11.5, in November 14.0, and in December 15.8. In the previous year these three

death-rates were 11.4, 13.3, and 14.7 respectively.

The death-rate of the quarter in England and Wales was 12.5, which is 1.3 less than the Scottish rate.

AGES OF THOSE DYING.

Of the 17,054 persons whose deaths were registered during the quarter, 4251, or 24.9 per cent., were children of less than five years old; 7179; or 42.1 per cent., were persons between the ages of five and sixty-five; and 5621, or 33.0 per cent., were aged sixty-five and upwards. In three instances the age at death was not recorded. Compared with the numbers in the previous quarter, deaths at ages under five are 1167 more; of more than five but less than sixty-five, 857 more; and of sixty-five and over, 1081 more. Compared with the number in the fourth quarter of the previous year, deaths at ages under five are 701 more; at ages five to sixty-five, 94 more; and at ages sixty-five and over, 3 more.

Deaths of children of less than one year old numbered 3261. This number is 905 in excess of that of the previous quarter, and 712 in excess of that of the fourth quarter of the previous year. The total deaths of

the quarter are 800 in excess of those of the fourth quarter of 1919, and of this the greater part, 712, is accounted for by an increase in the number of deaths of infants. The infantile mortality rate of the quarter was 105 per thousand registered births. It is 31 more than that of the previous quarter, and the same amount more than that of the fourth quarter of the previous year. This observed rise in the infantile mortality rate should not be accepted as indicative of an equivalent rise in the risk of death during child-hood, for the rate as calculated depends on the number of births registered as well as on the number of deaths, and is one which is affected by a changing birth-rate, being lowered by a rising birth-rate and increased by a falling one. In the fourth quarter of the previous year the birth-rate was rising and the infantile mortality rate consequently low, but in this quarter the birth-rate was falling and the infantile mortality rate is consequently high.

In the Divisions of the Counties the infantile mortality rate of the quarter varied from 124 in the South-Western, 104 in the North-Eastern, and 93 in the East-Midland, to 50 in the Northern, 73 in the North-

Western, and 80 in the South-Eastern.

In the counties it ranged from 130 in Lanark, 119 in Aberdeen, and 116 in Renfrew, to 17 in Argyll, 40 in Bute and in Selkirk, 45 in Peebles, and 46 in Shetland.

In the larger burghs taken collectively it was 122; in the smaller burghs, 95; and in the county districts, 85. In the previous quarter these three rates were 81, 73, and 65 respectively, and in the fourth quarter of the previous year they were 80, 69, and 66.

In the larger burghs taken individually this rate ranged from 146 in Perth, 143 in Aberdeen, 138 in Motherwell, and 137 in Hamilton, to 65 in Kilmarnock, 77 in Kirkcaldy, 85 in Falkirk, 88 in Edinburgh, and 91 in

Ayr.

CAUSES OF DEATH.

Of the 17,054 deaths registered, 862, or 5.05 per cent. of the total, were attributed to the principal epidemic diseases. This number includes 32 from enteric fever, 36 from measles, 86 from scarlet fever, 137 from whooping-cough, 205 from diphtheria, and 366 from the diarrheas of childhood. Compared with the returns of the previous quarter deaths from diphtheria are 88 more, from scarlet fever 34 more, from whooping-cough 24 more, and from enteric fever 11 more, while those from measles are 25 fewer, and from the diarrheas of childhood 50 fewer.

The principal epidemic diseases death-rate was 0.7 per thousand. It is 0.1 more than in the previous quarter, but is the same amount less than that of the fourth quarter of the previous year. The quarterly death-rate from enteric fever was 3 per 100,000; from measles, 3; from scarlet fever, 7; from whooping-cough, 11; from diphtheria, 17; and from the diarrheas

of childhood, 30.

In the counties, burghs included, the principal epidemic diseases death-rate varied from 1·1 in Peebles, and 0·9 in Ayr, Dumfries, Lanark, and Renfrew, to 0 in Clackmannan, Kinross, Nairn, Roxburgh, Shetland, and Sutherland. In the larger burghs it varied from 1·8 in Hamilton, 1·2 in Motherwell and in Kilmarnock, and 1·1 in Greenock, to 0·4 in Aberdeen and 0·5 in Ayr and in Perth. In burghs with populations of from 10,000 to 30,000 this rate varied from 2·8 in Port-Glasgow. 1·9 in Kirkintilloch, and 1·4 in Airdrie and in Wishaw, to 0 in Alloa and in Hawick. In county districts with populations exceeding 10,000 it varied from 1·4 in Middle Ward District of Lanark, 1·3 in Kilmarnock District of Ayr, 1·2 in Forfar District of Forfar, and 1·1 in Ayr District of Ayr, to 0 in 12 districts.

Deaths from epidemic diseases other than classed as the principal epidemic diseases included 10 from typhus fever, 6 from malaria, 30 from small-pox, 46 from erysipelas, 25 from cerebro-spinal meningitis, and 12 from encephalitis lethargica. In the previous quarter deaths from typhus fever numbered 5; from malaria, 5; from small-pox, 69; from erysipelas, 27; from cerebro-spinal meningitis, 24; and from encephalitis lethargica, 18.

Of the 30 persons dying from small-pox, 16 had been vaccinated while 14 were unvaccinated; the youngest death from small-pox among the vaccinated population was one in age group 25-34, while of the 14 unvaccinated persons dying from that disease 11 were of less than 25 years

old.

Deaths from all forms of tuberculous disease numbered 1438, and constituted 8:43 per cent. of the total deaths of the quarter. They are 88 more than registered in the previous quarter, and 188 more than registered in the fourth quarter of the previous year. They equal an annual deathrate of 116 per 100,000, which rate is 7 above that of the previous quarter, and 15 above that of the fourth quarter of the previous year. These deaths included 1029 from phthisis, 121 from tuberculous meningitis, 123 from abdominal tuberculosis, and 165 others. Compared with the number in the previous quarter deaths from phthisis are 119 more, but those from abdominal tuberculosis are of the same number, while those from tuberculous meningitis are 30 fewer. Compared with the number in the fourth quarter of last year deaths from phthisis are 144 more, from abdominal tuberculosis 35 more, and from tuberculous meningitis 4 more. The quarterly death-rate from phthisis was 83 per 100,000, which is 9 above that of the previous quarter, and 11 above that of the fourth quarter of the previous year.

Deaths from malignant disease numbered 1506, and equalled a deathrate of 122 per 100,000, a rate 6 in excess of that from all forms of tuberculous disease; these deaths are 113 more than in the previous quarter,

and 79 more than in the fourth quarter of the previous year.

Deaths from pneumonia numbered 1669, constituted 9.79 per cent. of the total deaths of the quarter, and equal a death-rate of 135 per 100,000. They are 819 more than in the previous quarter, and 479 more than in the fourth quarter of the previous year. Deaths from bronchitis numbered 1230, constituted 7.21 per cent. of the total deaths, and equalled a death-rate of 99 per 100,000; these deaths are 647 more than in the previous quarter, and 128 more than in the fourth quarter of the previous year.

Deaths from influenza in all numbered 159, of which 62 were attributed to influenza as a sole cause and 97 to influenza complicated by some other disease. The total number is 85 more than in the previous quarter, and 24 more than in the fourth quarter of the previous year.

Deaths attributed to violent causes numbered 747. They are 67 more than in the previous quarter, but 93 fewer than in the fourth quarter

of the previous year.

Deaths ascribed to diseases and accidents of pregnancy and childbirth numbered 195. They are 42 more than in the previous quarter, but 24 fewer than in the fourth quarter of the previous year. They equal a death-rate of 6·3 per 1000 registered births, a rate which is 1·5 more than that of the previous quarter, and 0·1 less than that of the fourth quarter of the previous year.

Deaths of which the causes were ill-defined numbered 242, and those of which the cause was unstated or merely specified as "Natural Causes" numbered 83. The former included 167 attributed to heart failure and 39 to syncope. In the previous quarter deaths from ill-defined

causes numbered 219, and from unstated causes 80.

Table III.—Deaths from Influenza during Quarter ending 31st December 1920.

	Total.	Males.	Females.		A g	e Dist	ributio	on.	
		maios.		-5	5-	15-	35-	55-	75 and over.
Only named cause	62	37	2 5	11	1	5	9	24	12
Other Epidemic Diseases	-		Name - recognision			de conse			_
Pulmonary Tuberculosis						******			
Other Forms of Tuberculosis	7	$\frac{-}{4}$	3	4	—— 1	2			
Meningitis (not Tuberc. or CerSp.) Heart Disease	4	3	1	4:	1		2	2	
Bronchitis	15	6	9	3	1	1		5	5
Pneumonia	60	3 6	24	5	4	10	17	17	7
Other Dis. of Respir. System	2	2				1	1		
All Dis. and Acc. of Pregnancy and			~						
Childbirth	2 7	6	2			1 2	1	7	3
All other causes		б	1			. 2	1	1	3
Total	159	94	65	23	7	22	31	49	27
Oct	34	22	12	3	1	6	. 8	11	5
Nov	52	32	20	6	3	7	11	17	8
Dec	73	40	33	14	3	9	12	21	14

Table IV.—Deaths from Influenza in Larger Burghs during Quarter ending 31st December 1920.

	In	fluenza Deat	ths.			Age Dist	ribution.		
BURGHS.	Total.	Sole Cause.	One of two or more Causes.	-5	5-	15-	35-	55-	75 and over.
Glasgow Edinburgh Dundee Aberdeen Paisley Leith Greenock Coatbridge Motherwell Kirkcaldy Hamilton Clydebank Perth Kilmarnock Falkirk Ayr	29 15 2 7 - 2 3 - 3 3 2 2 2 2 - 2 - 7	9 8 -1 - 3 - 2 2 - 1 - - - 2	20 7 2 6 2 3 1 2 1 2 46	3 2 - 1 1 - 1 - 1	2 - - 1 - 1 1 - - - - 5	5 3 1 1 - 1 - 2 - 1 - - 1	7 2 4 - 1 1 1 - - 1 5	10 5 1 1 - 1 - 1 - 1 - 1 - 2 - 22	2 3 -1

Table A.—Birth-, Death-, and Marriage-rates of the Counties of Scotland during the Quarter ending 31st December 1920.

			Rat		000 of Est ulation.	imated		
COUNTIES.		Estimated Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	Illegiti- mate Births per 100 Births.	Infantile Mortality Rate per 1000 Births.
SCOTLAND	• P	4,921,100	25.0	8.5	13.8	0.7	7.7	105
Aberdeen		305,600 61,100 268,500	24·3 19·3 27·7	10·5 6·0 8·3	13·4 14·7 13·7	0·4 0·3 0·9	13·2 8·1 7·1	119 17 96
Banff		57,800 26,900 16,600	28·4 18·0 12·0	6·9 5·0 5·0	12·0 13·3 11·0	0·2 0·1 0·2	15·3 16·4 8·0	75 98 40
Caithness		28,600 28,600 148,900	23·4 25·2 26·7	7·7 8·4 6·8	15·0 15·3 12·6	0.6 0.0 0.8	14·3 6·1 5·1	54 83 103
Dumfries	• •	68,900 539,100 39,800	25·5 21·9 27·1	9·2 9·9 8·7	15·2 13·1 14·1	0·9 0·6 0·5	10·0 7·9 14·8	75 84 70
Fife	: •	293,600 283,500 44,800	25·0 22·3 26·1	7·3 8·8 6·2	11·9 13·7 10·2	0·4 0·8 0·5	6: 3 8: 5 6:8	79 106 65
Inverness		79,800 38,400 7,600	20·0 27·1 18·9	7·5 6·4 8·9	15·2 12·2 16·3	0·5 0·2 0·0	6·7 13·4 11·1	77 73 56
Kirkcudbright Lanark	• •	35,300 1,618,000 86,900	21·3 27·5 28·5	8·6 9·2 5·3	16.0 14.6 10.7	0·3 0·9 0·5	12·2 6·6 5·9	111 130 77
Nairn	• •	8,800 22,500 14,600	19·9 21·7 18·0	10·4 7·9 6·0	8·6 11·1 11·2	0·0 0·2 1·1	4·5 5·7 10·6	91 49 45
Perth		119,300 299,100 70,300	18·5 26·0 21·6	7·9 8·0 5·0	15·8 14·3 15·7	0·5 0·9 0·6	8·8 5·3 7·1	108 116 68
Roxburgh		43,100 24,300 26,100	21· 2 16·2 16·5	7·3 8·2 7·3	13·5 12·9 13·4	0·0 0·8 0·0	8·3 7·1 10·2	61 40 46
Stirling		167,200 17,900 29,600	25·1 18·2 23·1	6·4 4·9 7·7	12·3 16·4 15·2	0.8	6·9 9·8 12·8	96 49 110

Table B.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of over 30,000 during the Quarter ending 31st December 1920.

	Estimated	Rate	es per 100 Pop	00 of Esti ulation.	mated	Illegiti-	Infantile Mor-
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Glasgow	1,115,500	26.7	10.5	15.1	0.8	6.9	133
Glasgow	342,300	19.6	11.7	13.7	0.6	8.9	88
Dundee	189,000	22.8	9.7	13.4	0.9	7.7	117
Aberdeen	167,700	25.6	12.2	14.0	0.4	10.4	143
Paisley	89,400	24.3	8.9	12.5	0.7	7.3	113
Leith	84,700	25.7	8.4	13.8	0.6	5.3	101
Greenock	79,700	28:3	8.9	15.8	1.1	4.6	131
Coatbridge	44,500	30.1	6.3	14.6	0.9	5.9	136
Motherwell	42,200	27.3	6.9	15.2	1.2	4.1	138
Kirkcaldy	40,700	24.3	7.6	14.7	0.7	8.1	77
Hamilton	39,500	33.0	7.2	14.5	1.8	5.8	137
Clydebank	48,800	29.7	6.9	11.7	1.0	3.8	93
Perth	3 6,600	18.6	10.4	16.1	0.5	9.9	146
Kilmarnock	37,800	26.1	9.5	10.9	1.2	4.4	65
Falkirk	34, 500	25.8	8.3	14.4	1.0	11.2	85
Ayr	33, 600	22.0	10.4	13.1	0.5	5.9	91

Table C.—Birth-, Death-, and Marriage-rates of all Burghs in Scotland having Censal Populations of between 10,000 and 30,000 during the Quarter ending 31st December 1920.

	Estimated	Rate	es per 100 Pop	00 of Esti ulation.	mated	Illegiti-	Infantile Mor-
	Population Middle of 1920.	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	tality Rate per 1000 Births.
Airdrie	24,800	28.5	7.5	14.3	1.4	3.4	124
Alloa	11,500	21.8	9.3	12.1	0.0	6.3	127
Arbroath	17,900	19.7	7.8	14.6	0.4	7.9	67
Barrhead	12,100	28.0	8.6	13.8	0.7	$8\cdot 2$	59
Borrowstounness.	11,600	27.1	5.8	11.3	1.0	5.1	101
Buckhaven, Methil, and Inner-	11,000				1 0		101
leven	20,000	24.3	6.4	9.2	0.2	2.5	90
Cowdenbeath	18,200	27.8	3.5	8.3	0.2	5.5	94
Dumbarton	22,500	27.1	5.8	11.5	0.4	5.9	111
Dumfries	15,500	25.1	13.3	17.2	1.0	9.2	71
Dunfermline	30,300	32.8	12.6	16.4	0.5	5.6	76
Forfar	9,800	18.8	8.2	17.1	0.8	13.0	65
Fraserburgh	11,300	27.9	13.4	11.7	0.7	12.7	114
Galashiels	14,500	17.0	8.8	16.2	1.1	6.5	48
Grangemouth	10,700	17.5	3.0	12.6	0.7	6.4	85
Hawick	15,500	19.5	7.9	12.8	0.0	3.9	66
Inverness	20,200	24.0	18.9	20.7	1.0	6.6	123
Irvine	10,100	33.9	5.9	17.0	1.2	5.8	128
Johnstone	12,100	29.5	9.2	15.4	0.7	4.4	89
Kirkintilloch	12,500	26.4	7.6	18.1	1.9	4.8	96
Montrose	9,100	24.5	7.9	18.4	0.4	10.7	89
Musselburgh	18,600	29.8	8.3	12.8	0.9	5.8	79
Peterhead	14,400	26.8	8.6	13.2	0.6	8.2	113
Port-Glasgow	18,500	41.6	9.2	18.9	2.8	3.6	139
Renfrew	14,700	21.4	7.0	15.9	1.1	3 ·8	215
Rutherglen	27,900	20.4	6.4	9.0	0.7	7.0	126
Stirling	22,400	24.5	9.6	14.0	1.2	9.4	145
Wishaw	27,700	32.5	7.0	11.7	1.4	8.4	97

Table D.—Birth-, Death-, and Marriage-rates of all County Public Health Districts in Scotland having Censal Populations of over 10,000 during the Quarter ending 31st December 1920.

		Rat	es per 100 Popu	00 of Esti lation.	mated	Illegiti-	Infantile
	Estimated Population Middle of 1920.	Births	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 1000 Births.
ABERDEEN COUNTY.							
Aberdeen	22,600 25,600 11,100 12,300	17.6 28.1 19.3 24.7	4·8 7·3 7·5 6·8	9·7 15·9 14·0 9·1	0·0 0·9 0·7 0·0	14·0 9·9 16·7 27·6	100 77 111 66
Garioch	12,500 9,900	20·0 30·2	5·4 8·0	8·2 10·5	0.6 0.4	25·4 22·7	111 93
ARGYLL COUNTY.							
Lorn	9,400	23.3	4.2	14.0	0.0	3.6	0
AYR COUNTY.			L	77.4	71 . 72	0.5	T O
Ayr	42,400 12,600 22,300 44,800	31.9 22.4 30.4 28.4	7·2 7·2 8·4 6·4	11·4 13·2 13·9 15·4	1·1 0·6 1·3 0·9	9·7 15·5 8·8 6 ·6	79 15 5 88 109
Banff County.							
Banff	15,600 10,600	27·0 25·5	4·1 2·6	10·2 12·7	0.0	16·0 23·5	66 44
Caithness County.							
Caithness	16,400	21.6	5.8	15.8	0.2	15.7	34
CLACKMANNAN COUNTY.				750	0.0	0.0	20
Clackmannan	9,200	31.2	5.2	15.6	0.0	6.9	. 69
Dumbarton County. Eastern	23,900	25· 8	6.3	10.6	0.8	5.2	52
Western	27, 500	25.3	8.1	13.6	0.7	5.7	171
DUMFRIES COUNTY.							
Annan	9,700 11,400	30.9	9·0	19·0 14·6	0.8 1.0	9·3 8·8	53 74
EDINBURGH (MIDLOTHIAN) COUNTY.							,
Calder	17,500	34.1	8.2	12·1 8·2	0.7	12.7	60 49
Suburban	26,200 26,500	28·1 19·0	3.8	9.7	0.4	7·0 6·3	79
ELGIN (MORAY) COUNTY.							
Elgin (Moray)	19,400	25.5	4.1	11.7	0.4	16.1	48
Fire County.							
Cupar	15,100 34,200	20·0 25·0	9·2 7·7	9.8	0.3	18·4 4·2	53 98
Kirkcaldy	49,600 15,000	27·3 23·1	4·7 8·7	10·7 10·3	0.8	6·5 8·0	97 34

Table D.—continued.

		77.A.	Rat	es per 10 Popu	00 of Esti	mated	Illegiti-	Infantile
		11,600 9,900 17,700 11,400 33,500 212,100 43,000 35,600 16,400 11,700 19,800 9,500 40,700 22,900 17,000 17,000 17,000	Births.	Mar- riages.	Deaths.	Deaths from Principal Epidemic Diseases.	mate Births per 100 Births.	Mortality Rate per 100 Births
Forfar County.								
Brechin . Forfar			20·5 22·4	7·5 8·0	13·6 13·6	0 0 1·2	11·7 7·1	50 107
Haddington Count	Y.							
Western .		17,700	28.2	7.0	11.5	0.9	7.2	88
Inverness County.								
Skye		11,400	22.3	3.2	19.8	0.0	4.7	47
LANARK COUNTY.								
Lower			17.9	4.8	10.1	0:1	3·3 6·5	113 130
			31·9 28·0	5·5 7·9	13.0	1·4 0·6	6.6	86
Linlithgow Count								
Bathgate .		35,600	32.6	4.9	11.3	0.7	5.1	82
Bathgate . Linlithgow .			25.0	4.6	8.5	0.5	10.7	29
PERTH COUNTY.								
			17.7	3.4	12.1	0.0	7·3 14·0	24 70
			$14.6 \\ 21.7$	5·4 7·8	14.6 15.5	0.3	6.5	93
Western .			14.6	7.5	12.5	0.8	8.6	86
RENFREW COUNTY.								
Upper			20·0 23·6	6·2 4·5	11·4 15·5	0.4	4·4 5·1	68 110
Lower		22,900	20 0	4.0	10.0	0.0	0 1	110
Ross and Cromarty	Y COUNTY.							
Easter-Ross .	• • •		27·1 23·4	3·5 2·2	18·4 15·9	0.0	4·8 4·1	48 48
Lews Mid-Ross .			19.4	5.4	14.3	0.0	12.0	60
SHETLAND COUNTY.								
Mainland .	b • •	17,000	16:9	3.0	12.9	0.0	9.7	14
STIRLING COUNTY.								
Central			28.4	4.0	10.1	0.5	6.4	64
Eastern Western .	• • •	41,300 11,500	26·5 18·7	5·6 3·5	10.6	0.5	4·0 3·7	102
		11,000		3 0				
Sutherland Count Sutherland .		17,100	18.6	5.1	16.7	0.0	10.0	50
	• • •	17,100	100	0.1	107		100	
WIGTOWN COUNTY.								
Rhins		10,900	23.7	10.2	15.3	0.4	16.9	92

Table E.—Causes of Death in Scotland at Different Periods of Life during the Quarter ending 31st December 1920.

	All	Ages	.					_	Age	э.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-1	.5-	25-	35-	45-	55-	65-	75 and over.
I. GENERAL DISEASES. 1 Enteric Fever 2 Typhus Fever 4 Malaria 5 (a)			emales.		1- 1 24 33 56 109 2 3 1 1 1 3 2 1 41 34 2 1 9 3 1 2 1 1 2	5- 2	4	6 2 2 6 3 1 1 2 1			3 3 1 4 1 2 3 4 2 3 4 1 7 1 2 169 16 85 3 3 2 4	55- 2 1 5 1 11 18 11 18 11 2 2 4 3 10 2 275 13 130 2 6 5 2	1	and over.
49 Scurvy 50 Diabetes 51 Exophthalmic Gottre 52 Addison's Disease 53 (a) Leucocythæmia (b) Lymphadenoma 54 Anæmia, Chlorosis 55 (b) Purpura (c) Hæmophilia (d) Other General Diseases (α) 56 Alcoholism 57 Chronic Lead Poisoning 58 Other Chronic Occupational Poisonings 59 Other Chronic Poisoning	100 10 9 19 3 101 10 3 12 22	47 2 3 10 3 43 5 2 21 	58	3	31	11 11	1	12 2 1 3 2 1 	6 1 1 4 5 1	7 3 1 4 1 11 	14 4 4 1 21 1 	22 1 4 1 23 	26 26 26 	 8 5 2

TABLE E.—continued.

	Al	l Age	es.						Ag	e.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 and over.
II. DISEASES OF NERVOUS SYSTEM.														
60 Encephalitis	26 25 176	14 15 92	10	11	1 6 56	14	2 3 9	8 8 8	න : න	3 2 2	7	1 4	1	
 62 Locomotor Ataxy 63 Other Diseases of Spinal Cord 64 Cerebral Hæmorrhage, Apoplexy 65 Softening of Brain 66 (α) Hemiplegia (c) Paralysis, Cause or Nature unspecified (b) 	17 106 1208 56 140 24	16 56 531 29 68 10	50 677 27 74	1 8 	2	1	2	2 3	8 12 1 1	31 31 1 1	6 18 167 3 14 2	3 26 261 9 24 5	5 24 396 26 47 7	11 388 15 53 7
67 General Paralysis of Insane 68 Other Insanity 69 Epilepsy 71 Convulsions (not Puerperal) (70) 72 Chorea 73 Neuralgia, Neuritis 74 (c) Cerebral Tumour (d) Other Diseases of Nervous	48 35 64 139 4 5 35	32 12 35 82 1 1 12 10	23	 2 115 	 4 18 	2 4	5	3 15 1 	4 2 8 5	17 5 10 1 	20 7 5 1 8 5	4 9 9 2 2	2 5 3 1 2	 4 1 1 1 7
System (a, b) 75 Diseases of Eye and Annexa	2 9 28	2 4 18	5 10	4		4	1 2	2 4	3 3	1	3	 2 1	1	1
III. DISEASES OF CIRCULATORY SYSTEM. 77 Pericarditis	11 75 *863 74 644 41 157 134 23 8 1	5 39 401 25 308 32 34 86 59 10	6 33 462 49 336 12 7 71 75 13		"1 "" "1 "" "1 "" "1	3 5 6	5 11 6	6 30 7 1 1 2	1 15 46 11 	 14 64 1 21 5 3 2 3 	2 11 106 10 53 5 13 6 12 5	4 13 216 20 133 13 13 22 19 7	3 6 218 21 195 17 5 53 44 4 1 	1 163 22 211 9 5 75 53 2 1
IV. DISEASES OF RESPIRATORY SYSTEM. 86 Diseases of Nose 87 (b) Laryngitis (c) Other Diseases of Larynx (a) 88 Diseases of Thyroid 90 Bronchitis (89) 91 Broncho-pneumonia 92 Pneumonia 93 Pleurisy 94 (a) Pulmonary Apoplexy (b) Pulmonary Congestion (c, d) 95 Gangrene of Lung 96 Asthma 97 Pulmonary Emphysema 98 (a) Fibroid Diseases of Lung (b) Other Diseases of Respiratory System	2 26 13 8 1230 876 793 54 1 107 6 10 6 11 5	2 13 9 615 458 481 38 51 4 8 5 7	13 4 8 615 418 312 16 1 56 2 2 1 4 1	312 466 105 2 	183 75 2 5 	2 2 14 20 15 1		8 18 47 2	15 8 55 2 1	1 1 26 22 94 6 1 5 1 1 2 1	30	35	1 6 261 38 113 12 16 1 3 4 4 3	1 2286 62 81 4 32 1 1 2

* Including 1 of unstated age.

TABLE E.—continued.

	All	Age	s.			-			Ag	e.				
	Both Sexes.	Males.	Females.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75 ancd over
v. DIS. OF DIGESTIVE SYSTEM. 99 Dis. of Mouth, Teeth. Oral Sepsis 101 Diseases of Pharynx, Esophagus,	13 28	5 20	8	6 2	3 6	4		5		1 4	1 2	2	2	··i
Tonsillitis (100) 102 Gastric Ulcer 103 Other Dis. of Stomach. Gastritis 104 Diarrhea, Enteritis (under 2 years) 105 Diarrhea, Enteritis (over 2 years) 107 Intestinal Parasites (106) 108 Appendicitis, Typhlitis	74 140 366 132	38 69 224 63 	36 71 142 69 	65 315	9 51 19 	5 11 15	 4 22	5 4 1 34	8	16 6 15	20 5 15 13	12 12 16 16	9 21 19	244 111
109 (a) Hernia	65 69 19 6 1 48	25 38 13 3	40 31 6 3 1 18	9 14 2	2	1	3	1 3 2 2 1	1 5 1 2	5 8 3 2 	7 4 1 16	15 6 3 	18 10 6 8	99 100 11 55
114 Gallstones	32 43 29 8	6 16 10 4	26 27 19 4	 3	"1 "3	9	2	3	3 5 3 1	6 1 2	3 4 1 1	13 1 2	15 5 1 2	77 44 22
VI. DISEASES OF GENITO- URINARY SYSTEM. 119 Acute Nephritis	56 397 36 48 5	36 218 19 21 4 33	20 179 17 27 1	2 1 1 7 	8 2 1	5	3 2	5 10 1 2	4 25 4 5	7 29 3 7 1	10 79 5 3 1	5 99 8 6 1	3 95 7 13 1	44 555 77 4
 125 Dis. of Urethra, Urinary Abscess 126 Diseases of Prostate 127 Diseases of Male Genital Organs (not Venereal) 128 Menorrhagia, Uterine Hæmorrhage (not Puerperal) 	13 57 	13 57 	• • •	0.0					1	1	4 2	3 9	3 19 	277
129 Uterine Tumour (non-Cancerous) 130 Other Diseases of Uterus 131 Cysts, and Other Tumours of Ovary 132 Other Dis, of Female Genit. Organs 133 Non-Puerperal Diseases of Breast	15 3 9 11 1	000	15 3 9 11 1	4 • •	• • •	000	1	1	2 2 3	4 1 2 	5 1 1	2 2	5	22 11 22
VII. DISEASES OF PREGNANCY AND CHILDBIRTH.														1
(a) Abortion, Miscarriage (c) Uncontrollable Vomiting . (d) Ectopic Gestation (e) Other Diseases and Accidents of Pregnancy (b)	13 4 8 7	000	13 4 8 7	0 0 0			000	2 1 1	4 2 5 	7 2 2 6	• • •			•••
135 Puerperal Hæmorrhage 136 Other Accidents of Childbirth 137 Puerperal Sepsis 138 Puerp. Albuminuria, Convulsions 139 Puerperal Phlegmasia Alba Dolens, Phlebitis, Embolism	25 9 72 26 4	000	25 9 72 26 4	• • •	• • •	0 0 0	0 0 0	2 19 5	13 4 36 13 1	8 5 17 8 3	2			• • •
140 (a) Puerperal Insanity (b) Other Puerperal Diseases 141 Puerperal Diseases of Breast	3 24 	***	3 24 		• • •		* * * *	2	3 11	i i	***			• • •
VIII. DISEASES OF SKIN AND CELLULAR TISSUE. 142 (a) Senile Gangrene	54	94	20)	-		4.5	0.7
(b) Noma, Cancrum Oris (d) Other Gangrene (c) 143 Carbuncle, Boil 144 Phlegmon, Acute Abscess 145 Ulcer, Other Diseases of Skin and Cellular Tissue	1 7 5 41 21	24 1 3 5 19 7	30 4 22 14	 1 7	1 1 1 2		1	 5 2	• • •	2 5	3	8 2 9	15 1 1 5 2	31
COLLEGE TIOSUE											1			

Table E.—continued.

	ı	-		-00166					A					
	All	Age)	1	ſ		Age.	1		1)	1
	Both Sexes.	Males.	Females	-1	1-	5-	10-	15–	25-	35-	45-	55-	65-	75 and over.
IX. DISEASES OF ORGANS OF LOCOMOTION.						-								
146 Dis. of Bones (Mastoid excluded) 147 Diseases of Joints 149 Other Dis. of Locomotor Syst. (148)	24 5 	17 1	7 4	2	3	5 1	4	7 3	1	• • •	1	2 		
X. MALFORMATIONS.	101	100	07	11/4/7	10	1	7	2						
150 Congenital Malformations	161	100	61	147	10	1]	2	•••	* * *		***		
XI. DISEASES OF EARLY INFANCY.														
151 (a) Premature Birth (b) Congenital Debility, Icterus, Sclerema (c, d, e)	598 494	338 284	260 210	598 494	•••	• • •				•••	•••		•••	• • •
152 Other Diseases peculiar to Early Infancy	88	47	41	88			• • •	. 0	•••.	•••	•••	•••	•••	•••
153 Lack of Care	2	1	1	2							•••	•••	•••	•••
XII. OLD AGE. 154 (α) Senile Dementia	11	3	8										2	9
(b) Senile Decay	874	324	550	***				• • •	• • •		• • •	* * *	127	747
XIII. VIOLENT CAUSES.														
163 Suicide (155–162) 164 Poisoning by Food 165 Other Accidental Poisonings 167 Burns and Scalds (166) 168 Exposure to Poisonous Vapours 169 Drowning 170 Accidents with Fire Arms 171 Accidents with Instruments and	57 4 8 105 16 *103 4	36 3 6 45 9 84 4	21 1 2 60 7 19 	8	1 1 48 3	5	3	5 2 7 3 19 2	6 1 1 10 1	11 3 6 2 16	15 1 5 4 19 	13 10 1 18 1	5 1 9 2 9	2 3 2 5
Weapons 172 Accidental Falls 173 (a) Accidents in Coal Mines (b) Accidents in Other Mines (c) Accidents in Quarries 174 Accidents with Machinery 175 (a) Accidents on Railways (b) Acc, with Horses and Vehicles	74 22 1 2 3 34	56 22 1 2 3 31	18 3			1	 2 1	11 7 1 1 2 4	8 5 1 7	14 7 6	11 2 1 7 1	13 1 3 1	9	7 1
(c) Accidents with Motor Vehicles (d) Accidents with Tramways (e) Other crushing Accidents 177 Hunger 180 Weather Agencies (178, 179)	6 60 12 11 1	6 38 9 11	22 3 	* * *	1 10 2 	20	5	3 1 1	4	6 2 1	3 2 3 1	3 1 2 	3 4 	2
186 (a) Overlaying	6 9 20 179 6	4 5 11 117 4	4 9 62 2	9 11 4 1	 4 5 2	4	4	23	14	16 1	1 22	4 18 1	27	41
191 War Casualties (not Sickness) . XIV. ILL-DEFINED CAUSES.	4	4			• • •	4 0 0	{	1	3	•••			(
187 Dropsy	6 39 8	3 20 3	3 19 5	2	1	• • •	1	0 0 0	2	 2 1	1 4	3 4	14 2	2 12 2
defined) 189 (a) Heart Failure	167 2	100	67 2	3	2	• • •	1	2	3	6	27	36	56	33
(e) Other Ill-defined Diseases (b, d) (f) Dis. not Specified, Nat. Causes	20 83	39 ——	13 44	25	11 1	•••	i	•••	2	6	9	10	12 	.:. 17
All Causes	†17054	8583	8471	3261	990	390	248	802	830	1103	1575	2231	2706	2915

^{*} Including 2 of unstated age.

TABLE F. -- ANALYSIS OF MORTALITY IN EACH COUNTY AND PUBLIC HEALTH DISTRICT IN SCOTLAND DURING THE QUARTER ENDING 31ST DECEMBER 1920.

	Vi	olence.	747	40	.,	25	:	:	: :	_	:	: 1-		:		-	: 67
	Diseas	espiratory ses (except athisis).	3148	153		111	:-	-	10 cr	67	•	- 9	:	:		73	122
	er-sis.	Other.	409	19		12	:	: '	- 01	:	•	: ¬	•	*		•	• •
	Tuber-	Pulmonary.	1029	56		37	:					: 62	•			ಣ	03 00
m		arrhœ a r 2 Years).	366	13		ಹ	:	:	: :	•	•	: 77	63	:		•	:-
Deaths from		htheria Croup.	205	13		~	:		- :	•	:	* ·	-	•		•	: ന
Dea	Whoop	oing-cough.	137	41		67	:			•	•	: :	:	•		:	• • •
	Scarl	et Fever.	99			-	:	:			•	: :		•			. 0
	M	easles.	36	-		0 0	:	•	::	*		* *	:	:			:
	Sm	allpox.	30	*		0 0	:	:	: :	:	• •	: :	•	:		:	: :
	Typh	us Fever.	10	•		*	:	:	: :	0 0 0	*	• •	0 0	•		:	: :
	Enter	ric Fever.	32	Н		* *	:		· · ·	:	•	: :	•	*		•	:
Deaths of	Persons Aged 65 Years and Upwards.		5621	407		187	4 c	1 0	91	4	0	17	67	4		27	13
Deat		ren under ear of Age.	3261	223		154		4 0	n —	67	_	:::	67			10	14
	Net :	Number.	17,054	1032		591	বা গ	00	5 cc 5 cc	75	က	48	9	00		55	102
Deaths.	Trans	ferred in.	1680	105		77	:	-	- :	4	0	31 00	<u></u>				10
Dea	Transf	ferred out.	1680	130		5		ء ا	201	*	*	:-	*	0 0 0		33	-1:
	Reg	ristered.	10504 17,054	1057		622	4 4	1 K	24	00	C7 -	4-14	20	_		80 1	99
	Marri	ages.	10504	808		513	9 9	0 0	-10	14	, T	3,4	9	2		27	47
	Illegitimat (correc	te Births	2372	247		112	. 6		9	6.1	-	: ∞		्य		77	2 0
	Births (co	rrected).	30,949 2372	1870		1080	4 0	10	20	20 20 20 20	40	. 97	∞	14		100	181
	6)		0			٠	ā		0 B	۰	•		۰			•	
	ublic	1000		Aberdeen County	ricts.		•		• •	٠	٠		٠	٠	cts.		
	nd P			D Co	Burghal Districts.						٠	•	٠	•	County Districts.		
	tv 2	County and Public Health District.	IND	deer	that	д		- Capa	no.	d)		d d	ty	0	ity I		• •
	uno		TLA	ber	Burg	deer	rer	my	tly.	ruri	ore	head.	hear	##	Toun	deer	Ď,
	Ü		SCOTLAND	A	7	*Aberdeen	Eallater Ellon	op out	Flaserburgh Huntly	Inverurie	Kintore Mel	Peterhead	Rosehearty	Lurr		Aberdeen	A.Hord Deer
1			32			*			1 1				7 2			7	4 1

ന — വ		6	r :			: r	п сэ : :	35	ଠା ମ	H : H	:01 02
87 — 4	- 01	26	4 60 -1	⊢ c₁ :		— ro es		177	το 82 4	4401	100
Ø7 :	: :	9	: 63 :	::-		* * * *	- :0 :	12	: 03	::-	: ന പ
67 ::		17	01 01 P	:07		:07	8877	62	: 10	0103	-P-
::01	:	•	. 0 0 0 0 1 0 0	* * * * * * * * * * * * * * * * * * *		• • • • • • • • • • • • • • • • • • •	0 0 0	24	: ന	3 4 8 0 0 0	00:
d 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	* *		0 0 0 0 0 0 0 0	* * * *		* • • • • • • • • • • • • • • • • • • •	::::	16	:	:	: 7 :
- ::	• •	23	* * *	* * *		0 0 0 0 0 0 0 0 0	: : গে :	က	0 6 0	: : :	0 0 0 0 0 0 0 0 0
0 0 0	• •	Н	* 0 0 * 0 0 0 0 0	- ::		0 0 0 0 0 0	0 0 0 0 0 0 0 0	6		: : :	* pand *
• • •	0 0	:	b 0 0 0 0 0 0 0 0 0	: : :			: : : :	4	• • •		
• • •	: :	:				: : :	* * * * * * * * * * * * * * * * * * *	4	0 0 0 0 0 0		:4:
* * * *	0 0 0 0 0 0	•	0 0 0 0 0 0	· · · · · · · · · · · · · · · · · · ·			* * * * *	Н			0 0 0
• • •	: :	•				6 0 0 0 4 0 0 0 2		9	H::		- : :
8 8 8 8 8 8	122	127	071	48 :	gga energy of	:22:	10 10 10 10	322	917	0/10	16 40 5
900	716	ಬ	- hand hand	0 C 0 0 0 0 0 0 0		:: : -	63 : : :	180	177	01 70 H	111 16
8 8 8 8 8 8	22 26	226	250	2002		01 44 65	10000	927	24	11 20 14	104
∞ 01 4.	4 60	28	H 70 61	: 0:		:4-	8418	129	m 0:	H 03 03	188
	⊣ :	18	01 O1	; 4 :			:0100	26	:42 :	: : 67	20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
6 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	19	216	24 24 5	10		61 83 62 63	19 31 20 17	895	125 125 17	10 18 14	40 106 2 4
21 21 17	1 20	92	21 12	- 91		H ∞ 4	∞ O ∞ ∞	561	888	0 1 0	15 16 16
21 16	17	24	იი:	: :	:	::10	12007	133	4.11 ::	- : -	2 1 4
54 76 63	37	296	10 00 01 10 00 01	0 H 0		100	8 2 3 3 8 4 6	1872	51 186 24	000000000000000000000000000000000000000	86 248 46
		•	* * *					•			
	10 0	Argyll County	Burghal Districts. 1pbeltown 10on		County Districts.			Ayr County Burghal Districts.	Ardrossan		
,D = 0		ı C	UD,	ad.	Dis	han.		Con	nd 1		M
		gyl	rgha eltor a.	lphe	unty	nurc	e. gyll	Ayr County urghal District	san ck a		nock
Deeside Ellon Garioch	Huntly Turriff	Aı	Burghal L Campbeltown Dunoon . Inveraray	Lochgilphead Oban Tobermory	S	Ardnamurchan Cowal	Kintyre. Lorn. Mid-Argyll	Bu	Ardrossan Ayr Cumnock	Darvel Galston Girvan	Irvine . Kilmarnock Kilwinning

* Including the portion within the County of Kincardine.

5
2
0
3
2
6-
.69
4
63
2
9
ಲ
- 1
- 1
- 1
Ezz
15-71
H
BI
-
<<
F :

	Vi	olence.	_	: ¬	: ,	- :	9 89	40	9		
	Diseas	espiratory ses (except thisis).	67	ъ н	12	-1 -	31	10	25	:40	· : က :
	er-	Other.	8 0	:	: :	: :	.	07 —	5	:-	
	Tuber-	Pulmonary.	0 8		(M 4)	ન જ	67 63	11	9	:: -	
m.		arrhœa r 2 Years).		~ :	:-	• •	4	ය 41	က	::01	
Deaths from		ohtheria Croup.	:	p-mel *	::	• •	ත –	: 4	:	: : :	
Deal	Whoop	oing-cough.		: :	proved :	• •	# 0 0 0 # 8		:	: :	
	Scarl	Scarlet Fever.			es :	: :	c1 H	61 :	•	e e e	
	Me	easles.	0 0 0			: ~	es :	::	**	• 0 0 • 0 0 • 0 0	
	Sm	allpox.	3 a a	: :	• • •	: :		: :	*	0 0 0 0 0 0	
	Typh	us Fever.	0 0 8	* *			-	• •	:	0 B 6	
	Enter	ric Fever.	9	::	ંલા	::	• • • •	p=4 p=4		* 0 0 * 0 0 c 0 0	:::
chs of	Persons Aged 65 Years and Upwards.		6	na 00	50 51	- 20	35	25 65	80	171	ကကက
Deaths		Children under One Year of Age.		4 01	07 9 -	- o	27	35	31	2 - 2	: : :
	Net	Number.	1	15	62 62 74	23.	122	173	174	ස ද ස	404
Deaths.	Trans	eferred in.	9	G1 63	0100	2 10	14	13	19	: ಣ ⊣	::-
Dea	Trans	ferred out.	_	• •	0101	:-	24	11	10	:97	
	Reg	ristered.	12	12	19	10	132	72 159	165	357	4 10 to
	Marri	ages.	0	30	10	15	27 23 23	757	101	थ <mark>१</mark> थ	:00
]	Illegitimat (correc	te Births ted).	F-1 :	- :	1 9	-1:	33	15	63	0001	; H m
	Births (co	rrected).	22	0 4. 0 4.	8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	40	340	320	413	21 81	400
	County and Public	Health District.	Ayr County—continued. Burghal Districts—contd. Larga	Newmilns and Greenholm	Prestwick Saltcoats	Troon	Ayr Carrick	Kilmarnock	Banff County .	Aberchirder	Charlestown of Aberlour Cullen Dufftown

	1										
::-	: :	21 1	Н	* * * *	H ::	6 6	: :	• • •	6	proof proof	1-
0	. :	P :	17	က :က :	446	က	: က	0 0 0 0 0 0 9 0 0	13	40	-1
: :	: :	C7 F			* - :	-	⊢ :	*	Н	:	:
::-	~ :	7-	63	:: -:		. 62	:07	*	က	: ന	:
	: :	⊢ ;	•	• • • • • • • • • • • • • • • • • • •	* * * *	•	0 0	0 0 0	67		:
	: :	• •	•		* * *	*	6 0 6 0		*	• •	:
0 0 0 0 0 0	: :	• • •	g-red	* * * *	: :-	-	; -		0 0	: :	:
	: :	* * * * * * * * * * * * * * * * * * *	:			ψ φ φ	: :		63	:	П
0 0 0 0 0 0	: :	• •	•	: : : :		*	• • • • •	* * * *		* *	
: : :	: :	: :	:	0 0 0 0 0 0 0 0	• • •	:	• •	* * * * * * * * * * * * * * * * * * *		: :	:
	: :	0 0	*	0 0 0 0	: : :	:	* *	* * * * * * * * * * * * * * * * * * *	:	• •	:
· · · · · · · · · · · · · · · · · · ·	::	• •	:			:	0 0	0 B 0 0 0 0 0 0	:	* *	*
101	· 2	21	42	8000	200	27	13	1-4:	63	12	43
	:-	r m	12	- m - :	N M M	C3	:-	r= :::	6	пω	ಣ
11 sp 14 sp 14 sp 15 sp	100	40	06	10 10 2	55 55 15 15 15 15 15	46	6	တတ :	108	18	65
0 0 0 0 0 0 0 0 0	- :	ಗ್ರಾ ∞	12	; pad ; pad	D-0	ಡ	:-	⊢e:	4	:-	ಣ
:-:	::	сл :	Ø	:- :-	0 0 0 0 0 0 0 0 0	က	:07	0 presid		• •	:
21 12 14	40	37	80	10 10	21 21 10	44	925	1-9:	104	18	62
111	75	16	34	: es 70 -	တတတ	21	61 [ФØ :	55	15	24
w 4 v	: 67	17	20	0101-	494	41	; es	-::	24	100	14
18 42 82 88	122	106	122	~ m m m	22 23	20	3:	44-	168	23	68
		• •	•			•		0 0 •	•	• •	
a • •	· ·	County Districts. ff th	Berwick County	Burghal Districts. Istream Istream Istream Ger Ger	County Districts.	Bute County	Burghal Districts. Iport. hesay	County Districts.	Caithness County	Burghal Districts.	County District.
Findochty Keith . Macduff .	Portknockie Portsoy .	County Banff Keith .	Berwic	Burghal Coldstream Duns Eyemouth Lauder	County East Middle West	Bute	Burgha Millport. Rothesay	County Arran Bute Cumbrae	Caithne	Burgha Thurso . Wick .	Caithness

5	
5	
E	
	.7
4	

	Vi	olence.	4	* 1	:	က	27	2 :0 1 0
	Diseas	espiratory ses (except athisis).	19	00 r	- :	, <u>,</u> , , , o	89	25 :: 1 :: 25 :: 0 :: 0 :: 0 :: 0 :: 0 :: 0 ::
	er-	Other.	. 0	•	0 0		വ	ed :L :L :
	Tuber- culosis.	Pulmonary.	7		: :-	. 4:	25	0:0400
g g		arrhœa r 2 Years).		6 6 9			13	r : 1 : 10 :
Deaths from	Dip and	ohtheria Croup.	0 0	:	: .:	:	. 9	64 : : : : : : : : : : : : : : : : : : :
Dea	Whoop	oing-cough.	. 0	,	: : :	•	7	- : : : : : : : : : : : : : : : : : : :
	Scarl	Scarlet Fever.		; 8			Н	— :: ::::
	M	easles.		:	: : :		67	- : : : <u>-</u> :
	Sm	Smallpox.		•	: : :		11	:::::::::::::::::::::::::::::::::::::::
	Typh	Typhus Fever.		:	: ::			::::
	Enter	ric Fever.	*	0 0	: ::			, ::- :::
Deaths of	Person Years an	Persons Aged 65 Years and Upwards.		13	70.0	13	131	21 26 21 12 12 12 13
Deat	1	Children under One Year of Age.		တင	N. ::		103	34 171 88 171
	Net	Number.	110	35.	14	36	471	1.43 65 39 77
Deaths.	Trans	ferred in.	6	ಣ	: -0	. က	100	98 1 5 4 7 1 1
Des	Transf	erred out.	9	4-	1 :: :	: -	74	
	Reg	istered.	107	36	12	34	445	107 1 69 45 6
	Marri	ages.	09	27	-110	15	253	8 1 8 1 6 7 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7
I	Illegitimat (correc	e Births ted.)	11	40	::	ىد	51	4:004:
	Births (co	crected).	181	63	6 14	75	1000	364 1 153 1 49 83 20
	County and Public Health District.		Clackmannan County	Burghal Districts. Alloa	Dollar Tillicoultry	County District. Clackmannan.	Dumbarton County .	Burghal Districts. Clydebank Cove and Kilcreggan Dumbarton Helensburgh Kirkintilloch Milngavie

10 01	10	:01-	• • • • • • • • • • • • • • • • • • • •	- ຕ :		74	£4.	: ea :	ಣ ==	
14 24	27	:01	AA ::	44:	3 4	292	206	:4:	200	en ∞ ⊢ −1
:	ಬ	• • •	::::	:		42	: 62 82	: -	⊣ :	Ø :- :
· 07 co	24	□ 4 :		F 63 :	7 -	109	1 :02	:24	2 ::	23 :11 4
27 -1	9		::-:	⋈ : :	: 67	22	:-2	:4:	⊢ :	m : - :
- :	က	- O :		0 0 0	* *	25	:: :	: ea :	es :	:::@
94	rO	: 67	:- :-	0 0 0 0 0 0 0 0 0	:	<u></u>	: : : : : :	: -:	: -	
::		* * * *	0 0 0 0 0 0	0 0 0 0 0 0	: :	_	: : 4	: ea :		
	:	9 0 0 4 0 0 9 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	: :	13	: :2	: ন :	: :	::::
::	•	b 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0		0 0 0	0 0 0 0 0 0	• • •	: :	
: :	•	* • • • • • • • • • • • •	0 0 0 0	0 0 0 0 0 0	: :	•	0 0 0 0 0 0			
::			::-	• • •	: :	72	:		::	* • • • • • • • • • • • • • • • • • • •
200	110	27 24	64 : 60 44	20 20	14	652	13 1448	86	ව ස	22 80 30 30
800	33	Ø 17 :	:- 0 -	49	40	248	1 2 148	- 12 SI	Ξ:	6 :60
94	263	67.7	4 to 75 00	27 7 7	29	1772	111 26 1178	293	60	53 16 54 65
13	23	:67 -1	::::	44:	4 12	240	128	59	9 -	11 10 14
45	37	- FG :	0 0 0 0	::1	03 :	367	1 4 244	: 63	Ø :	97.
95 84	277	886	4857	94 to 0	35	1899	10 22 1294	1 236 5	56	44 15 59 148
88 56	160	22 22 22	9 ro 4 ed	22	13	1342	4 10 1004	178 9	ල ස	36 10 27 27 27 27
10	44	401	0 0 0 0 0 0 0 0	1-907	6.	235	150	:80	∞ :	0 6 6 10 8
155	442	34 98 10	11 10 10 11 10 11 10 11 10 11 11 11 11 1	75 50 16	55 68	2966	24 41 1683	547	139	150 34 185 127
- •	•	• • •				an)			6 0	
County Districts.	Dumfries County	Burghal Districts. nan		Districts.		dlothi	Burghal Districts. nyrigg			ricts.
Dis	es C	l Dis		Dis		gh (Mid County	l Dis			Dist
ounty n .	mfri	rrgha ies	laben lbie	County and fries gholm	bie	urgh Co	rigg rigg th rrgh	ide sad	burg ik	County Districts. er -Water wade urban
Count Eastern . Western .	Dan	Burgh. Annan . Dumfries Langholm	Lockerbie Lockerbie Moffat .	Count Annan . Dumfries Langholm	Lockerbie Thornhill	Edinburgh (Midlothian) County	Burgho Bonnyrigg Dalkeith Edinburgh	Lasswade Leith Loanhead	Musselburgh Penicuik	Calder Gala-Water Lasswade Suburban

74
3
3
60
2
. ~
4
~
~
CON
ಲ
Ť
- 1
屋
-5
)
M
V
e i

	Vi	olence.	-			•	: :		1	44		•		4		7 67		G	7
	Diseas	espiratory ses (except athisis).	21	-	n	: -	1 4	ಣ	6	123		7	-		_	10	•	: 0	1
		Other.	41	:	•	•	: 01	:	67	18		•		:	,	, ,	•	:	0 0
	Tuber-	Pulmonary.	9		07 -	-			ಣ	46	1	٠ :		-		4	0	:	
, iii		arrhœa r 2 Years).	22		p=4	:	: :	:	0 0	13				:			•	:	
Deaths from		htheria Croup.	-	-	:	•	• •	:	•	10			•	•		:	•	:	
Dea	Whoop	oing-cough.	:	•	•	•		*	:	-			•	;	:		•	•	0
	Scarl	et Fever.	23	0 0	* *	*			67	7				_		-	*	: -	4
	M	easles.			:	*	• • • • •	* c	*	27		:	:	:	:	:	:	:	0
	Sm	allpox.		•	0 0	0	: :	*	•	:			:	6	:	:	* *	*	
	Typh	us Fever.		:		•		:	0	:				:	0 0	:	:	:	
	Enter	ric Fever.	:	:		•	: :	:	0 0 0	:	:		:	:	:	:	:	: :	
ps of	Person Years an	s Aged 65 ad Upwards.	29	6.1	7 7 7	• 4	9	ಣ	23	316	ಣ	က	ಣ	15	4	2	ಣ	10	
Deaths		ren under ear of Age.	19	67	4 4	,	-		9	145		•		11	:	12	:	: 60	
	Net 1	Number.	141	7	13	9	13	4	22	878	4	ಣ	~	46	12	38	ಣ	17	
Deaths.	Trans	ferred in.	91	_	ಸ್ ಅ)	ಣ	:	4	127		•	П	6	ū	4	*	:-	
Dea	Transf	erred out.	11		٠ <u>٠</u>				9	98	:	•	ಣ	οı	•	01	0 0	:	
	Reg	istered.	136	9	10	9	10	4	59	837	4	က	<u>о</u>	39	1-	36	m ·	471	
	Marria	iges.	87	• •	44	00	9	67	20	539	_	:	9	32	14	16	07 1	- ∞	
	Illegitimat (correc	e Births ted).	40	~ (n 01	4	•	4	20	117	•			ಣ	_	1-	_	:07	
	Births (con	crected).	271	0 (32	0	29	 	124	1846	ಣ	67	67	122	32	127	10 F	21	
	ic	•	unty				٠		•	٠		•	•	and		٠			
	County and Public Health District		Elgin (Moray) County	Burghead Districts.	Elgin Forres	Grantown-on-Spev.	Lossiemouth	Kothes	County District. Elgin (Moray)	Fife County	Burghal Districts. Anstruther-Easter.	Anstruther-Wester.	Auchtermuchty .	Buckhaven, Methil,	Eurntisland	Cowdenbeath.	Crail	Cupar	

9 ::	* • • • • • • • • • • • • • • • • • • •	proj proj]~	::-	Ø :-	::-:	91.0	39	33
13 :	•	1 20	:	₽ :	ಣ :೧೯	12 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	153	6 3 1 120 1
67 ::		: : 4	• • •	67 : :		: - ro :	27	200
∞ : :	• • •	:-0	Ø :-	:- :	:::0	ର ଓ ଓ ଓ	09	3 m 1 4 :
07 :	• • •	: : अ	::-			; had 700 kmd	500	- : : : : : : : : : : : : : : : : : : :
ped : :	: : ;	:::0	: : :	— :-	0 0 0 0 0 0 0 0 0 0	: - c ₂ :	4	77 :0:
: : :	· · · ·			0 0 0 0 0 0		: :- :	6	::::º-
	· · · ·	: : 61		• • •		- :::	67	: : : ल
0 0 3 0 0 0				* * *	0 0 0 0 0 0 0 0	:07 ::	က	:::61
• • •	: ::		: : :	: : :		0 0 0 0 0 0 0 0 0 0	a, •	
* * *		* * *				• • • • • • • •	*	• • • • •
* * * * * * * * * * * * * * * * * * * *	: ::	· · · · · · · · · · · · · · · · · · ·			0 0 0 0	0 0 0 0 0 0 0 0 0	yout	::::
222	0	:::8	:010	ದಾಣ	∞ 6 4 4	2000 1000 1000 1000	345	26 13 193 22 22
61 :	: : : : : : : : : : : : : : : : : : : :	: : O	:-4	70 63 :	::::67	20 00 00 00 00 00 00 00 00 00 00 00 00 0	168	6 1 2 127 3
125	m 4∙0	150	2080	2000	11 23 11	37 102 133 39	973	66 24 22 635 42
00 64 :		:::21	- :9	10101	က <u>:</u> က –	3 1 0 2	ත	w : w - r
55	0 V 0	-1	· ·	: : :		19 ::	89	78: 20
139	00 00	4 4 136	400	20	8 44 10	57 83 131 36	986	66 25 19 644 38
96	: 67	2007	920	16	H 4 4 0	89 60 70 89 70 60 60 89	630	35 18 18 20 20 20
4 :::	0 0 0 0 0 0	20.5	:	4 :03	: — ന ന	40 6 6 7 7	135	0 2 3 4 4
31	60 m co	13	376	0 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	10	76 215 341 87	1201	89 37 24 1082 46
	and		ton .	0				
			nd Monks	• • •		County Districts. Ir fermline	Forfar County Burghal Districts.	
Dunfermline Dysart Earlsferry	Elie, Liberty, Williamsburgh. Falkland Inverkeithing	Kilrenny Kinghorn Kirkcaldy	Ladybank and Monkston Leslie	Lochgelly Markinch Newburgh	Newport Pittenweem St Andrews Tayport.	Cupar . Dunfermline Kirkcaldy St Andrews	Forfar Burghal	Arbroath Brechin . Carnoustie Dundee . Forfar .

TABLE F.—continued.

	Vi	olence.			: [→ :			: 67	4		:	:	:	:	:	•
	Diseas	espiratory ses (except athisis).			ಣಣ	FO 6		1:	- 67 10	20		-	•		20	0	6J
	er-	Other.			:	:07		:-	- 	. 67		:	_		•	•	:-
	Tuber-	Pulmonary.			:	: m		G	7 69	6		-	proof.	*	pum	•	
, m		arrhœa r 2 Years).			:					ವ		:	: ,	, :	:		:-
Deaths from		ohtheria Croup.			•	o 8 9 8 0 6		:	·	•		:	*	0 8 4	*	:	: :
Dea	Whoop	oing-cough.			-	0 0		•	: :07	•		:	:	:	:	*	•
	Scarl	et Fe ver .			•	• •		•	• • •			•	•	:	•	0 3 0	: :
	M	easles.			•	-		*		*		*	*	:	:	*	: :
	Sm	allpox.			:			:	: : :	:		:	:		:	•	: :
	Typh	us Fever.			* * * * * * * * * * * * * * * * * * *	• •		*	• • • •	:		:	•	:	*		::
	Enter	ric Fever.			0 0	• •		0 0		* **		:	:	:	:	:	::
Deaths of	Person Years an	ns Aged 65 and Upwards.			400	2		1 6	100	42		67	C4 -	4	O r	Q	: ल
Deat		ren under ear of Age.			C3	ಸ		10	n 0	19		*	:	:	p==1	: 0	N 4
	Net :	Number.			25.50	42		23.83	00 co	115		4	o ·	4	4.	01	. II
Deaths.	Trans	ferred in.			ର	4		ಬ 4	77	22				_	67 6	7 -	- 01
Dea	Transf	ierred out.			* *	ಣ		21	12	တ	-	:		57	က	3	: :
	Reg	istered.				41		18	28	102		4	O 1	C	15	11	70
	Marria	ages.			တ္တ	18		22.7	20	70		က	S.	*	್ ೦	n	14
	Illegitimat (correc	te Births ted).				9		10	භ ඇ	20		* (ಣ	0 0	: 0	o -	- m
	Births (con	rrected).			∞ %	56		50	55	294		15	21 0	0	4.0	7 7	47
	County and Public Health District		Forfar County—contd.	Burghal Districts—contd.	Kirriemuir	Montrose	County Districts.	Arbroath	Dundee	Haddington County .	Burghal Districts.	Cockenzie and Port Seton	Dunbar	rase mineral	Haddington	Prestonnana	Tranent

-	: 4	15	٠٠٠ :	೧	O 60 6	:	οl :	:	Ø.		:: a ::
F	- 0	39	: 12	cr.	o 4 €) —	9 :	: 9	19	4 ::-	ଦ :େ ଜୋଦା
######################################	* • • • • • • • • • • • • • • • • • • •	4	: 64		: :	• •	-	p=1 :	73	0 0 0 0	c4 : : : :
F	- Z	ನ್ನ	12	G	1 G1 A) :	ರ್ ಚ	: 9		0 0 0 parent 0 0 0 0 0	٦ : : : 4
	: 4	-	0 0 0 0 0 0 0 0 0		•	0 0 0 0	0 0				THE THE CONTRACT OF THE CONTRA
	• • • • •	00	: 20 :		:	•		67 :	Annuel	0 0 0 0	⊣ : : : :
	• •	4-4	- : :			•	0 0 0		•	0 0 0 0 0 0 0 0	
,	-:	•	: : :		• •	•					:-:::
	0 0 0 0 0 0	:			: :	• •			* *		::::::
	• • •	:	* * *		0 0 0 0	•			•		
	: :	:							*	0 0 0	:::::
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	•	* * *		: :	:	:		0 0		:::::
•	7 7	139	بث بث جو دي	J	2 T a)	34	16	48	ಟ : ಇರ	040 44
Tr.		31	15	c	1 03	: 01	ಬ ಚ	H 63	19	0 0 0 ° 0 0 0 0	4 :- 8 :
	51	306	105	66	127	16	57	10	118	12 co 12 co	20 6 7 20
(11 %	19	ତା ନେ :	_	- 67 -		∞ :	:	19	Ø :-Ø	9-0-0
-	* *	22	67 9 :	01.	7 01	• •		: :	<u></u>	:::61	:- : ex-
J	40	309	9 108	ଚଟ	120	15	49	10	106	4000	16 14 13 13
,	- - -	151	ස ඉ ස	_	# 0 5		0.0	ଉଚ	79	-1 10 co 10	တြက္က ကက
F	- O	27	ಣ∞⊣		6	1 00	ಣ ಣ	:07	55	н : ог	244 mOl
(125	402	122	α \$	2 63 6	19	64 30	10	261	1000	29 116 131 19
		•				• ,					
icts.	• •	Inverness County Burghal Districts.		icts.					ountz	• • • •	icts.
Distr		ss Co	 B	Distr					ne C		Distrike ide
County Districts.	. u	nverness Count Burghal Districts.	rillian ess sie	County Districts.	os · de	er	ė •	Uist Uist	incardine Coun	rry ervie cekir aven	County Districts. encekirk. er Deeside yrus ehaven er Deeside
5	Eastern Western	Inve	Fort-William Inverness Kingussie	Co	Aird . Badanoch	Lochaber	Skye Harris	North Uist South Uist	* Kincardine County	Banchory Inverbervie Laurencekirk Stonehaven	County Dis Laurencekirk. Lower Deeside St Cyrus Stonehaven. Upper Deeside
-	ĕĕ		FIZM	-	AG	Ĭ	四四	ZZ	*	MEL W	DE WELL

* Including the portion of the County within the Burgh of Aberdeen.

Vi	olence.	41	Н	ಣ	4	⊢ : :	:- :		: "		part.
Diseas	ses (except	က	67	г	17	: m a	H 4 03		67	: ന	• .
er-	Other.	C 7	•	ে	67	• • • • • • • •	: cu :		•		• •
Tub	Pulmonary.	-	•		7		©1 ::		01	• •	— -
			•	0 0	~	• • •	:-:		•	: :	
		•	•	•	23	:03			•	0 0	•
Whoop	oing-cough.	6 6	a •	0 0		0 0 0 0 0 0	0 0 0			0 0	
Scar	let Fever.	•	* * *	•	*	 	: : :	P			
M	easles.	0 0	•	•	e a e	* * * * * * * * * * * * * * * * * * * *			:		
Sm	nallpox.	0 0	•	*	•	* * *			•	: :	**
Typh	us Fever.	•	:	0 0	**	* * * * * * * * * * * * * * * * * * *			0 0	: :	*:
Ente	ric Fever.		:	:	:	: : :		,	:	: :	
Person Years an	ns Aged 65 and Upwards.	16		•	62	11 8 6	400		O 4	120	
		23	7	r=1	21	H 4	:1- :		4-	→ 67	631
Net	Number.	31	ಣ	18	142	2 2 2 8	o 62 4		24	n &	101
Trans	eferred in.	10	D.	70	16	0001	: ന :		G1	: 9	
Trans	ferred out.	ŭ	0 0	70	00	4 : :	- : :		0	: က	0 0
Reg	gistered.	26	x	18	134	တ္က	10 20 4		22	15 c	4
Marri	ages.	17	ಣ	. 4	92	70 O L	9 10		17	150	o
Illegitima (correc	te Births eted).	4		4	23	:∾ ⊢	ri ≈ :		4	: 0	4
Births (co	orrected).	36	15	21	189	0 0 1 4	36		68	2 88	18
County and Public	Health District.	Kinross County .	Burghal District. Kinross	County District. Kinross	Kirkcudbright County	Burghal Districts. Castle-Douglas Dalbeattie Gatehouse	Kirkcudbright Maxwelltown. New Galloway	County Districts.	Eastern	Southern	Western.
	All R Disease Ph Living Disease Ph Living Child Whoop Scarl M Sm Typh Enter Person Years an Child One Y Net Trans Reg Marri Illegitima (correct	Pulmonary. Diarrhea (under 2 Years). Diphtheria and Croup. Whooping-cough. Scarlet Fever. Measles. Smallpox. Typhus Fever. Enteric Fever. Persons Aged 65 Years and Upwards. Children under One Year of Age. Net Number. Transferred in. Transferred out. Registered. Marriages. Illegitimate Births (corrected). Births (corrected).	All Respiratory Diseases (except Phthisis). Other. Other.	Violence. All Respiratory Diseases (except Phthisis). Colored Phthisis. C	Violence. All Respiratory Diseases (except Phthisis). Control of Pulmonary. Diarrheea (under 2 Years). Diphtheria and Croup. Whooping-cough. Scarlet Fever. Measles. Smallpox. Typhus Fever. Enteric Fever. Persons Aged 65 Years and Upwards. Children under One Year of Age. Net Number. Transferred in. Transferred out. Registered. Marriages. Illegitimate Births (corrected). Births (corrected). Solution of the control of th	All Respiratory Diseases (except Phthisis). Colored Colore	Violence. All Respiratory Diseases (except Phthisis). Co	Violence	Violence	Violence	All Respiratory Diseases (except Phthisis). Companies Comp

						_					
273	م: ت	201	r :4	472	15	: : 4	hand hand .	1-67	67		
1425	8 : 8	1023 44 44	42 13 26	18 179 20	40	10	:-:	12	-	prod	•
161	7: 10	105 3	∞ 4 ⊢	26	10	HHH	L : W	4 :	9 6 6	:	•
364	4:1-	280 10	∞ 12 cs	97.6	10	:		e3 ro	ಣ	63	F
165	63 : O	95 6	9		4	: : -	::-	67 :	•		•
29	⊢ ::	47	4- :		4	: :63	• • •			:	o o •
98	9::	47 6	466	19:	•		* * * *	• •	0 0	•	•
26	0 0 0	16	m : m	:0:	က		::-	67 :	•	*	•
10	a B • • • • • • • • • • • • • • • • • •	∞ ::	: □:	:- :		:::	0 0 0	bound .	*	*	0 0
15	₩ ::	31 :	: : :	:	:	0 0 0 0 4 0 0 0 0	0 0 0 0 0 0	0 0 0 0	*	•	* *
	* ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	- ::		0 0 0 0 0 0 0 0 0		0 0 0 0 0 0 0 0 0	• • • • • • • • • • • • • • • • • • •	0 0 0 0		9 6 0	o o o
14	• 0 • • 0 •	10 :::	::-	: 60 :	:			* *	:	:	*
1387	22 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1011 21 7	32	24 144 46	67	03 60 0	40101	10	Average Average Appropries reconstruction	70	O
1455	23 : 53	99 3 45 5	40 18 22	221 26	48	ಬಾಣಯ	60 m m	20 4 co	4	63	67
5931	89 6 163	4246 144 23	161 6 3 81	85 729 141	233	16 25 33	247	101	⇔	O	10
373	9 г о	179 21 4	720	1273	42	ಬರಾ		270	-		•
409	210	306 8 1	9 : :	45 32 1	13	: - :	* * *	: 7		6 0 3	r
5967	85	4373 131 20	150	107 684 127	206	13 21 28	111	84	0	∞	human' brussel
3731	47	2939 72 15	L 4 4 E 5 0	40 295 85	115	2047	004	44	23	10	∞
742	6 1 20	519	100	110	37	හ භ ⊀	0 0 years	21	67	0.1	•
11182	178	7485 328 35	290 143 226	151 1701 303	622	32 62 79	21 16 17	292	71	25	19
•	• • •						e • d	Q •	•	٠	•
County	Burghal Districts. Irie			County Districts. er dle	Linlithgow County	Burghal Districts. nadale		County Districts. gate	Nairn County	n	County District.
* Lanark County	Burghal Airdrie . Biggar . Coatbridge	Glasgow. Hamilton Lanark.	Motherwell Rutherglen Wishaw.	County Lower Middle . Upper .	Linlithgo	Barhgate Distractions Barhgate . Borrowstounness	Linlithgow Queensferry Whitburn	County Bathgate Linlithgow	Nairn	Nairn .	County Nairn

* Including the portion of the County within the Burgh of Renfrew.

17700
(-)
0.5
(2)
~
6
3.7
(con)
-
0 - 1
- 60
04.
7~
100
200
60
100
(-3
()
-
6
P
gp.
1 7 1
(married)
3 1
mer (64)
鸟
potent
-
700
9.
-
F 1
-
4

	Vi	olence.	rC		- FO Imp - FM 63 .		9 0	-
	Diseas	espiratory ses (except athisis).	7	67 77	4 : : :	4	: eo	7
		Other.	ಗು	* * * * * *	od od − :	62	्रा	:
	Tuber-	Pulmonary.			0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	23		0 0 0
un		arrhœa r 2 Years).		• -		•	• •	:
Deaths from		ohtheria Croup.	•	\$ 8 • 0 • •	: : : :	23	:	. —
Dea	Whoop	oing-cough.		, , , , , , , , , , , , , , , , , , ,	0 6 6 0	:	::	*
	Scarl	let Fever.	5 0	e e	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	63	. 61	. 0
	M	easles.		0 0 0 A 0 A	0 0 0 0	0 0		:
	Sm	allpox.	0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0		: :	•
	Typh	us Fever.	* ***	0 0 0 0 0 0	· 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0		*
	Enter	ric Fever.				9 6 9	::	*
ths of	Years ar	ns Aged 65 and Upwards.	33	44	0046	13	64 0	20
Deaths		ren under ear of Age.	9	છા છા		೧೦	c ₃ :	7
	Net 1	Number.	63	∞, ∞	20 12 50	41	19	15
Deaths.	Trans	ferred in.	2	prod •	, ; ; ;	7	:10	c ₁
Dea	Transf	ferred out.	H	F-1 :		41	* * * * * * * * * * * * * * * * * * *	4
	Reg	istered.	62	40	110000	88	74	17
	Marri	ages.	45	9	9888	22	Ø Ø	œ
I	Illegitimat (correc	ted).	7	y(*	ന ന : :	2	63 KS	Ø
	Births (co	rrected).	123	17	60 10 4	99	13	53
						•		
	County and Public		Orkney County	Burghal Districts. kwall	Mainland North Isles South Ronaldshay. Walls	Peebles County	Burghal Districts. Innerleithen	County District.
	Ŭ		0	Burghe Kirkwall Stromness	Mainland North Isl South Ro Walls	Д	Bur Innerlei Peebles	Co. Peebles

																															8
21		*	: 0	N	perd	*,	:	•	:	•	: <	0	*		:	*	ಣ	1	C 3	45		20	·	<u></u>		77	<u>⊣</u> હ	NI	(ಣ ಈ	
99		,	: -	-	<u></u>	67	-	67	20			9 8	5		•	20.	<u></u>	9	4	228		10	∞	54		77,	ار ان ان	C T		5 8 8	
7		:	:	•	•		*	•	:	:		4	•			•	•	67	*	37				15	ଚୀ	10	<u>ძ</u>	0 0		ന ന	
17			:		,—	-	:		_	•	, (9			:		0.1	67	* *	63		ಣ	Ø	5	-	22.	4 €	2)		r- m	
3		:	:	:	:	*	:	:		:	: 0	n .	:		•		•	:	:	40			•	00	posed	000	ထ ၈	3	i de la constanta de la consta	G) :	
9		•	0 0	•	•	:	0 0		0 0		: (2)	•			0 0	 -	<u>, , , , , , , , , , , , , , , , , , , </u>	€7 	0		-	;			€ CO C	N -	٦		b • • • • • •	
:		P 0 0	* *	0 0		•	0 0 9			0	0 0		•		•	:	•			∞			•	೧೭	c •	: 0	m	*	1	- :	
ro			0 0	•	-	:	*	•	*		•	:	0 0		4	0 0	:	*	:	6		:	•	:		ಸರ	•	0 0	1	— ന	
:		0		:	. 0	:	*	*	:	*	0 0		*		•	•			•	*		•	•	0 0			:	•		: :	
:		*		0 0	•	•	•		•	9	•	*	•		:	•	•	•	•	:		•	•	•	•	•	•	0 0		• •	
•		:		0 0		•	•	:	•	•	:		•		•	•	•		:	9		:	•	4		6 7		•		: :	
•		:	•	•	:		:	:	:	•	0 0	:	•		•	:	:	*	:	:			0 0 0			* * * * * * * * * * * * * * * * * * *	•		ir ans veroscilar hibbs		
203		ರ	: (37	70	9		20	13			55			20	14	00	38	∞	299		00	17			i				3 2	
09		67	: 7	-	ಣ	ଠା	_	_	C 3	•	° 1	27 -	4		ĭÜ	p(ಣ	10	ಬ	227		5	ا ت ت	74	∞	62	7 17	7 (15	
474		00	1	-	13	17	70	11	27	က	G (148	27		37	28	43	77	08	1076		42	23.7	9	47	281	000	9	1,	89	
68		_	•	•	ಣ	67	<u></u>	63	4	0 0	61 (ဘ –	-		9	ن	∞	16	00	107		00	4	00		7, -	113	21	-	17.	
63			: 7			63	-	•	7	0 0		27 20	•		•	ಣ	14	9	•	118		_	I	17	•	07 17-0	N -	4	,	17	
469		7	<u></u> — (XO	10	17	2	රා	30	က	OO 1	167	>		31	56	49	19	24 24	1087		ಚಿ	# P	325	36	204 1	47	H		148 89	
236		က	ಣ (00	4	9	:	20	00	ಣ	40	96	4		14	00 (9[68	20	602		26	1	179	28	200	9 6	1	ć	26	
49		67			-	-	67			,—	01	17	4		67	က	9	<u></u>	က	104		7	7 0	56	4	40	- 64	3	C	7.00	
556		7	ଔ	14	16	12	00	7	24	70	=;		5		47	41	43	108	හි	1958		85		299	06	547	134	2	5	136	
		•			•	•	a		۰	۰	٠	•	•		•	•	•	•	•	۰		•		•		•		•			
Perth County	Burghal Districts.	Aberfeldy	Abernethy		Auchterarder.	Blairgowrie	Callander	Coupar-Angus	, the state of the	ne	Dunblane	h		County Districts.	Blairgowrie	tral	Highland		Western.	Renfrew County	Burghal Districts.	Barrhead	Gourock	Greenock	Johnstone	ley .	Fort-Glasgow.		County Districts.	er	
		Abe	Abe	Alyth	Auc	Blai	Call	Cou	Crieff	Doune	Dun	Perth Rattrav	Trans		Blai	Central	Hig	Perth	Wes	Print!		Barr	Gou	Gree	John	Paisley	r orv-cala *Renfrew	1001	17	Lower	

* Including the portion within the County of Lanark.

	1
	L
	Ļ
	ļ,
r_	
6	
6	
ß	
ß	
F	
þ	
F	
F	
F	
F	
F	
F	
G III	
G III	
D III	
T III	
T ILL	
The The	
The state of	
The True	
The True	
A TOTAL	
A TOTAL	
Tanana I	
Tarra D	ABLE
DATE D	
TATE D	ABLE
There is	ABLE
Thrown D	ABLE

				P Garen					
	Vi	olence.	11	: : :	:- :	61 10 H	HH:	9	: : : 61
	Diseas	espiratory ses (except thisis).	30	: 01	H 63 :	12 22	ල : ලෘ	14	es es ⊢ :
	er-	Other.	က			:: ೧	: :, :	ಣ	·
	Tuber-	Pulmonary.	33	ed - :	:-:	4 to 51	100	2	Ø:
a		arrhœa r 2 years).	က	:-:	0 0 0	~ ; ~	• • •	» :	
Deaths from	Dip and	htheria Croup.		* * * * 7 * *	* * * * * * * * * * * * * * * * * * *	: :		•	
Deat	Whoop	oing-cough.	H	* * * * * * * * * * * * * * * * * * *	0 0 0		0 0 0 0 0 0	•	
	Scarl	et Fever.	* * * * * * * * * * * * * * * * * * * *	• • • • • • • • • • • • • • • • • • •	* * * * * * * * * * * * * * * * * * *	0 0 0 0 0 0	* * *	*	
	M	easles.	* *	0 0 0		0 0 0 0 0 0			
	Sm	allpox.	•	0 0 4	* * *	* * * * * * * * * * * * * * * * * * *	* * * *		
	Typh	us Fever.	<u>-</u>	0 0 0	* * * * * * *	: : : : : : : : : : : : : : : : : : : :	* * *	:	0 0 0 0
	Enter	ric Fever.	9		: 0:	0 0 ymad 0 0		:	
Deaths of		s Aged 65 d Upwards.	138	CO CO CO	61 00 :	8 6 7 6 4 6 9	12 8 21	62	00000
Deat		ren under ear of Age.	56		:9:	7000	m m :	14	70 - 01 -
	Net 1	Number.	277	10	es €3 :	19 42 100	37	146	000 1 4 20
Deaths.	Trans	ferred in.	14	- co 1	6 0 0 0 A 0 0 0 0	-	ಣಯಗ	13	ന : വ ⊢
Dea	Transf	erred out.	7	: n 01	* * * * * * * * * * * * * * * * * * *	: ::	prod 0.0	2	::::0
	Reg	istered.	270	10	en en :	18 42 99	35	140	411 7230
	Marria	ages.	00	9 :	: 1- 00	9 8 7	400	62	32 33
	Illegitimat (correc	e Births ted).	27	panel	: ന :	ಬಣಲ	98:	19	e : 61 :
	Births (con	rrected).	381	1127	6 21 12	87 62 147	13	230	133
						• • •		•	
	ublic		and Cromarty County	icts.		icts.		unty	
	County and Public Health District		Cror	Burghal Districts. marty gwall rose.		County Districts. k Isle er Ross	rn ·	Co .	burghat Districts. vick ourgh so
	ty ar		and Cro	jhal.	rdon ay	nty le le loss	reste	urgh	h.
	Coun		Ross a	Burgh Cromarty Dingwall Fortrose.	Invergordon Stornoway Tain	County Black Isle Easter Ross Lews	Mid Ross . South-Western .	Roxburgh County	Hawick Jedburgh Kelso Melrose
				OHE	HWH	田田日	AMP		HUMM

L0.	-	က	67 :	-	က	:	eo :	23	:: 67	01 01 TO	400
H :4	: ന	2	1 6		2	ಣ	4:	78	21	0 8 8	12 15 4
:::	::	-	7 :	:	က	-	67 :	14	:-07	H 23 4	-01-
8 :-	::	9	20 1	:	11	П	6 -	20	:-0	: - 0	m m −
:::		•	• •	•	•	•	• • •	15	:: ന	— က က	on en :
: : :	::	4	4:	:	:	•	::	12	: - 2	: 63	121
• • • •	: :	1	:-	:	•	:	::	:	:::		
• • •	::	:		:	•	:		7	::-	L :4	7::
• • • •	::	:	::	•		•	::	•	:::		
:::	::	:		:	:	:	::	:	:::	:::	:::
:::	::	:	• •	:	:	:	::	:			
:::		:	::	:	:	:	:::	•	:::	:::	:::
8211	40	34	4.8	63	43	7	29	172	9446	25.70	31 36 17
: ന	:-	4	ಣ :	H	2	4	H:	101	1001	900	14 28 3
110	σο σο	62	59	9	88	18	15	517	13	333	78 110 36
H :4	64 :	00	10 Oz	-	10	67	∞ :	69	10	9 4 1	© ∞ ∞
-::	:::	63	64 :		∞	7	:	79	: 7 =	19	8 30 12
110 10 24	ဇာတ	73	56	20	98	23	47	537	8 11 126	28 29 97	71 127 40
42100	0.20	20	32	Н	48	31	13	267	7252	8 17 54	31 58 10
0 ro ro	:-	7	4 თ	•	П	63	100	73	25	6 4 E	4112
25	12 24	66	62	17	108	22	72	1056	11 28 224	47 59 138	220 275 54
		•				•					
County Districts.		c County	Burghal Districts. ashiels	County District.	Shetland County	Burghal District. rick .	County Districts.	Stirling County Burghal Districts.	llan Dunipace	th	County Districts. ral
County Hawick . Jedburgh Kelso .	Liddesdale Melrose	Selkirk	Burghal Galashiels Selkirk	County Selkirk .	Shetlan	Burgha. Lerwick.	County Mainland North Isles	Stirling	Bridge of Allan Denny and Dunipace Falkirk	Grangemouth Kilsyth . Stirling .	Central . Eastern . Western .

1
2
a
~~
~
è
-
· a
m4 %
~
500
2
0
-05
Á
F
阿
-
B
- APP
_4
-

													-			
F	231 75	Violence.		က	4			ಣ		-	1	:	: :	4.3	2 - 0	::
	0.1	All Respiratory Diseases (except Phthisis).		4	4 00	:	TQ.	4	43	11	. 20	0	:	61	-	4
+	10 1	Other.	14.00	03	101		1	63		or.	:0	1 -	· :	2-1	1 :	: :
1	00 01	Other. Pulmonary.		9	10,	:	100	9		5		-	-	(2)		-
4 2 4	m	Diarrhœa (under 2 Years).		*	-	:		:		23	: -	-			1 37	1
-	Deaths from	Diphtheria and Croup.		:		:		:		:	:			15m	1:	:
200	Deal	Whooping-cough		:				į		#	:		: :	Ha		: ;
	***	Scarlet Fever.		:	1100	:		:	1	:	:	: :	: :	-	: :	::
-	: :	Measles.		:		:		:		:	:	: :		,		::
		Smallpox.		:		:		:		:	1	: :	: :	1	: :	:
	: :	Typhus Fever.		:		:		•		:	:	: :		1	:	-
		Enteric Fever.		:		:		:		:	:				1	: :
-	Deaths of	Persons Aged 65 Years and Upwards.	-	42		63		40	re i	49	11	- 67	اين		13	21
	Deat	Children under One Year of Age.	635352020097009	4		Towns Chicagon		41	MINISTER OF	19	- 9) r			40	0
1	200	Net Number.	E.	74		67		72		113	1 6	1 1	11		222	42
1	Deaths.	Transferred in.		20		:	p)	2	R	13	- ~		60	675	.es @	N
1	Dea	Transferred out.	18	:		:	-1	:	00	9	: 0			90	; ::	: :
1	131	Registered.	500	69	-1	64	73	49	8	106	9,4	9	000	67	19	04
1	Marriages.			22	2	:	50	22	18	57	201		67	8	12	20
Illegitimate Births (corrected).			53	00	- 1	:	80	00		22			+	- 16	1	11
1	Births (corrected).			82	1-1	C3	18	80	1100	172	13	3 65	10	90	54	60
1	1			. 1											1 .	
	Salenia .	County and Public Health District.	Stining County.	Sutherland County	Burghal District.	Dornoch.	Wounty District.	Sutherland	C	Wigtown County Burghal Districts.	Newton-Stewart	Whithorn	Wigtown	County Districts.	Machars	chins
				- 1	71			BF	KA	HY	40	2P	-		MI	7

Printed under the authority of His Maresty's Starleyery Office By J. Skinner & Co., Ltd., The the Street, Komburgh.



